

Subject index

A

- acquiring datasets 545–546
- `add, label define` option 2
- `adoupdate` command 130
- agreement, intraclass correlation 261
- `alpha` command 391
- alpha reliability 387, 389
- `ameans` command 97
- analysis of covariance see ANCOVA
- analysis of variance see ANOVA
- ANCOVA 239–250
- ANOVA,
 - assumptions 222
 - degrees of freedom 227
 - effect size 249–250
 - equal-variance test 227
 - multiple comparison 229
 - one-way 221–222, 224
 - one-way power analysis 234–236, 264–266
 - power analysis 234–236, 264–271
 - repeated-measures 256
 - repeated-measures power analysis 268–270
 - two-way 250–256
 - two-way power analysis 266–268
- `anova` command 243
- ATS at UCLA 207
- auxiliary variables 426–428

B

- bar chart 108, 358
- bar graph of means 233
- Bartlett test of equal variances 227
- `beta` option 277

- beta weight 213, 280
 - interpretation 213
 - limitation 316
- binary variables 300–301
- `binscatter` command 201–205, 320
- block regression 299–308
- blog see Stata Blog
- Bonferroni multiple-comparison test 210, 225
- bookstore, Stata 542
- bootstrap estimation of standard errors 291
- bootstrap regression 285
- Boston College Stata site 540
- boundary characteristic curve 525–526
- box plot 118, 239
- `browse` command 40
- `browse, nolabel` command 80

C

- calculator 229
- capitalization 47–49
- case, changing 49
- casewise deletion 207
- categorical
 - covariates 241, 245
 - predictors, regression 301
 - variable 308–309
- cause and effect 198
- `center` command 313
- centering 324–325
 - quadratic model 324–325
- chi-squared 129
 - table 129
 - test 127–133, 361
- `chi2power` command 147
- `chitable` command 129–132

- clear** command 11, 29
clonevar command 65, 478
cls command 16
codebook command 44–45, 55–56,
 139
codebook example 25–28
codebook, compact command 53
coding system 24–28
coefficient of variation 117
Cohen's *d* 170–172, 179–185
Cohen's *f* 234–236, 264
collinearity 294, 295
command
 adoupdate 130
 alpha 391
 ameans 97
 anova 243
 browse 40
 browse, nolabel 80
 center 313
 clear 11, 29
 clonevar 65, 478
 cls 16
 codebook 44–45, 55–56, 139
 codebook, compact 53
 compress 47–49
 correlate 208
 describe 10, 45–46, 54
 dfbeta 293–294
 display 170–172, 229, 355,
 437–438
 drop 73
 edit 29
 egen 65, 70–72, 383
 egen count 383
 egen rowmean 72, 383
 egen rowmiss 71
 esize 170–172
 estat esize 249–250
 estat report 510–511
 estat vif 295–296
 estimates store 361
 factor 406
 generate 65–70
 glm 433–434
- command, continued**
- graph bar** 144–146, 233, 358
graph box 239
graph hbox 119
gsem 417–447, 473
help 6
help label 43
histogram 13–18, 108, 283
irt 1pl 510–511
irt 2pl 517–518
irt grm 524–525
irtgraph icc 512, 519, 525–526
irtgraph iif 513, 520, 527
irtgraph tif 514, 521, 528
kap 394
keep 73
kwallis 236–239
label variable 59
list 81–82, 224
listcoef 355–357
logistic 349–354
logit 342, 349–354, 432–434
lrtest 361, 487
margins 244, 246–248, 314,
 364–372, 483
marginsplot 254–256, 314–315,
 321, 371, 483
median 188
mi estimate 462–464
mi impute 461–462
mi impute chained 456
mi impute mvn 456, 461, 462
mi register 461
mi set 461–462
misstable 457–458
mixed 473–494
mvdecode 56, 67, 167
nestreg 305–308, 326–328,
 372–374
numlabel 82, 104
pcorr 281, 303
power 182–185, 330
power oneway 234–236, 264–266
power repeated 268–270
power twomeans 185

command, *continued*

power twoway 266–268
predict 291–293, 310, 493
prtest 157–163
pwcorr 207–210
pwmean 229–231
ranksum 186
recode 61–63, 299
regress 211–214, 277–278,
302–304, 310–312
rename 47–49, 57, 257
rename, lower 53
replace 65, 167
reshape 257–259, 478
sample 146, 154, 195
save 41–42
saveold 42
scatter 195–202
sdtest 175–176
search 6
sem 417–447, 473
sembuilder 429–431
set obs 154
set seed 146, 154, 195
sktest 285
spearman 215
ssc 540
structure 78
summarize 5, 11–13, 113, 211,
284
sunflower 197
sysuse 10, 47–49
tab 147
tab1 101, 207
tab2 300
tabdisp 259
tabi 142–143
table 143–144
tabstat 117, 237
tabulate 5,
64, 68–70, 101, 124–129, 137,
139–141, 250–256
test 304–305
ttest 164–170, 177
twoway 200–201, 311

command, *continued*

twoway lfit 493
use 85
with missing values 79
xtreg 260, 263
xtset 259
Command window 8, 10
commenting do-files 85
communality 404
community-contributed command 540
binscatter 201–205, 320
center 313
chi2power 147
chitable 129–132
egenmore 70, 71
fre 102–104
ftable 131, 227
hangroot 284
lrdrop1 361–362
mibeta 464–466
optifact 540
powerlog 374
ttable 131
compatibility 42
compress command 47–49
confidence interval
difference of proportions 160
one sample mean 164
proportion 158
regression 214
regression line 214
slope 214
constant 213
content validity ratio 396
continuous covariates 241–243
continuous variable 320
conventions used in the book 1
copying, HTML format 19, 89
copying results to word processor 19,
88
correlate command 208
correlation,
interpreting 205
limitation 316

correlation, *continued*
 multiple comparison 210
 ratio 228, 249–250
count outcome variables 348
Cramér's *V*, measure of association ...
 134
creating value labels 57–60
criterion-related validity 397
cross-tabulation 124
curve fitting 318–324

D

Data Editor 29–33, 40–41
Data Editor (Browse) 29
data,
 browse 29
 cleaning 43
 long format 162, 223
 subset of 80
 subsets of 79
 wide format 160, 223
dataset,
 acquisition 545–546
 c10interaction 310, 335
 c11barchart 357
 cancer 10, 11
 census 335
 censusfv 20
 chapter6_aspirin 137
 chapter13_missing 456
 chores 176
 contents 43
 create 21–23
 depression 219
 descriptive_gss 100, 120, 121
 divorce 341
 download xxxv, 545–546
 environ 344
 firstsurvey 43
 firstsurvey_chapter4 80, 85,
 92
 flourishing_bmi 419
 gss2002_and_2006_chapter12....
 416
 gss2002_chapter6 150

dataset, *continued*
 gss2002_chapter7 157, 163, 164,
 166, 176, 191
 gss2002_chapter8 219
 gss2002_chapter9 272
 gss2002_chapter10 335, 446
 gss2002_chapter11 379
 gss2006_chapter6 124, 138, 143,
 146, 149, 150
 gss2006_chapter6_10percent....
 147
 gss2006_chapter8 .. 194, 218, 219
 gss2006_chapter8_selected.. 210
 gss2006_chapter9 231, 240
 gss2006_chapter9_2way 250
 gss2006_chapter12 382, 390
 gss2006_chapter12_selected....
 406
 intraclass 262
 kappa1 394
 kuder-richardson 392
 long 162
 longitudinal_exercise 500
 longitudinal_mixed 476
 nlsw88 336, 337
 nlsy97_chapter7 186, 190
 nlsy97_chapter11 347, 361
 nlsy97_selected_variables
 272, 299
 ops2004 276, 470
 partyid 224, 237, 272
 positive 75
 regsmpl 318, 447, 456
 relate 52, 75
 retest 387
 severity 378
 spearman 215, 219
 wide 160
 wide9 257
degrees of freedom, 129
 ANOVA 227
 one-sample *t* test 166
 regression 280
deleting variables 73
dependent *t* test 176

- dependent variable 126
describe command 10, 45–46, 54
dfbeta command 293–294
dialog box,
 alpha 390
 anova 251
 codebook 44–45
 correlate 208
 describe 45–46
 egen 70–72
 generate 65, 67–68
 graph bar 144–145, 233
 graph box 239
 graph hbox 118
 graph pie 104
 histogram 14–15, 108–110
 kwallis 237
 lfit 215
 logistic 349–350
 margins 244, 246–247, 253
 nestreg 326
 oneway 224–225
 open 66
 pcorr 281–282
 power 182–183
 prtest 157–163
 recode 61–62, 299
 regress 211, 277
 rename 57
 rvplot 288
 scatter 195–200
 sdtest 175
 sktest 113
 Submit vs. OK 17
 summarize 11
 tab1 100
 tabi 142–143
 table 143–144
 tabstat 117
 tabulate 68–69, 124–129, 139
 ttest 164–165, 168–170, 177
dictionary file 52
difference of means test 166
difference of proportions test 160
discontinuity graph 203–205
display command 170–172, 229, 355, 437–438
Do-file Editor 83–87
do-file,
 comments in 85
 continuation line 86, 167
 creating 82
 example 87
 introduction 6
download datasets 545–546
drop command 73
dummy variables 300–301
- E**
- edit** command 29
effect size 170–172, 228, 281
 η^2 228, 249–250
 Cohen's *d* 170–172
 for *t* test 170–172
 Hedges's *g* 170–172
 point-biserial *r* 170–172
 r-squared 170–172
egen command 65, 70–72, 383
egen count command 383
egen rowmean command 72, 383
egen rowmiss command 71
egenmore command 70, 71
eigenvalues 404
entering data 29–33
equal variance test 175–176
equal variance, Bartlett test 227
equality symbol 79
esize command 170–172
estat esize command 249–250
estat report command 510–511
estat vif postestimation command 295–296
estimates store command 361
eta-squared 228, 234
Excel 47–49
 exporting data 47–49
 importing data 47–49
exit Stata 18, 43
explained variance 278

exponentiation 355
 external validity 207

F

F ratio 227
F test of unequal variances 175
 Facebook see Stata on Facebook
 factor analysis, 402–406
 communality 404, 405
 eigenvalues 404, 405, 410
 exploratory factor analysis 403
 extraction 405
 factor score 405, 414
 loadings 404, 405
 oblique rotation 405, 412
 orthogonal rotation 405, 411
 PCF 404
 PF 403
 postestimation 406
 principal component 405
 promax rotation 412–413
 rotation 405
 scree plot 404, 405, 410
 simple structure 404, 405
 varimax rotation 410–412
factor command 406
 factor variable 308–309
 fixed effects 473–474
 fonts, fixed 89
 format,
 long 162
 numeric 31
 string 32
fre command 102–104
 frequency distributions 5, 101
ftable command 131, 227
 full mediation 441

G

gamma, measure of association 139
 generalized linear model 433–434
 generalized structural equation modeling 417–447
generate command 65–70
 generating a mean scale score .. 383–385

geometric mean 97
glm command 433–434
 Goodman and Kruskal's gamma, measure of association 139
 graded response IRT model 522–529
 graph,
 alternative scattergram ... 201–205
 bar chart 108, 146, 233, 358
 box plot 118, 239
 collinearity 295
 discontinuity 203–205
 hanging rootogram 283
 heteroskedasticity 287
 histogram 108, 111, 283
 horizontal box 119
 marginsplot command .. 254, 321
 medians 239
 overlay two-way showing
 interaction effects 311
 pie chart 104–108
 residual vs. fitted 288
 scattergram 194–201
graph bar command 144–146, 233, 358
graph box command 239
 Graph Editor 106–108
graph hbox command 119
 graphics
 book 542
 boundary characteristics curve....
 525–526
 item characteristic curve.. 505, 512
 greater than or equal 79
 growth curve 476
gsem command 417–447, 473
 logistic regression 432–434
 GSEM, families available 435
 GUI interface..... 8

H

hangroot command 284
 harmonic mean 97
 Hedges's *g* 170–172
 help 6
help command 6

- help, listcoef option** 355–357
help label command 43
heteroskedasticity 287
hierarchical linear models 471–500
hierarchical regression 299–308,
 326–328, 372–374
histogram 111
histogram command .. 13–18, 108, 283
HLM see hierarchical linear models
horizontal bar chart 119
HTML format 89
hypotheses 156–157
hypotheses, alternative 156–157
hypothesis, null 156–157
- I**
identification number, generate 154
importing datasets, dictionary file... 52
imputation see multiple imputation
increment in R^2 281–282
independent variable 126
indicator variables 300–301
interaction term 309–312
interaction, **margins** command 314
interactive table 141
intercept 213
intercept, growth trajectory 476
interquartile range 117
interval-level variables 96
intraclass
 correlation 261, 263
 correlation coefficient 259
 reliability 387
IRT see item response theory
 boundary characteristic curve.....
 525–526
 compared with Likert-type scales..
 502
 estimating the latent score ... 515–
 516
 fitting two-parameter model.. 516–
 521
 graded response model ... 522–529
 item characteristic curve.. 505, 512
IRT, *continued*
- item importance 512–513
menu system 532–535
one-parameter logistic model
 504–506
overall evaluation of scale 514–
 515
reliability 529–532
test of two-parameter model.. 516–
 521
- three-parameter logistic model....
 507
- two-parameter logistic model
 506–507
- variance in item difficulty 503
- i**
irt 1pl command 510–511
irt 2pl command 517–518
irt grm command 524–525
irtgraph icc command 512, 519,
 525–526
irtgraph iif command 513, 520,
 527
irtgraph tif command 514, 521,
 528
item
 characteristic curve.. 505, 512, 519
 information function graph ... 513,
 520, 526–527
 response theory 501–536
- J**
jitter(), scatter option 198
- K**
kap command 394
kappa 393
 reliability 387
 weighted 395
 with three raters 395
keep command 73
Kendall's tau, measure of association..
 139
Kruskal–Wallis test, ANOVA alternative
 237
Kuder–Richardson reliability .. 392–393

Kuder–Richardson coefficient of reliability 392
 kurtosis 99, 113, 285
kwallis command 236–239

L
 label variable 59
label variable command 59
 labeling values 33
 labeling variables 23
 less than or equal 79
 likelihood ratio chi-squared 147
 likelihood-ratio chi-squared test 361–362
 limitations of Stata 546
 linear regression 417–419
list command 81–82, 224
listcoef command 355–357
 listwise deletion 207
 log, *.smcl* extension 90
 log files 89
logistic command 349–354
 logistic regression 339–379, 439
 bar chart 358
 exponentiation 355
 hypothesis tests 361
 interpreting odds ratio 354
 likelihood-ratio chi-squared test 361
 logits 346
 margins 364–372
marginsplot command 371
 McFadden pseudo- R^2 354
 nested models 372–374
nestreg command 372–374
 nonlinear 342
 odds ratio 344, 360
 percentage change 354
 power analysis 374
 pseudo- R^2 354
 relative-risk ratio 360
 S-curve 342
 testing coefficients 361
 vs. OLS regression 343
 Wald chi-squared test 361

logit command 342, 349–354, 432–434
 logits 346
 long format 162, 169, 223, 257–259, 478
 longitudinal data 472–473
lrdrop1 command 361–362
lrtest command 361, 487

M
 MAR see missing at random
margins command .. 244, 246–248, 314, 364–372, 483
marginsplot command 254–256, 314–315, 321, 371, 483
 maximum number of variables 546
 MCAR see missing completely at random
 McFadden pseudo- R^2 351, 354
 mean 95
 mean squares 227
 mean vs. total scale score 385
 means,
 one-sample test 164–166
 two-sample test 166–176
 measure of association,
 η^2 228, 249–250
 ϕ 134
 odds ratio 136
 V 134
 median 95
median command 188
 median, graph box plot 239
 mediation
 correlated residuals 445
 full 441
 models 440–444
 partial 441
 menu, open 66
mi estimate command 462–464
mi impute chained command 456
mi impute command 461–462
mi impute mvn command 456, 461, 462
mi register command 461

- m**
mi set command 461–462
mibeta command 464–466
missing at random 421, 454–455
missing completely at random 421,
 453–454
missing, count 383
missing values 27, 56, 67, 79,
 449–470, 476
 egen command 70
 listwise deletion 453
 types 55, 56
missing-values code 67
misstable command 457–458
mixed command 473–494
mixed models 471–500
mode 94
multicollinearity 294
multilevel analysis 471–500
multilevel models
 margins command 483
 marginsplot command 483
 proportional reduction in error ...
 487
multiple comparison, 229
 Bonferroni 225
 Scheffé 225
 Šidák 225
multiple comparison and correlation...
 210
multiple correlation 278
multiple imputation 449–470
 assumptions 453
 auxiliary variables 450
 identifying auxiliary variable .. 460
 interaction terms 466–468
 mechanism for missingness ... 453–
 455
 misspecification 450
 obtaining standardized estimates..
 464
 quadratic terms 466–468
multiple regression command .. 277–281
multiple regression diagnostics 291
multiple regression with interaction
 term 310–315
- multiple regression,
 block 299–308
 categorical predictors 301
 dummy variables 301
 hierarchical 299–308
 indicator variables 301
 influential case 291
 nested 299–308
 outlier 291
 residual 287
 weighted data 297
mvdecode command 56, 67, 167
- N**
- naming variables 25
nested regression 299–308, 326–328,
 372–374
nestreg command .. 305–308, 326–328,
 372–374
NetCourses 545
nolabel, *list* option 224
nominal-level variables 96
nonlinear 342
nonlinear regression 316–328
nonparametric ANOVA alternatives ...
 236
nonparametric tests 186
 Kruskal–Wallis 236–239
 Mann–Whitney 186–187
 median 187
 rank sum 186
normal distribution 98
normally distributed residuals 286
not equal 79
numlabel command 82, 104
- O**
- odds ratio 136–138, 344
 interpretation 354
 percentage change 354
OLS regression vs. logistic regression...
 343
one-parameter logistic IRT model .. 504–
 516

- one-sample
 - t* test 164
 - test 157–159
 - test of means 164
- one-tailed tests 156
- one-way ANOVA 221–222
- oneway** option
 - bonferroni** 225
 - scheffe** 225
 - sidak** 225
- open
 - dataset 85
 - existing dataset 9–11
 - Stata-installed dataset 10
- optifact** command 540
- option,
 - add_label define** 2
 - beta** 277
 - bonferroni, oneway** 225
 - help, listcoef** 355–357
 - jitter()**, **scatter** 198
 - nolabel, list** 224
 - percent, listcoef** 357
 - scheffe, oneway** 225
 - sidak, oneway** 225
- ordinal-level variables 96
- outlier 291–293

- P**
- paired *t* test 176
- panel data 472–473
- part correlation 281
- partial correlation 281
- partial mediation 441
- pasting,
 - reformatting 89
 - results to word processor, ... 89
 - formatting 89
- path analysis 440–444
- pcorr** command 281, 303
- Pearson's chi-squared 128, 139
- percent, listcoef** option 357
- phi 134
- pie chart 104–108
- plot a confidence interval 215
- plotting regression line 199–201
- Poisson regression 348
- postestimation 546–547
- postestimation command,
 - estat vif** 295–296
 - margins** 244, 246–248, 314, 364–372, 483
 - marginsplot** 254–256, 314–315, 371, 483
 - predict** 291–293, 310, 493
 - test** 304–305
- Postestimation Selector 546–547
- power analysis 178–185
 - chi-squared test 146
 - Cohen's *d* 181
 - correlation 216–218
 - one-way ANOVA 234–236, 264–266
 - regression 328–333
 - repeated-measures ANOVA ... 268–270
 - t* test 178
 - two means 183–185
 - two-way ANOVA 266–268
- power** command 182–185, 330
- power oneway** command 234–236, 264–266
- power repeated** command 268–270
- power twomeans** command 185
- power twoway** command 266–268
- powerlog** command 374
- predict** postestimation command.....
 - 291–293, 310, 493
- predict** postregression 291–293
- predictive validity 397
- preferences 8
- prefix command
 - by, sort** 117
 - mi estimate, dftable** 462
- probability tables 129
- product term 312
- project outline 52
- promax rotation 412–413
- prophecy formula 389

- proportions,
 - one-sample test 157
 - two-sample test 160
- prtest** command 157–163
- pseudo- R^2 351, 354
- pwcorr** command 207–210
- pweights** 297–298
- pwmean** command 229–231

- Q**
- quadratic model,
 - centering 324–325
 - examining 326–328
 - fitting 318–324
- qualifier,
 - if** with missing values 79
 - in** 80

- R**
- R^2 170–172, 278
 - change 281
- random
 - coefficients 474–476, 491–494
 - effects 474–476
 - intercept 474–476, 481–490
 - sample 153, 195
 - how to draw 155
 - slope 474–476
- randomization 153
 - alternative to 240
 - how to perform 155
- ranksum** command 186
- Rasch modeling 502
- recode** command 61–63, 299
- recode values 60
- recoding 167
 - ranges 61
- regress** command 211–214, 277–278, 302–304, 310–312
- regression 210–215
 - assumptions 283
 - binsscatter** command 320
 - centering 313
 - collinearity 295
 - confidence intervals 214

- regression, *continued*
 - degrees of freedom 280
 - DFbeta** 293–294
 - diagnostics 291
 - interaction 309–316
 - line, plotting 199–201
 - margins** command 314
 - marginsplot** command 321
 - nonlinear 316–328
 - outliers 291
 - power analysis 328–333
 - predict** 291
 - quadratic model 318–324
 - residuals 292
 - weighted data 296–299
 - with interaction term 310–315
- regression,
 - block 299–308
 - bootstrap 285
 - categorical predictors 301
 - dummy variables 301
 - hierarchical 299–308
 - indicator variables 301
 - influential case 291
 - nested 299–308
 - outlier 291
 - residual 287
 - robust 285
 - weighted data 297
- relational operators 79
- relative-risk ratio 360
- reliability
 - α 388
 - as equivalence 387
 - as internal consistency 387
 - as rater consistency 387
 - as stability 387
 - internal consistency 388–392
 - Kuder–Richardson 392–393
 - number of items 392
 - test-retest 387–388
- reliability,
 - alpha 389
 - equivalent forms 388
 - IRT 529–532

- reliability, *continued*
- kappa 393
 - kappa with three raters 395
 - Kuder–Richardson coefficient of reliability 392
 - prophecy formula 389
 - split-half 389
 - test–retest 387
 - weighted kappa 395
- rename** command 47–49, 57, 257
- rename variable 257
- rename, lower** command 53
- repeated-measures
- t* test 176
 - ANOVA 256
 - design 268–270
- replace** command 65, 167
- reshape** command 257–259, 478
- reshape wide to long format 257–259
- reshaping data 477–480
- residual 286, 287
- Results window 8
- clear 16
 - scroll size 4
- reverse coding 383
- reverse coding by subtraction 67
- reverse-code variables 60
- Review window 8
- robust estimation of standard errors... 290
- robust regression 285
- root mean squared error 213
- S**
- sample, draw 195
- sample** command 146, 154, 195
- SAS 47–49
- SAS XPORT 49
- save** command 41–42
- saveold** command 42
- scale construction 382
- reverse coding 383
- scale creation 70
- scatter** command 195–202
- scattergram 194–205
- with confidence interval 215
 - with **jitter()** option 198
- scattergram, alternative 201–205
- Scheffé, multiple comparison 225
- schemes 15
- scientific notation 280
- scree plot 409–410
- S*-curve 342
- sdtest** command 175–176
- search** command 6
- seed for starting a random sample..195
- SEM
- assumptions with **method(mlmv)**... 421
 - auxiliary variables 426–428
 - Builder, restore default settings... 429
 - estimating R^2 423
 - linear regression 417–419
 - mediation models 440–444
 - path analysis 440–444
- sem** advantages 417
- sem** command 417–447, 473
- sembuilder** command 429–431
- semipartial correlation 281–282, 303
- set obs** command 154
- set seed** command 146, 154, 195
- Šidák, multiple comparison 225
- significance,
- statistical 206
 - substantive 206
- skewness 99, 113, 285
- skttest** command 285
- slope 213
- SMCL**...see Stata Markup and Control Language
- spearman** command 215
- Spearman's rho 215–216
- split-half reliability 389
- SPSS 49
- ssc** command 540
- standard deviation 98

- standardized
 beta coefficient 213
 beta weights 280
 coefficients 213
 regression coefficients 280
- Stat/Transfer 49, 546
- Stata, limitations 546
- Stata Blog 541
- Stata bookstore 542
- Stata code for textbook examples 540
- Stata/IC limitations 546
- Stata Journal* 542
- Stata Markup and Control Language..
..... 90
- Stata NetCourses 545
- Stata on Facebook 541
- Stata on Twitter 541
- Stata Portal, UCLA 207, 540, 542
- Stata screen 7
- Stata tutorial 18, 545
- Statalist Forum 541
- statistical significance versus
 substantive significance ... 206
- structural equation modeling .. 417–447
- sum of squares 227
- sum score of scale limitations 385
- summarize** command 5, 11–13, 113,
211, 284
- summarize()**, **tabulate** option ... 250–
256
- summary of data 27
- summated scores versus mean scores ..
..... 73
- sunflower** command 197
- sysuse** command 10, 47–49
- T**
- t* test,
 difference of means 169
 grouped data 169
 one-sample 164
 power analysis 182–185
 repeated measures 176–178
 two-sample 166
- tab** command 147
- tab1** command 101, 207
- tab2** command 300
- tabdisp** command 259
- tabi** command 142–143
- table** 124
 calculator 142–143
 probability 129
 summary statistics 237
- table** command 143–144
- tables for quantitative data 143
- tabstat** command 117, 237
- tabulate** command 5,
64, 68–70, 101, 124–129, 137,
139–141, 250–256
- tau, measure of association 139
- test information function graph ... 514,
521, 528
- test of significance,
 kurtosis 113
 skewness 113
- test** postestimation command ... 304–
305
- test-retest reliability 387
- tests,
 Bonferroni 210
 chi-squared 127
 dependent *t* test 176
 equal variance 175–176
 likelihood-ratio chi-squared... 361–
362
 likelihood-ratio chi-squared with
 logistic regression 361
 logistic regression 361
 long format for portions 162
 Mann–Whitney 186
 median 187
 multiple comparison with correla-
 tions 210
 nonparametric 186
 one-sample *t* test 164
 paired *t* test 176
 proportions 157, 160
 rank sum 186
 repeated-measures *t* test 176
 skewness and kurtosis 285

- tests, *continued*
- two-sample *t* test 166
 - unequal variances 175
 - Wald chi-squared test 361
 - wide format for proportions 160
 - z* test for proportions 163
 - z* test with logistic regression 361
 - textbook examples using Stata
 - commands 540
 - three-parameter logistic IRT model 507
 - time-invariant covariate 476
 - time-varying covariate 476
 - tolerance 295–296
 - toolbar, 9
 - Stata for Mac 9
 - Stata for Windows 9
 - ttable** command 131
 - ttest** command 164–170, 177
 - tutorial 18, 545
 - Twitter see Stata on Twitter
 - two-by-two table 124
 - two-parameter logistic IRT model 506–507, 516–521
 - two-tailed tests 156
 - two-way ANOVA 250–256
 - twoway** command 200–201, 311
 - twoway lfit** command 493
 - types of reliability 387
- U**
- UCLA Stata Portal 207, 540
 - reshaping data wide to long 257
 - UCLA Stata support 11
 - unequal variance test 175–176
 - use** command 85
- V**
- validity,
 - construct 397–401
 - criterion 397
 - criterion related 397
 - expert judgment 396–397
 - external 207
 - predictive 397
- value labels 23, 33–40, 57–60, 82
- variable labels 23
- variable name 22, 25
 - reserved 22
- Variables Manager 34–40, 57–59, 73
- Variables window 8
- variance inflation factor 295–296
- varimax rotation 410–412
- versions 42
- video tutorials 18
- VIF see variance inflation factor
- W**
- Wald chi-squared test 361
 - weighted data 296–299
 - weighted kappa 395
 - weights, **pweights** 297–298
 - wide format 160, 170, 223, 257–259, 477
- Word
- transferring picture of result 88
 - transferring results 88
 - working directory 9
- X**
- xtreg** command 260, 263
 - xtset** command 259
- Y**
- YouTube 18
- Z**
- z* test,
 - one-sample proportion 157
 - two-sample proportion 160
 - zero-inflated models 348