

Subject index

A

acquiring datasets 537–538
add, `label define` option 2
ado `update` command 130
agreement, intraclass correlation 260
`alpha` command 385
alpha reliability 381, 384
`ameans` command 98
analysis of covariance see ANCOVA
analysis of variance see ANOVA
ANCOVA 238–249
ANOVA,
 assumptions 222
 degrees of freedom 227
 effect size 248–249
 equal-variance test 227
 multiple comparison 229
 one-way 221–222, 224
 power analysis 234–235,
 263–265
 power analysis 234–235, 263–270
 repeated-measures 255
 power analysis 267–269
 two-way 249–255
 power analysis 265–267
`anova` command 242
arithmetic symbols 66
ATS at UCLA 207
auxiliary variables 419–421

B

bar chart 108, 355
bar graph of means 233
Bartlett test of equal variances 227
beta weight 213, 278
 interpretation 213
 limitation 315

`beta, regress` option 275
binary variables 299–300
`binscatter` command 201–205, 319
block regression 298–307
blog see Stata Blog
Bonferroni multiple-comparison test
 210, 225
`bonferroni, oneway` option 225
bookstore, Stata 534
bootstrap estimation of standard
 errors 290
bootstrap regression 284
Boston College Stata site 532
boundary characteristic curve 519
box plot 118, 238
`browse` command 40, 80
`by` command 117

C

calculator 229
capitalization 47–50
case, changing 50
casewise deletion 207
categorical
 covariates 240, 244
 predictors, regression 300
 variable 307–308
cause and effect 199
`center` command 312
centering 323–324
 quadratic model 323–324
chi-squared 128
 table 129
 test 127–132, 358
`chi2power` command 146
`chitable` command 129–131
`clear` command 11, 30

clonevar command.....65, 470
 cls command.....17
 codebook command..44–45, 53, 55–56,
 138
 codebook example.....25–29
 coding system.....25–29
 coefficient of variation.....117
 Cohen’s *d*.....171–173, 180–187
 Cohen’s *f*.....234–235, 263
 collect export command.....89, 117
 collinearity.....294
 command
 ado update.....130
 alpha.....385
 ameans.....98
 anova.....242
 binscatter.....201–205, 319
 browse.....40, 80
 by.....117
 center.....312
 chi2power.....146
 chitable.....129–131
 clear.....11, 30
 clonevar.....65, 470
 cls.....17
 codebook...44–45, 53, 55–56, 138
 collect export.....89, 117
 compress.....47–50
 correlate.....208
 describe.....10, 45–46, 53
 dfbeta.....292–293
 display.....171–173, 229, 352,
 430–431
 drop.....74
 edit.....30
 egen.....65, 70–73, 379
 egen count.....379
 egen rowmean.....73, 379
 egen rowmiss.....71
 egenmore.....70, 71
 esize.....171–173
 estat esize.....248–249
 estat report.....502–503
 estat vif.....294–295
 estimates store.....358

command, *continued*

 etable.....89
 factor.....400
 fre.....102–104
 ftable.....131, 227
 generate.....65–70
 glm.....426–427
 graph bar.....144–145, 233, 355
 graph box.....238
 graph hbox.....118
 gsem.....411–440, 465
 hangroot.....282
 help.....6
 help label.....43
 help notes.....43
 histogram...13–18, 108–112, 281
 irt 1pl.....502–503
 irt 2pl.....509–510
 irt grm.....517–518
 irtgraph icc.....504, 511, 519
 irtgraph iif.....505, 512, 520
 irtgraph tif.....506, 514, 521
 kap.....388
 keep.....74
 kwallis.....236–238
 label values.....34–37, 64
 label variable.....59
 list.....82, 224
 listcoef.....352–354
 logistic.....347–351
 logit.....340, 347–351, 425–427
 lrdrop1.....358–359
 lrtest.....358, 479
 margins.....243, 245–247, 313,
 361–369, 475
 marginsplot...253–255, 313–314,
 320, 368, 475
 median.....189
 mi estimate.....454–456
 mi impute.....453–454
 mi impute chained.....448
 mi impute mvn.....448, 453, 454
 mi register.....452
 mi set.....452–454
 mibeta.....456–458

command, *continued*

misstable	449–450
mixed	465–486
mvdecode	56, 67, 169
nestreg	304–307, 325–327, 369–371
numlabel	82, 104
optifactor	532
pcorr	279, 302
power	183–187, 329
power oneway	234–235, 263–265
power repeated	267–269
power twomeans	186–187
power twoway	265–267
powerlog	371
predict	290–292, 309, 485
prtest	158–164
pwcorr	207–210
pwmean	229–231
ranksum	187
recode	61–63, 298
regress	211–214, 275–276, 301–303, 309–311
rename	47–50, 53, 57, 257
replace	65, 169
reshape	256–258, 470
sample	145, 154, 194–195
save	41–42
saveold	42
scatter	195–202
sdtest	176–177
search	6
sem	411–440, 465
sembuilder	421–424
set obs	154
set seed	145, 154, 195
sktest	283–284
spearman	215
ssc	532
structure	78
summarize	5, 11–13, 113, 211, 282–283
sunflower	197
sysuse	10, 47–50

command, *continued*

tab	146
tab1	100–102, 207
tab2	299
tabdisp	258
tabi	141–142
table	89, 117, 142–144
tabstat	237
tabulate	5, 64, 68–70, 100–101, 124–128, 136, 138–140, 249–255
test	303–304
ttable	131
ttest	165–171, 178
twoway	200–201, 310
twoway lfit	485
use	85
with missing values	79
xtreg	258, 262
xtset	258
Command window	8, 10
commenting do-files	85
communality	398
community-contributed command	532
compact, codebook option	53
compatibility	42
compress command	47–50
confidence interval	
difference of proportions	161
one-sample mean	165
proportion	159
regression	214
regression line	214
slope	214
constant	213
content validity ratio	390
continuous covariates	240–242
continuous variable	319
conventions used in the book	1
copying, HTML format	19
copying results to word processor	19, 89
correlate command	208

correlation,
 interpreting 205
 limitation 315
 multiple comparison 210
 ratio 228, 248–249
 count outcome variables 346
 Cramér’s *V*, measure of association ...
 133
 criterion-related validity 391
 cross-tabulation 124
 curve fitting 317–323

D

data,
 browse 29
 cleaning 43
 long format 163, 224
 subset of 79, 80
 wide format 161, 223
 Data Editor 29–33, 40–41
 dataset,
 acquisition 537–538
 c10interaction 309, 334
 c11barchart 354
 cancer 10, 11
 census 333
 censusfv 20
 chapter6_aspirin 136
 chapter14_missing 448
 chores 177
 contents 43
 create 21–23
 depression 219
 descriptive_gss ... 100, 120, 121
 divorce 339
 download xxxv, 537–538
 environ 342
 firstsurvey 43
 firstsurvey_chapter4 ... 81, 85,
 92
 flourishing_bmi 413
 gss2002_and_2006_chapter12 ...
 410
 gss2002_chapter6 149

dataset, *continued*

gss2002_chapter7 158, 164,
 165, 167, 177, 192
 gss2002_chapter8 219
 gss2002_chapter9 271
 gss2002_chapter10 333, 334,
 439
 gss2002_chapter11 375
 gss2006_chapter6 124, 137,
 142, 145, 148, 149
 gss2006_chapter6_10percent ...
 146
 gss2006_chapter8 .. 194, 218, 219
 gss2006_chapter8_selected ...
 210
 gss2006_chapter9 231, 239
 gss2006_chapter9_2way 249
 gss2006_chapter12 378, 384
 gss2006_chapter12_selected ...
 400
 intraclass 261
 kappa1 388
 kuder-richardson 387
 long 163
 longitudinal_exercise 492
 longitudinal_mixed 468
 nlsw88 335
 nlsy97_chapter7 187, 191
 nlsy97_chapter11 345, 358
 nlsy97_selected_variables ...
 271, 298
 ops2004 274, 462
 partyid 224, 236, 271
 positive 76
 regsmpl 317, 440, 448
 relate 52, 76
 retest 382
 severity 375
 spearman 215, 219
 wide 161
 wide9 256
 degrees of freedom 129
 ANOVA 227
 one-sample *t* test 167
 regression 277

deleting variables	74	discontinuity graph	203–205
dependent <i>t</i> test	177	display command ..	171–173, 229, 352, 430–431
dependent variable	126	do-file,	
describe command	10, 45–46, 53	comments in	85
dfbeta command	292–293	continuation line	86, 169
dialog box,		creating	83
alpha	384	example	87
anova	250	introduction	6
codebook	44–45	Do-file Editor	83–87
correlate	208	download datasets	537–538
describe	45–46	drop command	74
egen	71–73	dummy variables	299–300
generate	65, 67–68		
graph bar	144, 233	E	
graph box	238	edit command	30
graph hbox	118	effect size	171–173, 228, 279
graph pie	104	ANOVA	248–249
histogram	14–16, 108–111	Cohen’s <i>d</i>	171–173
kwallis	236	η^2	228, 248–249
lfit	215	for <i>t</i> test	171–173
logistic	347–348	Hedges’s <i>g</i>	171–173
margins	243, 245–246, 252	point-biserial <i>r</i>	171–173
nestreg	325	R^2	171–173
oneway	225	egen command	65, 70–73, 379
open	66	egen count command	379
pcorr	279–280	egen rowmean command	73, 379
power	183–184	egen rowmiss command	71
prtest	158–164	egenmore command	70, 71
recode	61–62, 298	eigenvalues	398
regress	211, 275	entering data	29–33
rename	57	equal variance test	176–177
rvplot	287	equal variance, Bartlett test	227
scatter	195–201	equality symbol	79
sdtest	176	esize command	171–173
sktest	113	estat esize command	248–249
Submit versus OK	17	estat report command	502–503
summarize	11	estat vif command	294–295
tab1	100	estimates store command	358
tabi	141–142	eta-squared	228, 234
table	117, 142–143	etable command	89
tabulate	68–69, 124–128, 138	Excel	47–50
ttest	165–166, 169–171, 178	exporting data	47–50
dictionary file	52	importing data	47–50
difference of means test	167–177	exit Stata	18, 43
difference of proportions test ..	161–164		

explained variance..... 276
 exponentiation..... 352
 export table of results 89
 external validity 207

F

F ratio..... 227
F test of unequal variances 176
 Facebook see Stata on Facebook
 factor analysis,..... 396–400
 communality 398, 399
 eigenvalues 398, 399, 404
 exploratory 397
 extraction..... 399
 factor score 399, 408
 loadings..... 398, 399
 oblique rotation 399, 406
 orthogonal rotation..... 399, 405
 PCF..... 398
 PF..... 397
 postestimation 400
 principal component 399
 promax rotation 406–407
 rotation 399
 scree plot..... 398, 399, 404
 simple structure 398, 399
 varimax rotation 404–406
 factor command..... 400
 factor variable 307–308
 fixed effects..... 465–466
 fonts, fixed 89
 format,
 long..... 163
 numeric 32
 string..... 32
 fre command..... 102–104
 frequency distributions..... 5, 102
 ftable command..... 131, 227
 full mediation 434

G

gamma, measure of association 138
 generalized linear model..... 426–427
 generalized structural equation model-
 ing..... 411–440

generate command 65–70
 generating a mean scale score. 379–380
 geometric mean..... 98
 glm command..... 426–427
 Goodman and Kruskal’s gamma, mea-
 sure of association..... 138
 graded response IRT model.... 515–522
 graph,
 alternative scattergram... 201–205
 bar chart..... 108, 145, 233, 355
 box plot..... 118, 238
 collinearity..... 294
 discontinuity 203–205
 hanging rootogram..... 281
 heteroskedasticity 285
 histogram 108–112, 281
 horizontal box 118
 medians..... 238
 overlay two-way showing
 interaction effects..... 310
 pie chart 104–108
 residual versus fitted 287
 scattergram 194–201
 graph bar command 144–145, 233,
 355
 graph box command 238
 Graph Editor 106–108
 graph hbox command..... 118
 graphics textbook 534
 greater than or equal to..... 79
 growth curve 468
 gsem command..... 411–440, 465
 logistic regression..... 425–427
 GSEM, families available 428
 GUI interface..... 8

H

hangroot command 282
 harmonic mean 97, 98
 Hedges’s *g* 171–173
 help command 6
 help label command..... 43
 help notes command..... 43
 help, listcoef option..... 352–354
 heteroskedasticity..... 285

hierarchical linear models 463–492
hierarchical regression 298–307,
325–327, 369–371
histogram 13–18, 108–112, 281
histogram command . . 13–18, 108–112,
281
History window 8
HLM see hierarchical linear models
horizontal bar chart 118
how to get help 6
hypothesis 156–157
 alternative 156–157
 null 156–157

I

identification number, generate 154
importing datasets, dictionary file . . . 52
imputation see multiple imputation
increment in R^2 279–280
independent variable 126
indicator variables 299–300
interaction term 308–311
interaction, **margins** command 313
interactive table 140
intercept 213
 growth trajectory 468
interquartile range 117
interval-level variables 96
intraclass
 correlation 260, 262
 correlation coefficient 258
 reliability 381
IRT see item response theory
irt 1pl command 502–503
irt 2pl command 509–510
irt grm command 517–518
irtgraph icc command 504, 511,
519
irtgraph iif command 505, 512,
520
irtgraph tif command 506, 514,
521
item characteristic curve 497, 504,
511
item importance 504–505

item information function 505, 512,
520
item response theory 494–529
 boundary characteristic curve . . 519
 compared with Likert-type scales . .
 494
 estimating the latent score
 507–508
 graded response model . . . 515–522
 item characteristic curve 497,
504, 511
 item information function 505,
512, 520
 menu system 525–528
 one-parameter logistic model
 496–498, 500–508
 overall evaluation of scale
 506–507
 reliability 522–525
 three-parameter logistic model
 499
 two-parameter logistic model
 498–499, 508–514
 variance in item difficulty 495

J

jitter(), **scatter** option 198

K

kap command 388
kappa 387
 reliability 381
 weighted 389
 with three raters 389
keep command 74
Kendall’s tau, measure of association . .
. 138
Kruskal–Wallis test, ANOVA alternative
. 236
Kuder–Richardson reliability . . 386–387
Kuder–Richardson coefficient of
 reliability 387
kurtosis 99, 113, 283–284
kwallis command 236–238

L

label values command 34–37, 64
label variable command 59
labeling values 33–40, 64
labeling variables 23, 59
less than or equal to 79
likelihood-ratio chi-squared test
 146–147, 358–359
limitations of Stata 537
linear regression 412–413
list command 82, 224
listcoef command 352–354
listwise deletion 207
log, **.smcl** extension 90
log files 90
logical operators 79
logistic command 347–351
logistic regression 337–376, 432
 bar chart 355
 exponentiation 352
 hypothesis tests 358
 interpreting odds ratio 351
 likelihood-ratio chi-squared test
 358
 logits 344
 margins 361–369
 marginsplot command 368
 McFadden pseudo- R^2 351
 nested models 369–371
 nestreg command 369–371
 nonlinear 340
 odds ratio 342, 357
 percentage change 351
 power analysis 371
 pseudo- R^2 351
 relative-risk ratio 357
 S-curve 340
 testing coefficients 358
 versus OLS regression 341
 Wald chi-squared test 358
logit command 340, 347–351,
 425–427
logits 344
long format 163, 171, 224, 256–258,
 470

longitudinal data 464–465
lower, rename option 53
lrdrop1 command 358–359
lrtest command 358, 479

M

MAR see missing at random
margins command . . 243, 245–247, 313,
 361–369, 475
marginsplot command 253–255,
 313–314, 320, 368, 475
maximum number of variables 538
MCAR see missing completely at
 random
McFadden pseudo- R^2 349, 351
mean 95
mean squares 227
mean versus total scale score 380
means,
 one-sample test 165–167
 two-sample test 167–177
measure of association,
 ϕ 133
 η^2 228, 248–249
 odds ratio 135
 V 133
median 95
median command 189
mediation
 correlated residuals 438
 full 434
 models 432–437
 partial 434
menu, open 66
mi estimate command 454–456
mi impute chained command 448
mi impute command 453–454
mi impute mvn command 448, 453,
 454
mi register command 452
mi set command 452–454
mibeta command 456–458
missing at random 415, 446–447
missing completely at random 415,
 445–446

missing values 27, 56, 67, 79,
441–462, 468
 egen command 70
 listwise deletion 445
 types 55, 56
missing-values code 67
misstable command 449–450
mixed command 465–486
mixed models 463–492
mode 94
multicollinearity 294
multilevel analysis 463–492
multilevel models
 margins command 475
 marginsplot command 475
 proportional reduction in error ...
 479
multiple comparison, 229
 Bonferroni 225
 Scheffé 225
 Šidák 225
multiple comparison and correlation ...
 210
multiple correlation 276
multiple imputation 441–462
 assumptions 445
 auxiliary variables 442
 identifying auxiliary variable .. 451
 interaction terms 458–460
 mechanism for missingness
 445–447
 misspecification 442
 obtaining standardized estimates ..
 456
 quadratic terms 458–460
multiple regression command .. 275–279
multiple regression diagnostics 290
multiple regression with interaction
 term 309–314
multiple regression,
 block 298–307
 categorical predictors 300
 dummy variables 300
 hierarchical 298–307
 indicator variables 300
multiple regression, *continued*
 influential case 290
 nested 298–307
 outlier 290
 residual 286
 weighted data 296
mvdecode command 56, 67, 169

N
naming variables 25
nested regression ... 298–307, 325–327,
369–371
nestreg command .. 304–307, 325–327,
369–371
NetCourses 537
no label, **browse** option 80
no label, **list** option 224
nominal-level variables 96
nonlinear 340
nonlinear regression 315–327
nonparametric ANOVA alternatives
 236
nonparametric tests 187
 Kruskal–Wallis 236–238
 Mann–Whitney 187–188
 median 188
 rank sum 187
normal distribution 99
normally distributed residuals 284
not equal 79
numlabel command 82, 104

O
odds ratio 135–137, 342
 interpretation 351
 percentage change 351
OLS regression versus logistic regression
 341
one-parameter logistic IRT model
 see item response theory,
 one-parameter logistic model
one-tailed tests 156
one-way ANOVA 221–222

one-sample
 t test 165–167
 test of means 165–167
 test of proportions 158–160
oneway command 225
open
 dataset 85
 existing dataset 10–11
 Stata-installed dataset 10
optifact command 532
option,
 add, label define 2
 beta, regress 275
 bonferroni, oneway 225
 compact, codebook 53
 help, listcoef 352–354
 jitter(), scatter 198
 lower, rename 53
 nolabel, browse 80
 nolabel, list 224
 percent, listcoef 354
 scheffe, oneway 225
 sidak, oneway 225
 summarize(), tabulate .. 249–255
ordinal-level variables 96
outlier 290–292

P

paired *t* test 177
panel data 464–465
part correlation 279
partial correlation 279
partial mediation 434
pasting results to word processor... 89
 formatting 89
path analysis 432–437
pcorr command 279, 302
Pearson’s chi-squared 127, 138
percent, listcoef option 354
phi 133
pie chart 104–108
plot a confidence interval 215
plotting regression line 200–201
Poisson regression 346
postestimation 538–539

postestimation command,
 estat esize 248–249
 estat report 502–503
 estat vif 294–295
 estimates store 358
 lrtest 358, 479
 margins 243, 245–247, 313,
 361–369, 475
 marginsplot ... 253–255, 313–314,
 368, 475
 predict 290–292, 309, 485
 test 303–304
Postestimation Selector 538–539
power analysis 179–187
 chi-squared test 145
 Cohen’s *d* 182
 correlation 216–218
 one-way ANOVA 234–235,
 263–265
 regression 327–332
 repeated-measures ANOVA
 267–269
 t test 179
 two means 184–187
 two-way ANOVA 265–267
power command 183–187, 329
power oneway command 234–235,
 263–265
power repeated command ... 267–269
power twomeans command ... 186–187
power twoway command 265–267
powerlog command 371
predict command .. 291–292, 309, 485
predictive validity 391
preferences 8
prefix command,
 by 117
 mi estimate 454–456
probability tables 129
product term 311
project outline 52
promax rotation 406–407

prophecy formula 383
 proportions,
 one-sample test 158–160
 two-sample test 161–164
prtest command 158–164
 pseudo- R^2 349, 351
pwcorr command 207–210
pweights 297
pwmean command 229–231

Q

quadratic model,
 centering 323–324
 examining 325–327
 fitting 317–323
 qualifier,
 if with missing values 79
 in 80

R

R^2 171–173, 276
 change 279
 random
 coefficients 466–468, 483–486
 effects 466–468
 intercept 466–468, 473–482
 sample 153, 194–195
 how to draw 155
 slope 466–468
 randomization 153
 alternative to 239
 how to perform 155
ranksum command 187
 Rasch modeling 494
recode command 61–63, 298
 recode values 60
 recoding 169
 ranges 61
regress command .. 211–214, 275–276,
 301–303, 309–311
 regression 210–215
 assumptions 281
 binscatter command 319
 block 298–307
 bootstrap 284

regression, *continued*

 categorical predictors 300
 centering 312
 collinearity 294
 confidence intervals 214
 degrees of freedom 277
 DFbeta 292–293
 diagnostics 290
 dummy variables 300
 hierarchical 298–307
 indicator variables 300
 influential case 290
 interaction 308–315
 line, plotting 200–201
 margins command 313
 marginsplot command 320
 nested 298–307
 nonlinear 315–327
 outlier 290
 outliers 290
 power analysis 327–332
 predict command 290
 quadratic model 317–323
 residual 286
 residuals 291
 robust 284
 weighted data 296–298
 with interaction term 309–314
 relational operators 79
 relative-risk ratio 357
 reliability
 α 383, 384
 as equivalence 381, 383
 as internal consistency 381
 as rater consistency 381
 as stability 381
 internal consistency 383–386
 item response theory 522–525
 kappa 387
 kappa with three raters 389
 Kuder–Richardson 386–387
 number of items 386
 prophecy formula 383
 split-half 383

reliability, <i>continued</i>	
test-retest	382
weighted kappa	389
rename command ...	47–50, 53, 57, 257
rename variable	257
repeated-measures	
ANOVA	255
design	267–269
<i>t</i> test	177–179
replace command	65, 169
reshape command	256–258, 470
reshape wide to long format ...	256–258
reshaping data	469–472
residual	284, 286
Results window	8
clear	17
scroll size	4
reverse coding	379
by subtraction	67
reverse-code variables	60
robust estimation of standard errors ...	
.....	289
robust regression	284
root mean squared error	213
S	
sample, draw	194–195
sample command ...	145, 154, 194–195
SAS	47–50
SAS XPORT	50
save command	41–42
saveold command	42
scale construction	378
reverse coding	379
scale creation	70
scatter command	195–202
scattergram	194–205
alternative	201–205
with confidence interval	215
Scheffé, multiple comparison	225
scheffe , oneway option	225
schemes	15
scientific notation	278
scree plot	403–404
<i>S</i> -curve	340

sdtest command	176–177
search command	6
seed for starting a random sample ..	195
SEM	
assumptions with method(mlmv) ..	
.....	415
auxiliary variables	419–421
Builder	421–424
estimating R^2	417
linear regression	412–413
mediation models	432–437
path analysis	432–437
sem advantages	412
sem command	411–440, 465
sembuilder command	421–424
sempartial correlation ...	279–280, 302
set obs command	154
set seed command	145, 154, 195
Šidák, multiple comparison	225
sidak , oneway option	225
significance,	
statistical	206
substantive	206
skewness	99, 113, 283–284
sktest command	283–284
slope	213
SMCL ... see Stata Markup and Control Language	
spearman command	215
Spearman's rho	215–216
split-half reliability	383
SPSS	50
ssc command	532
standard deviation	98
standardized	
beta coefficient	213
beta weights	278
coefficients	213
regression coefficients	278
Stata limitations	537
Stata Markup and Control Language ..	
.....	90
Stata Blog	533
Stata bookstore	534
<i>Stata Journal</i>	534

Stata NetCourses 537
 Stata on Facebook 533
 Stata on Twitter 533
 Stata Portal, UCLA 207, 534
 Stata screen 7
 Stata tutorial 18, 537
 Statalist Forum 533
 statistical significance versus
 substantive significance ... 206
 structural equation modeling .. 411–440
 sum of squares 227
 sum score of scale limitations 380
summarize command ... 5, 11–13, 113,
 211, 282–283
summarize(), **tabulate** option
 249–255
 summary of data 27
 summated scores versus mean scores ..
 74
sunflower command 197
sysuse command 10, 47–50

T

t test,
 difference of means 170
 grouped data 170
 one-sample 165–167
 power analysis 183–187
 repeated measures 177–179
 two-sample 167–177
tab command 146
tab1 command 100–102, 207
tab2 command 299
tabdisp command 258
tabi command 141–142
 table 124
 calculator 141–142
 probability 129
 summary statistics 237
table command 89, 117, 142–144
 table of results, exporting 89
 tables for quantitative data 142
tabstat command 237

tabulate command 5, 64,
 68–70, 100–101, 124–128, 136,
 138–140, 249–255
 tau, measure of association 138
test command 303–304
 test information function graph ... 506,
 514, 521
 test–retest reliability 382
 tests,
 Bonferroni 210
 chi-squared 127
 dependent *t* test 177
 equal variance 176–177
 likelihood-ratio chi-squared
 146–147, 358–359
 with logistic regression 358
 logistic regression 358
 long format for portions 163
 Mann–Whitney 187
 median 188
 multiple comparison with
 correlations 210
 nonparametric 187
 one-sample test of means .. 165–167
 paired *t* test 177
 proportions 158–164
 rank sum 187
 repeated-measures 177–179
 repeated-measures *t* test 177
 skewness and kurtosis ... 113–118,
 283–284
 two-sample test of means .. 167–177
 unequal variances 176
 Wald chi-squared test 358
 z test for proportions 158–164
 z test with logistic regression .. 358
 three-parameter logistic IRT model
 see item response theory,
 three-parameter logistic model
 time-invariant covariate 468
 time-varying covariate 468
 tolerance 294–295

toolbar, 9
 Stata for Mac 9
 Stata for Windows 9
ttable command 131
ttest command 165–171, 178
 tutorial 18, 537
 Twitter see Stata on Twitter
 two-by-two table 124
 two-parameter logistic IRT model
 see item response theory,
 two-parameter logistic model
 two-tailed tests 156
 two-way ANOVA 249–255
 two-sample
 test of means 167–177
 test of proportions 161–164
twoway command 200–201, 310
twoway lfit command 485
 types of reliability 381

U

UCLA Stata Portal 207
 reshaping data wide to long ... 256
 UCLA Stata support 11
 unequal variance test 176–177
use command 85

V

validity,
 construct 391–395
 criterion 391
 criterion related 391
 expert judgment 390–391
 external 207
 predictive 391
 value labels 23, 33–40, 57–60, 82
 variable labels 23
 variable names 22, 25
 reserved 22
 Variables Manager 34–40, 57–59, 74
 Variables window 8
 variance inflation factor 294–295
 varimax rotation 404–406
 versions 42

video tutorials 18
 VIF see variance inflation factor

W

Wald chi-squared test 358
 weighted data 296–298
 weighted kappa 389
 weights, **pweights** 297
 wide format 161, 171, 223, 256–258,
 469
 Word
 transferring picture of result 89
 transferring results 89
 working directory 9

X

xtreg command 258, 262
xtset command 258

Y

YouTube 18

Z

z test,
 one-sample proportion 158–160
 two-sample proportion 161–164
 zero-inflated models 346