

Subject index

A

- adaptive rejection Metropolis sampling 65–66
- adaptive rejection sampling 66
- AIC ... see Akaike information criterion
- Akaike information criterion 201
- autocorrelation plot 81–82

B

- Bayes factor 188–204
- Bayes' theorem 3, 11
- Bayesian
 - algorithm 9
 - analysis with Mata 111–130
 - analysis, series of 157–159
 - calculations 2–4
 - inference using Gibbs sampling 131
 - information criterion 202
 - lasso 237–250
- Bayesians 1
 - versus non-Bayesians 2
- BIC see Bayesian information criterion
- box plot 173–174
- Brooks–Gelman–Rubin plot 83–84
- BUGS see Bayesian inference using Gibbs sampling
- burn-in 34

C

- censoring 152–154
- centering 44–47
- chains
 - discarding 81–82
 - multiple 83–84
- ci command 35

- cond() function 30
- conditional distribution 11–12, 122–123
- contour plot 107
- credible interval 71, 101–104
- CrI see credible interval
- cusum plot 75–79
- cut() function 155–156

D

- deviance information criterion 202–204
- DIC ... see deviance information criterion
- distribution
 - conditional see conditional distribution
 - gamma....see gamma distribution
 - generalized Poisson
 -see generalized Poisson distribution
 - log-normal proposal see log-normal proposal distribution
 - marginal see marginal distribution
 - normal see normal distribution
 - normal proposal see normal proposal distribution
 - predictive see predictive distribution
 - prior see prior distribution
 - proposal see proposal distribution
- drift 75–90

E

- empirical probability plot 174–176

G

- gamma distribution 33
 generalized Poisson distribution 40–43
genprop command 30
GeoBUGS 156–157
Gibbs sampler 239–242
Gibbs sampling 53–73
glm command 9
GP distribution see generalized Poisson distribution
graph matrix command 106–107
 griddy sampling 60–61

H

- histogram 175–177

I

- integ** command 9–10
 integration 27
 interval plot 83

J

- Jacobian matrix 24

L

- lasso .. see least absolute shrinkage and selection operator
 least absolute shrinkage and selection operator 237–250
logdensity command 13–23
logdensity() function 115–129
 log-normal proposal distribution 33
logpost command 13–23, 30
logpost() function 113–125
logprop command 30

M

- marginal distribution 11–12
 marginal posterior density plot ... 104–106
 Markov chain 27
 Monte Carlo algorithm 27
 Mata code 242–243
mata command 111–129
matastrict, set subcommand 264

- matrix list** command 38

- matrix plot 106–107

- MCMC algorithm see Markov chain Monte Carlo algorithm

- mcmcac** command 82
mcmcblr command 84
mcmccheck command 165–166
mcmcclusum command 76
mcmcdensity command 104–106
mcmcgeweke command 79
mcmcintervals command 83
mcmclength command 81
mcmcmahal command 85, 89
mcmcrun command 37–38, 88, 111–129

- mcmcsection** command 80

- mcmcstats** command 35, 100–104

- mcmctrace** command 34, 75

- Metropolis algorithm 29

- Metropolis–Hastings algorithm .. 27–51

- MH algorithm see Metropolis–Hastings algorithm

- mhslogin** command 30, 36, 88

- mhsnnorm** command 47–48

- mhsnorm** command 30

- mhsrnc** command 30, 88

- missing data 152

- missing values 21

- ml** command 9, 20

- Monte Carlo algorithm 27

N

- noninformative priors 6–7
 nonstandard distribution 154–155
 nonstandard priors 155
 normal distribution 29
 normal proposal distribution 29
 numerical information 1

O

- OpenBUGS 131–162
 for Linux 159
 installing 132
 overrelaxation 150

P

- predictive distribution 4, 169–170
- prior distribution 3
 - selecting a 5–7
- proposal distribution 27
 - scaling 36–37

R

- random-number generator 151–152
- range** command 10
- regress** command 57
- rejection sampling 63–66
- residual plot 170–173
- return()** function 115–116
- r gamma()** function 97, 241
- r normal()** function 97, 241

S

- section plot 80
- sem** see standard error of the posterior mean
- set matastrict** command 115–116
- simulation 27
- slice sampling 61–62
- standard error of the posterior mean ..
..... 36
- Stata code 244
- subjectivity 2
- summarize** command 20, 35
- summary residual plot 177–179
- syntax** command 20

T

- trace plot 34, 75–79
- truncation 152–154
- twoway contour** command 107

W

- WinBUGS 131
 - data file 135–136
 - reading 139–140
 - debugging 159–161
 - initial values file 136–137
 - installing 132–133
 - log file, inspect 139

WinBUGS, *continued*

- model file 133–135
- read results into Stata 138–139
- script file 137–138
- run 138