

Subject index

A

- AIC 56–58, 125, 128, 129
- AICc 57
- AIChq 57
- algorithm
 - IRLS 44
 - gamma 99
 - Gaussian 77
 - Gaussian (reduced) 78
 - geometric 245
 - inverse Gaussian 119
 - log-geometric 246
 - log-negative binomial 236
 - negative binomial 235
 - nonbinomial 77
 - Poisson 209
- ML 44, 82
 - log-inverse Gaussian 121
 - log-negative binomial 237, 238
 - lognormal 83
- ancillary 4, 21, 30, 79, 97, 193, 225, 240, 244, 418, 537
- Atkinson's R 149
- autocorrelation 458

B

- Bernoulli
 - deviance 138
 - log likelihood 138
 - model 137–138
 - probability function 137
- BHHH 35
- BIC 58, 125, 128, 129
- binary data 134

binomial

- data 62
 - deviance 137
 - log likelihood 136
 - model 134–137
- binsq** command 392
- bivcnto** 444
- bootstrap 42–43, 49
- Box–Cox transformation 50–51
- brant** command 373

C

- canonical link 22
- canonical parameter 13, 48
- censored count response model 295–317
- censored data 12, 62, 98, 218
- chi-bar squared 182
- classification table 144
- clogit** command 407
- cloglog** command 536
- cluster data 401–423
- conditional logistic regression models 325–328
- confusion matrix 144
- conjugate 451
- contagion distribution 225
- continuation-ratio model 377–382
- Cook's distance 49
- copula 426
- copula function 425
- count-data regression models 207–208, 251–255
- criterion measure 56–58
- cutpoint 360

D

- data
 - binomial 62
 - censored 12, 62, 98, 218
 - continuous 97
 - grouped-response 133
 - ordinal 62
 - truncated 12
- dataset
 - `auto` 365
 - `azdrg112` 292, 305
 - `cancer` 105, 218
 - `claims` 100, 103, 104, 128
 - `doll` 240
 - `heart` 324
 - `heart01` 140, 163, 194
 - `medpar` 122, 287
 - `medparc` 297
 - `warsaw` 149, 163, 170
- deviance 48–49
- diagnostics 49–50
- DIC 452
- discrete change, average 69

E

- effect, marginal 64
- EIM 81
- elasticity 70
- error sum of squares 78
- ESS 465
- `estat` command 56
- exploding logit 407
- exponential regression 104, 109, 111
- exposure 211

F

- finite mixture models 304–309
- `fitstat` command 56
- fixed effects 404–407
 - conditional 405–407
 - unconditional 404–405

G

- GAM 399–400
- gamma 97–112
 - density function 98
 - deviance 98
 - distribution 97
 - heterogeneity 228
 - model 98–100
 - regression 109–112
- Gaussian 73–95
 - IRLS derivation 74
 - ML derivation 74–76
 - probability density function 74
 - OLS 83–85
- GEE 199, 417–420
- generalized binomial 178
- generalized Poisson regression model 290–293
- GENSTAT macro 230
- geometric
 - distribution 225
 - family 244–248
- Gibbs sampling 412–413, 465
- `gllamm` command 420
- `glm` command 521–538
- `gnbreg` command 286, 287
- `gologit2` command 357, 358, 372
- goodness of fit 143–146
- grouped-response data 133

H

- hat diagonals 49
- hazard rate 219
- health ratio 175
- `heapcr` command 312
- Hessian 34–35
- heterogeneity 228
- heterogeneous negative binomial model 286–290
- Hosmer–Lemeshow 145
- HPD interval 450
- hurdle model 272–283
- hypergeometric ${}_2F_1(\cdot)$ function 54

I

- ICD code 122
 identity link 74, 80, 83
 identity-gamma model 108–109
 IIA 328–331
 incidence-rate ratio 223, 239, 241, 249
 individual data 401–402
 interactions 102, 104
`invcloglog()` function 356, 357
 inverse Gaussian model 113–125
 IRLS algorithm 119
 log link 121
`invlogit()` function 355
 IRLS algorithm 44, 77–79

J

- jackknife 40–42, 49
 jittering 309

K

- k*-system 230

L

- Lagrange multiplier 217
 latent variable models 411
 leaf blotch data 388
 leverage 49
`lgamma` command 107
 likelihood-ratio test 102
 link
 identity 74, 80
 log 80
 power 127–130
 reciprocal 99–104
 log link 80
 log-Gaussian 80–81
 log-gamma model 104–108
`logistic` command 144
 logistic regression 140–143
 logistic regression models 324–325
`logit` command 536
 lognormal 80–81
 LOS 122, 207, 212
`lrtest` command 17
`lstand` command 148

M

- marginal effect 64
 Markov chain 452
 MCMC 451
 measurement error 420
 Metropolis–Hastings 451
 MH 451
`mixed` command 420
 mixed models 420
 mixed-effect models 413
 mixture distribution 225, 227
`mlogit` command 407
 model
 Bayesian regression 447–517
 censored count response 295–317
 conditional logistic regression 325–328
 continuation-ratio 377–382
 count-data regression 207–208,
 251–255
 finite mixture 304–309
 generalized Poisson regression 290–293
 heaped regression 311–317
 heterogeneous negative binomial 286–290
 hurdle 272–283
 identity-gamma 108–109
 inverse Gaussian 113–125
 latent variable 411
 log-gamma 104–108
 logistic regression 324–325
 multinomial logit 322–338
 multinomial probit 338–347
 negbin(p) 277–283
 ordered response see ordered
 response
 Poisson inverse Gaussian 293–294
 quantile regression 309–311
 zero-inflated 184–186
 zero-inflated binomial 184–186
 zero-inflated generalized negative
 binomial 263–264
 zero-inflated generalized Poisson 263–265

model, *continued*
 zero-inflated negative binomial....
 259–262
 zero-inflated Poisson..... 259–262
 zero-truncated negative binomial..
 255–259
 zero-truncated Poisson 211,
 255–259
 modified sandwich..... 36–37
 modified unbiased sandwich..... 38
 Monte Carlo..... 451
mprobit command..... 345
 MSE 78
 multinomial logit models..... 322–338
 multinomial probit models 338–347

N

NB-1 227–235
 NB-2..... 228
nbreg command..... 226, 228, 235, 536
 negative binomial 225–249
 canonical link 233–235
 zero-truncated 242
 negative binomial(Famoye) 284
 negative binomial(P)..... 277–283
 negative binomial(Waring)..... 285
newey command 536
 Newton–Raphson algorithm..... 44
 normal 73–95
normal() function..... 356
normalden() function 356

O

ocratio command..... 377
 odds ratios..... 142–143, 147–149, 173
 offset 17
oglm command 360
 OIM 81–83, 99
ologit command..... 357, 360
 OLS 83–85
 OPG 35
oprobit command..... 357

ordered response

cauchit..... 357
 clog-log 356
 generalized ordered logit .. 358–359
 log-log 357
 ordered logit 355
 ordered probit 356
 ordered-response model 349–384
 ordinal data 62
 overdispersion 49–50, 211, 216
 constant 227–228
 test 50, 216
 variable 228–235

P

panel data 401–423
 parallel-lines assumption 355
 parameter
 ancillary 79
 canonical 13, 48
 partial correlation 149
 Plackett–Luce 407
 Poisson 207–223
 inverse Gaussian response model..
 293–294
 zero-inflated..... see zero-inflated
 Poisson models
 zero-inflated generalized
 .. see zero-inflated generalized
 Poisson models
 zero-truncated.. see zero-truncated
 Poisson models
 zero-truncated generalized
 see zero-truncated generalized
 Poisson models
poisson command..... 210, 536
 pooled estimator 402–403
 power link 127–130
 relationships 128
predict command 101, 528–530
 prior, Cauchy 467
probit command 345, 536
 proportional-odds assumption..... 354,
 358, 363
prvalue command..... 347

Q

- quantile regression for count data.. 309–311
- quasideviance..... 129, 392
- quasilielihood..... 387–388
- qvf command

R

- R^2 59–64
 - McFadden's measure..... 364
 - percentage variance explained .. 59
 - pseudo
 - adjusted count measure
 - Ben-Akiva and Lerman's measure
 - Cameron and Windmeijer's measure
 - count measure
 - Cragg and Uhler's measure.. 62–63
 - Efron's measure..... 61
 - McFadden's measure..... 61
 - McKelvey and Zavoina's measure
 - ratio of variances..... 59
 - squared correlation..... 60
 - transformation of F -test..... 60
 - transformation of likelihood ratio.. 59
 - random effects..... 200, 407
 - random utility..... 338
 - rca1 command
 - reciprocal link..... 99–104
 - regress command..... 536
 - regression calibration
 - regression for heaped count data.. 311–317
 - rejection sampling
 - relative-risk ratio

- residual
- adjusted
- adjusted deviance..... 54–55
- Anscombe 52, 54–55, 102, 163, 170, 240, 530, 572
- deviance
- likelihood
- modified
- name..... 52
- partial
- Pearson
- response
- score
- standardized
- studentized..... 52
- working
- risk difference
- risk ratio
- rologit command..... 407
- RSS..... 78

S

- sandwich
- saturated model
- scaling..... 216
- simex command
- simulation extrapolation
- SPost
- streg command

T

- test
 - likelihood-ratio..... 102
 - Wald..... 102
- thinning
- tnbreg command
- tpoisson command
- trials, Bernoulli 133, 228, 231, 537
- trncregress command
- truncated data..... 12
- truncation
- tweedie command..... 397

U

- unbiased sandwich 37–38
- underdispersion 290
- unordered response 321–347

V

- variance
 - bootstrap 42, 199
 - grouped bootstrap 43, 403
 - Hessian 34–35
 - jackknife 40, 199
 - modified sandwich 36–37, 403
 - modified unbiased sandwich 38
 - Newey–West 199
 - one-step jackknife 41
 - OPG 35
 - sandwich 35–36, 199
 - unbiased sandwich 37–38
 - usual bootstrap 43
 - usual jackknife 40–41
 - variable jackknife 42, 403
 - weighted jackknife 41
 - weighted sandwich 39–40

W

- Wald test 102
- weighted sandwich 39–40
 - Anderson 40
 - Gallant 39
 - Newey–West 39
 - Tukey–Hanning 40
- with-zeros Poisson 260

Z

- zero-inflated binomial models .. 184–186
- zero-inflated generalized negative binomial models 263–264
- zero-inflated generalized Poisson models 263–265
- zero-inflated models 184–186
- zero-inflated negative binomial models 259–262
- zero-inflated Poisson models 259–262
- zero-truncated negative binomial models 255–259

- zero-truncated Poisson models 211, 255–259
- ziheapr** command 317