

Subject index

A

ac command 231
AIC .. *see* Akaike's information criterion
Akaike's information criterion..... 306
alternative hypothesis..... 73
analytic weights 18
ARCH... *see* autoregressive conditional
heteroskedasticity
arch command..... 281–284
ARIMA... *see* autoregressive integrated
moving average
arima command..... 243
ARMA(p,q)..... 82
ARMA models *see* autoregressive
moving-average models
autocorrelated 77
 disturbances 167–199
autocorrelation, ... 77, 80–82, 168–172
 coefficients..... 230
 testing for 176–177
autoregression 80
autoregressive conditional
 heteroskedasticity,
 extensions to the model..... 298
 in-mean 296
 model 277–285
 test for 280
autoregressive integrated moving aver-
age 228
 model..... 230
autoregressive moving-average
 models..... 82–83, 205–208
aweight *see* analytic weights

B

backtesting 164
Bayesian analysis..... 427

Box–Jenkins approach 226–227
Breusch–Godfrey test..... 178

C

Cholesky decomposition 340
Cochrane–Orcutt 187
coeflegend option 247
cointegrating equations 392
cointegrating relationships 387–392
cointegration..... 385–387
command name..... 15
common factor 250
constraint command..... 55
constraints..... 55
continuous time models..... 428
correlate command 52
count command..... 49
covariance
 stationarity 209
 stationary 81
cross-correlation functions 331
current directory..... 29
cycle 93, 95–97

D

D..... *see* difference operator
data
 integrity 90
 revision 91
date 62
date and time formats 64
date() function..... 65–66
describe command 2, 12, 28
detrending..... 229
dfgls command 384–385

dfuller command 382–384
 Dickey–Fuller test, 382–384
 augmented 381
 difference
 equations 81
 operator 69, 204
 differencing 229
display command 28, 65
 double-exponential moving averages ...
 122, 130–131
drop command 25
 Durbin’s alternative test 176
 Durbin–Watson test 176
 dynamic forecasts 146, 316

E

ECM see error-correction model
 EGARCH see exponential
 generalized autoregressive
 conditional heteroskedasticity
 Elliott, Rothenberg, and Stock test ...
 384–385
 error-correction model 389
estat
 archlm command 280
 command 58–59
 durbinalt command 177
 ic command 59
 summarize command 59
 EWMA see exponentially weighted
 moving averages
exit command 13
=exp 16
 expectation 72
 expected value 72
 exponential generalized autoregressive
 conditional
 heteroskedasticity 293
 exponentially weighted moving
 averages 122, 126
export excel command 24
export sasxport command 24

F

F see lead operator

fcast
 compute command 322–325
 graph command 322–325
 feasible generalized least squares ... 77–
 78, 178
 strategy 185–188
 FEVDs see forecast-error variance
 decompositions
 FGLS see feasible generalized least
 squares
 final prediction error 306
 first-order autocorrelation 173–174
fit 100
 fitted values 56
foreach command 61
 forecast 141
 horizon 144
 forecast-error variance
 decompositions 343
format command 64
forvalues command 61
 FPE see final prediction error
 frequency domain 428
 frequency weights 18
fweight see frequency weights

G

GARCH .. see generalized autoregressive
 conditional heteroskedasticity
 Gaussian white noise 80
 general linear process 202–203
 generalized autoregressive conditional
 heteroskedasticity 285–298
generate command 24, 25
 Granger causality 336–339
 Granger causality tests 330
graph command 38
 graph commands 38
 Great Moderation 275

H

H_0 see null hypothesis
 H_a see alternative hypothesis
 Hannan and Quinn’s information crite-
 rion 306

Hanning smoother 102
haver command 24
help command 10
heteroskedasticity 272
histogram 36
histogram command 37
Holt–Winters smoothers . . 123, 131–138
homoskedasticity 76
HQIC see Hannan and Quinn’s
information criterion
hypothesis tests 73–74

I

if qualifier 16
import excel command 24
import sasxport command 24
importance weights 18
impulse–response function 214,
343–356
in qualifier 16
strpos() function 34
infile command 23, 24
infix command 24
input command 22, 24
insheet command 24
instrumental variables 77, 178
invertibility 208–210
invertible 210
irf
 cgraph command 355
 create command 343, 345
 graph command 343, 351–352
 table command 348–351
IRF see impulse–response function
ITSUS_DATA macro 30
IV see instrumental variables
ivregress command 55
iweight see importance weights

K

K -step-ahead forecast 145
Kalman filter 427
keep command 25

L

L see time-series operators
label 27
label command 27
lag
 operator 203
 polynomials 203–205
lagging moving averages 126
lead operator 69, 204
linear regression 74–78
list command 28
loop 61
loss function 144
Lucas critique 356

M

mata command 61
matrix 61
matrix command 61
mdy() function 63, 65–66
mean 72
median 72
median smoothers 102
moments 72
moving-average component 82
multiple-equation models 78–79
multiplicative seasonality 137

N

naïve forecast 152
newey command 55, 181
Newey–West estimator 181
nl command 54–55
nlcom command 58
noise 100
nonlinear least squares 54
nonstationary variable 379
null hypothesis 73

O

odbc command 24
OIRF see orthogonalized
impulse–response function
OLS see ordinary least squares
one-sided alternative 73

- one-step-ahead 145
 one-step-ahead forecasts 316
 operators 18
 ordinary least squares 74–77, 178
 strategy 181–182
 orthogonalized impulse–response function, 341, 418
 cumulative 354
 outfile command 22, 24
 outsheet command 24
- P**
- p*-values 74
 pac command 234
 panel dataset 31
 parameter redundancy 250
 parsimony 227
 partial autocorrelation coefficients 234
 Phillips–Perron test 385
 pperron command 385
 prais command 55
 Prais–Winsten 187
 predict command 56, 283
 prefix command 15
 probability
 density functions 72
 distribution function 72
 pseudorandom numbers 61
*p*th-order autocorrelation 173
 pwd command 29
 pweight see sampling weights
- Q**
- Q* statistic 254
- R**
- random
 variables 72
 walk 72, 82
 rational expectations 356
 real() function 34
 regime changes 428
 regress command 53–54
 residual 56, 100
- RMSE see root mean squared error
 root mean squared error 154
- S**
- S see seasonal difference operator
 sampling weights 18
 save command 21
 SBIC see Schwarz’s Bayesian information criterion
 scatter command 6, 40–43
 Schwarz’s Bayesian information criterion 306
 search command 10
 seasonal 97–99
 adjustment 91
 component 93
 difference operator 69, 204
 Holt–Winters 137–138
 seemingly unrelated regressions model 79
 SEMs see structural econometric models
 set seed command 61
 signal 100
 smoothers 99
 span 102
 spectral analysis 427–428
 splitting 113
 state-space models 246, 427
 static forecasts 146
 stationarity 80–82, 208–210
 stationary process 174
 strictly stationary 81, 208
 structural econometric models 356–359
 structural impulse–response function 363
 structural vector autoregression, .. 303, 356–371
 long-run 358, 368–371
 short-run 358–368
 substr() function 34
 summarize command 3, 28, 51
 svar command 359–371

SVARs see structural vector
 autoregression
 syntax 15–19
 sysuse command 2

T

table command 4, 52
 tabulate command 4, 28, 50
 Taylor rule 363–368
`td()` function 68
 test command 57
 test hypotheses 57
`testparm` command 58
 time 62
 time and dates 62
 time-series operators 68
 time-varying volatility ... 272, 277–285
`tm()` function 68
 transformation strategy 183–185
 trend 93–95
 component 93
 trend-stationary 377
`tsline` command 48
`tsset` command 48, 62
`tssmooth`
 `dexponential` command 130–
 131, 147, 150–151
 `exponential` command .. 126–129,
 147, 149
 `hwinters` command .. 131–137, 147
 `ma` command 123–126
 `nl` command 102–121
 `shwinters` command ... 137–138,
 147, 161
`ttest` command 5
 twicing 103
 two-sided alternative 73
 twoway
 command 44
 `connected` command 45–48
 type command 23
 type I error 74
 type II error 74

U

unit root, 82, 376–380
 process 377
 testing for 380–385
 univariate time-series models 145
 use command 21

V

VAR see vector autoregression
 var command 345
`varbasic` command 307–309
`varbench` command 327–329
`vargranger` command 338
 variance 72
`varlist` 15
`varlmar` command 313
`varnorm` command 313–314
`varsoc` command ... 305–306, 399–400
`varstable` command 309–312
`varwle` command 314–315
 vec command 405–421
`veclmar` command 414
 VECMs see vector error-correction
 model
`vecrank` command 400–403
`vecstable` command 414
 vector autoregression, 300–303
 recursive 303, 330
 reduced-form 302, 305
 stationarity 305, 309
 vector error-correction model .. 387–392

W

weak stationarity 81, 209
weight 18
 weighted moving averages 122–125
 white noise 80–82
`wntestb` command 256
`wntestq` command 255

X

`xcorr` command 331–333
`xmlsave` command 24
`xmluse` command 24