

Subject index

A

accelerated longitudinal design 240
adjusted means 36
age-period-cohort 239
agreement 82
AIC . . . see Akaike information criterion
Akaike information criterion 323
analysis of covariance 35
analysis of variance 17–19, 262–264
ANCOVA see analysis of covariance
Anderson–Hsiao estimator 274
ANOVA see analysis of variance
antependence model 272
applications
 adolescent-alcohol-use data . . . 335,
 380
 airline cost data 461
 anorexia data 61
 antisocial-behavior data . . 283, 333
 army data 219
 children’s growth data . . . 343, 377
 cigarette-consumption data . . . 336,
 467
 class-attendance data 63
 cognitive-style data 289
 crop data 178
 dairy-cow data 426
 dialyzer data 220
 diffusion-of-innovations data . . 378
 essay-grading data 118
 exam-and-coursework data . . . 427
 faculty salary data 11
 family-birthweight data 220
 fat accretion data 379
 Fife school data 443, 460
 general-health-questionnaire
 data 116

applications, *continued*

 Georgian birthweight data . . . 119,
 175, 179
 grade-point-average data 173
 growth in math data 376
 Grunfeld investment data 434
 head-size data 118
 high-school-and-beyond data . . . 60,
 176, 217
 homework data 218
 hours-worked data 287
 inner-London schools data . . . 181,
 216
 instructional-improvement data . . .
 420
 jaw-growth data 174, 377
 Kenyan nutrition data 399
 math-achievement data 419
 multicenter hypertension-trial data
 422
 neighborhood-effects data 117,
 172, 463
 nitrogen data 464
 olympic skating data 465
 peak-expiratory-flow data 74,
 116, 386, 430, 431
 postnatal data 334
 rat-pups data 174
 returns-to-schooling 290
 school-effects data 423
 sex education data 177
 smoking and birthweight data . . 61,
 123, 467
 STAR data 424, 425, 468
 tax-preparer data 283
 teacher expectancy meta-analysis
 data 120

applications, *continued*

- twin-neuroticism data . . . 117, 429
- unemployment-claims data . . . 284, 286, 381
- U.S. production data 421, 461
- video-ratings data 462
- wage-panel data 175, 229, 247, 298
- wheat and moisture data 218
- Arellano–Bond estimator 276
- atomistic fallacy 1, 150
- attrition 278
- autocorrelations 244
- autoregressive-response model 269–272
- autoregressive structure 308–311

B

- balanced data 233, 295
- banded structure 313–315
- Bayesian information criterion 323
- best linear unbiased predictor 111, 441
- between estimator 143–144
- BIC see Bayesian information criterion
- bivariate linear regression model . . . 339
- bivariate normal distribution . . 190, 191
- BLUP see best linear unbiased predictor
- Breusch–Pagan test 89

C

- caterpillar plot 208
- causal effect 57
- clinical trial 5
- clustered data 73, 385
- cluster-randomized trials . . . 4, 171, 177
- coefficient of determination 22, 134–137
- cohort-sequential design 240
- commands
 - anova 19
 - dropemptycells option 263
 - repeated() option 264

commands, *continued*

- by 471
 - sort option 270
- correlate 186, 243
 - covariance option 186
- egen 444, 449, 471
 - count() function 127, 185
 - group() function 449
 - mean() function 154, 237
 - rank() function 236
 - sd() function 426
 - tag() function 126, 444
 - total() function 444
- encode 387
- estat recovariance 197
- estimates stats 323
- estimates table 324
- foreach 154
- generate 75
- gllapred 209
- graph combine 205
- gsort 208
- hausman 157
- histogram 13, 161
 - normal option 55, 205
- keep 231
- lincom 39, 41, 45, 154
- lrtest 89, 140, 452
- manova 264
- margins 19, 35, 140, 141
- marginsplot 141
- merge 185, 472
- metaan 121
 - fe option 121
 - ml option 121
- misstable 366
- mkspline 355
- predict 26, 202, 203, 395
 - fitted option 203, 351, 415
 - reflects option . . 112, 161, 202, 395, 413, 441
 - reses option 114, 161
 - rstandard option . . 55, 161, 207
 - xb option 26, 107, 182, 417

commands, *continued*

qnorm.....454
 quietly.....35
 rcap.....209
 recode.....387
 regress.....23, 84, 166, 176, 182
 beta option.....25
 noconstant option.....107
 vce() option.....176
 vce(cluster *clustvar*) option..
 166
 vce(robust) option.....29, 56
 reshape....83, 230, 243, 371, 387,
 472
 i() option.....83, 231, 387
 j() option.....83, 231
 string option.....289, 387
 sem.....366
 means() option.....369
 method(mlmv) option.....368
 noconstant option.....368
 set seed.....279
 ssc.....457
 statsby.....185, 200, 472
 summarize.....186
 supclust.....457
 svyset.....95
 tabstat.....12, 243
 tabulate.....42, 446
 generate() option.....42
 test.....252
 testparm.....46, 47, 139, 156
 ttest.....15
 unequal option.....16, 29
 twoway
 by() option.....174
 connect(ascending) option...
 174, 187, 238
 ysize() option.....209
 twoway function.....39, 199
 twoway histogram
 horizontal option.....205
 use.....75
 clear option.....12, 75
 xtdescribe....233, 372, 400, 472

commands, *continued*

xtgee.....326
 corr(ar 1) option.....326
 vce(robust) option.....326
 xtgls.....329, 338
 igls option.....166, 329
 xthtaylor.....253, 256
 amacurdy option.....255, 291
 endog() option.....256
 xtmixed....85, 196, 249, 265, 299,
 307, 316, 393–395, 437
 covariance() option.....299
 covariance(exchangeable) op-
 tion.....431
 covariance(identity)
 option.....431
 covariance(unstructured)
 option....196, 307, 410, 431
 emiterate() option...166, 214
 emonly option.....166, 214
 estmetric option.....112, 350,
 440
 matlog option.....198
 matsqrt option.....197
 mle option.....82, 86, 133, 194,
 265, 299
 noconstant option.....86, 299,
 309, 316, 362, 431
 nofetable option.....299
 nogroup option.....299
 reml option.....83, 166, 197
 residuals() option...299, 373
 residuals(ar 1, t())
 option.....309, 316
 residuals(ar(1), t() by())
 option.....321
 residuals(banded 1, t())
 option.....313
 residuals(exchangeable)
 option.....304
 residuals(exponential, t())
 option.....311
 residuals(independent,
 by()) option...317, 319, 360,
 373

- commands, *xtgee*, *continued*
 residuals(*ma* 1, *t*())
 option 312
 residuals(*toeplitz* 2, *t*())
 option 315
 residuals(*unstructured*,
 t()) option 299
 technique() option 166
 variance option 86, 93, 196,
 301, 394
 vce(*robust*) option 88, 134,
 163, 197, 251, 252, 325, 327
xtpcse 330, 337
 correlation(*ar1*) option .. 331,
 337
 correlation(*independent*) op-
 tion 337
 independent option 337
 nmk option 337
xtreg 84, 143, 259
 be option 143
 fe option 92, 104, 146, 259,
 288
 mle option 82, 84, 104
 noconstant option 280
 pa option 327
 re option .. 83, 89, 148, 166, 261
 vce(*robust*) option 88, 327
xtset 84, 232, 286
xtsum 125, 401, 472
xttab 127, 235
xttest0 90
 comparative standard error 114
 complex level-1 variation 360
 compositional effect 151, 171
 compound symmetric structure 304
 compound symmetry 264, 304
 conditional independence 79
 confidence interval .. 16, 87–93, 140–142
 confounder 30
 consistent estimator 100
 contextual effect 151, 171
 contrast 140
 covariance structure 100, 293–322,
 437
 covariate 35
 cross-classification 433, 443
 cross-level interaction 211, 359
 cross-over trial 6
 cross-sectional time-series data 227
 crossed random effects 433–470

D
 datasets *see* applications
 diagnostic standard error 114
 diagnostics 160–163, 453–455
 difference-in-difference estimator ... 286
 directed acyclic graph 78
 double differencing 268
 dropout 278
 dummy variable 27–29, 42–48
 dynamic model 228, 269–272

E
 EB *see* empirical Bayes
 ecological fallacy 1, 150
 effect modifier *see* interaction
 efficiency 100
 elasticity 338
 EM algorithm 165
 empirical Bayes 109–113, 159–
 161, 201–204, 351, 371, 394–
 395, 413, 441, 453
 borrowing strength 111
 standard errors 113–115
 endogeneity 129, 149–158, 250–258,
 274
 error components 79–80
 estimated best linear unbiased predictor
 111
 examples *see* applications
 exchangeable 96
 exchangeable structure 304
 exogeneity 57, 129
 exponential structure 308–311

F
 factor 35, 95
 factor variables .. 35, 40, 45, 50, 51, 53,
 99, 107, 211

- family study 5
feasible generalized least squares .. 148,
164
FGLS see feasible generalized least
squares
fixed effects 95–97, 158–160
fixed-effects estimator 145–147
fixed-effects model ... 146, 228, 257–262
functions
 rnormal() 279
 runiform() 279
- G**
generalizability
 coefficient 463
 theory 463
generalized least squares 164
gllamm see commands
GLS see generalized least squares
growth-curve model 343–382
- H**
Hausman–Taylor estimator ... 253–257
Hausman test 157, 253–257, 291
Hessian 165
heteroskedasticity 20, 191, 317–321,
360–363
hierarchical data 385
hierarchical model 93
higher-level model 385–431
higher-order polynomials 54
homoskedasticity 20
hypothesis test 12–17,
87–93, 138–140, 142, 197, 322,
396, 451–453
- I**
identification 214–215
independence structure 297
independent-samples *t* test 12–17
indicator variable .. see dummy variable
information matrix 165
initial-conditions problem 273
instrumental variable ... 156, 253, 254,
274
interaction 36–42, 48–51
intercept 20
intervening variable 48
intraclass correlation 80, 130, 192,
392–393, 436, 448–449
iterative generalized least squares .. 165
- L**
lagged-response model 269–272
latent trajectory model see
growth-curve model
latent variable 364
likelihood-ratio test 88–89, 140
linear mixed (effects) model 128
linear projection 56
linear random-intercept model with co-
variates 128
long form 83, 230–232
long panel 327–331
longitudinal correlations 244
longitudinal data 227, 247–291,
343–382
longitudinal model 1–7
longitudinal study 5–6
- M**
MANOVA ... see multivariate analysis of
variance
MAR see missing at random
marginal
 likelihood 101
 model 229, 293–342
maximum likelihood 101, 165
mean squared error of prediction ... 114
mean structure 293
measurement error 78
measurement model 78
measurement study .. 6, 74–75, 386–387
mediator see intervening variable
meta-analysis 4–5
missing
 at random 278
 data 233–234, 278–282
mixed model 128
mixed-effects model 85

ML.....see maximum likelihood
 model-based estimator.....29
 model sum of squares.....17
 moderator.....see interaction
 moving-average structure.....311–312
 multilevel model.....1–7
 multiple linear regression.....30–36
 multiple membership model...460, 470
 multisite studies.....171
 multistage survey.....3–4
 multivariate
 analysis of variance.....264
 multilevel model.....427
 regression model.....303
 response.....364

N

nested random effects.....385–431
 Newton–Raphson algorithm.....165
 NMAR.....see not missing at random
 normal assumption.....129
 normality assumption.....14, 101, 190,
 248, 298
 not missing at random.....279

O

OLS.....see ordinary least squares
 one-way ANOVA.....17–19
 ordinary least squares.....17, 167
 overparameterized.....20

P

panel data.....see longitudinal data
 path diagram...78, 254, 308, 311, 366,
 391, 430
 piecewise linear model.....353–358
 polynomial.....52–54, 345–346
 pooled OLS.....164, 241–242
 posterior
 distribution.....109
 variance.....113
 power.....168–171
 prediction.....see empirical Bayes
 predictive margin.....36
 prior distribution.....109

R

random
 effects.....95–97, 158–163
 interaction.....452
 intercept.....78
 random-coefficient model.....188–194
 random-effects model.....228
 random-intercept model.....127–131
 reduced form.....210, 358
 reference group.....28
 regression coefficient.....20
 regression sum of squares.....see model
 sum of squares
 reliability.....80
 REML.....see restricted maximum
 likelihood
 repeated measures.....see longitudinal
 data, 227
 residual sum of squares.....see sum of
 squared errors
 residuals.....54–56, 160–163, 204–207,
 413–417, 453–455
 restricted maximum likelihood....102,
 166
 robust standard error.....29,
 56, 88, 100, 104–105, 134, 138,
 163, 168, 197, 242, 244, 251,
 262, 326
R-squared.....see coefficient of
 determination

S

sample-size determination.....168–171
 sandwich estimator...29, 88, 104, 242,
 326
 scalars.....350
 scatterplot.....182
 score test.....89
 seemingly unrelated regression....303,
 339
 SEM.....see structural equation model
 serial correlations.....244
 short panel.....327–331
 shrinkage.....111, 202
 simple linear regression.....19–27

simulation 279–282
 slope 20
 small-area estimation 178
 spaghetti plot 187
 sphericity 264
 spline 353
 split-plot design 264
 SSC 457
 standardized regression coefficient... 25
 state dependence 273
 string variable 387
 structural equation model 364–366
 sum of squared errors 17

T

three-level model 389–417
 three-stage formulation 405–406
 three-way interaction 42
 time scales 239–241
 time-series operators 274
 time-series–cross-sectional data... 327–
 331
 time-varying covariates 234–235
 Toeplitz structure 313–315
 total sum of squares 17
 trellis graph 183, 352
t test ... see independent-samples *t* test
 twin study 5
 two-level model 78
 two-stage formulation 210, 358
 two-way error-components model.. 433,
 435–442
 two-way interactions 42

U

unconditional model 136
 unstructured covariance matrix... 298–
 303

V

variance components 79–82

W

Wald test 138–139, 156
 wide form 83, 230–232
 within estimator 145–147

X

xtmelogit see commands
xtmepoisson see commands
xtmixed see commands
xtreg see commands