

# Subject index

## A

`ac`.....350  
`acrplot`.....348  
added-variable plot ..... see `avplot`  
adjacent lines ..... see `alsize`  
`alsize`.....188  
`alternate` ..... 171  
alternate axes ..... see axes, alternate  
angle ..... 327–328  
    axis labels.....see `xlabel()` and  
        `ylabel()`  
    label..... 31, 127, 145, 171, 182, 261  
    marker labels.....see `mlabangle()`  
`angle0()`.....220  
`area()` ..... 81  
area graphs.....see `twoway area`  
    color.....62  
    horizontal.....61  
    setting the base.....62  
    shading.....62  
    sorting.....61  
`ascategory`.. 110, 125–126, 169–170, 203  
aspect ratio..... 323–324  
`asyvars` .. 30–33, 115, 122, 123, 131–136,  
    159, 161–162, 175, 177–179, 194,  
    197, 205  
augmented component-plus-residual plot  
    ..... see `acrplot`  
`avplot` ..... 348, 354–355, 357–358  
`aweight`..... 37, 240  
axes  
    alternate.... 126, 127, 146, 171, 204,  
        210, 266  
    bar graphs..... 123–130, 143–147  
    base ..... 47  
    box plots.....168–174, 179–183  
    categorical  
        bar graphs..... 123–130  
        box plots.....168–174  
        dot plots..... 202–204  
        titles ..... 31

## axes, *continued*

    displaying for multiple graphs...277  
    dot plots.....202–204, 207–210  
    label gap.....129  
    labels.. see `xlabel()` and `ylabel()`  
    lines..... see `xline()` and `yline()`  
    log scale.....267  
    multiple ..... 85, 92, 98–100, 256,  
        271–272, 303  
    options.....254–256, 272  
    reverse scale.....266  
    scale... see `xscale()` and `yscale()`  
    scaling independently ..... 276  
    selecting.....271–272  
    size ..... 323–324  
    suppressing.....146, 182, 266  
    titles...see `xtitle()` and `ytitle()`  
`axis()` ..... 99, 256

## B

`b1title()` ..... 31–33, 130, 174, 285, 315  
`b2title()` .....130, 174, 315  
`bar()` ..... 149, 150  
    `bcolor()` ..... 150  
    `bfcolor()` ..... 150  
    `blcolor()` ..... 150  
    `blwidth()` ..... 150  
bar graphs... see `graph bar` and `twoway bar`  
    axes.....see axes, bar graphs  
    bar height ..... 139  
    bar width.....64  
    base ..... 63  
    `by()` ..... 151–155  
    categorical axes.....see axes,  
        categorical, bar graphs  
    color.....30, 149–150  
    confidence intervals ..... 366  
    descending ..... 119–123  
    excluding missing bars...see `nofill`  
    fill color.....64

- bar graphs, *continued*
  - format ..... 32
  - gaps ..... 118
  - horizontal ..... *see graph hbar*
  - labels ..... 32, 136
  - legend ..... 130–142
  - line color ..... 64
  - lines ..... 47
  - look ..... 147–150
  - ordering ..... 119–123
  - overlying ..... 148
  - placing labels below bars ..... 142
  - placing labels inside bars ..... 141
  - placing labels outside bars ..... 142
  - reverse order ..... 123
  - sorting ..... 120–122
  - stacked ..... 111, 115
  - titles ..... 143–144
  - vertical separators ..... 93–94
  - y*-variables ..... 107–111
- bargap() ..... 148
- barwidth() ..... 64, 73, 78
- base() ..... 47, 62, 63
- bcolor() ..... 53, 70, 74
- bexpand() ..... 306–307
- bfcolor() ..... 62, 64, 70, 74, 78
- bin() ..... 75
- bins
  - lower limit ..... 76
  - number ..... 75
- biweight ..... 81
- blabel() ..... 32–33, 127, 136–142
  - bfcolor() ..... 142
  - box ..... 142
  - format() ..... 32–33, 142
  - gap() ..... 141–142
  - position() ..... 141–142
  - size() ..... 142
- blcolor() ..... 47, 53, 62, 64, 69, 70, 72, 74, 78
- blpattern() ..... 53, 69
- blwidth() ..... 47, 53, 69, 70, 72, 74, 78
- box() ..... 186–187
  - bcolor() ..... 186–187
  - blcolor() ..... 187
  - blwidth() ..... 187
- box ..... 356
- box plots ..... *see graph box*
  - adjacent lines ..... *see alsiz*
- box plots, *continued*
  - alphabetical order ..... 165
  - axes ..... *see axes, box plots*
  - by() ..... *see by(), box plots*
  - categorical axes ..... *see axes, categorical, box plots*
  - descending order ..... 165
  - excluding missing categories ..... *see nofill*
  - horizontal ..... *see graph hbox*
  - legend ..... 174–179
  - lines ..... 181
  - look ..... 183–189
  - median values ..... *see medtype(), medmarker(), and medline()*
  - ordering ..... 165–167
  - over() ..... *see over(), box plots*
  - patterns ..... 181
  - sorting ..... 165
  - titles ..... 180
  - whiskers customized ..... *see cwhiskers*
  - y*-variables ..... 157–162
- boxgap() ..... 185, 186
- bubble plots ..... 37, 240–241
- building a graph ..... 29–33
- by() ..... 103–105, 191–192, 215–216, 232–234, 272–287, 297–299
  - alignment() ..... 312
  - bititle() ..... 286
  - bar graphs ..... 151–155
  - box ..... 311–312
  - box plots ..... 189–193
  - caption() ..... 280
  - colfirst ..... 274
  - cols() ..... 153, 192, 216, 275, 277
  - combining options ..... 286
  - compact ..... 44, 104–105, 275
  - dot plots ..... 214–217
  - errors ..... 378
  - height() ..... 312
  - holes() ..... 274
  - iscale() ..... 275
  - ixaxes ..... 278–279
  - ixtitle ..... 279, 286
  - iyaxes ..... 277, 278
  - iytitle ..... 278, 286
  - justification() ..... 312
  - l1title() ..... 286

- by(), *continued*
- legend() ... 154, 192, 233–234, 285, 286, 297–299
  - at() ..... 234, 299
  - position() ... 154, 192, 234, 285, 286, 299
  - missing ..... 152–153, 191, 216
  - noedgelabel ..... 276
  - note() ..... 153, 283
  - suffix ..... 283
  - pie charts ..... 232–235
  - position() ..... 311–312
  - rescale ..... 277, 286
  - ring() ..... 311–312
  - row() ..... 192
  - rows() ..... 274
  - scale() ..... 105
  - scatterplot matrices ..... 103–105, 273–286
  - sts graph ..... 356
  - subtitle() ..... 282
  - textboxes ..... 311–312
  - title ..... 273
  - title() ..... 279–280, 286
  - title ..... 284
  - position() ..... 284
  - ring() ..... 284
  - total ... 44, 153, 191–192, 216, 273, 286
  - twoway ..... 44–45, 85
  - width() ..... 312
  - xrescale ..... 276
  - yrescale ..... 276
- C**
- caps ..... *see* `capsize()`
  - capsize() ..... 189
  - caption() ..... 280, 315
  - categorical axes ..... *see* axes, categorical
  - ciplot ..... 53
  - clcolor() ..... 54, 56, 58, 82, 253
  - clock position ..... 330–331
  - clpattern() ..... 52, 56, 82, 90, 253, 336–337, 353
  - clstyle() ..... 89
  - clwidth() .. 26, 52, 54, 56, 58, 82, 88–90, 94, 253, 338, 353
  - color
    - area graphs ..... 62
  - color, *continued*
    - axis lines ..... 43
    - bar fill ..... 64
    - bar graphs ..... 150
    - bar lines ..... 47, 64
    - box plots ..... 186–187
    - confidence level ..... 52
    - connecting lines ..... 54, 69, 253
    - graph region ..... *see* `graphregion()`
    - histogram bars ..... 78
    - intensity ..... 149, 186
    - labels ..... 128, 172
    - legend ..... 296
    - lines ..... 82, 208, 211
    - marker fill ..... 48, 242
    - marker outline ..... 242
    - marker symbols ..... 37
    - markers ... 55, 69, 211–213, 242–244
    - median line ..... 187
    - pie charts ..... 221–223
    - plot region ..... *see* `plotregion()`
    - schemes ..... 319
    - styles ..... 328–330
    - textbox ..... 304, 310
  - cols() ..... 364–365
  - columns ..... 230
  - combining graphs ..... 361–365
  - commas with graph options ..... 376
  - compass direction ..... 331–332
  - component-plus-residual plot ..... *see* `cprplot`
  - confidence interval
    - fit (regression predictions) .... 50–54
    - for means and percentils of survival time ..... *see* `stci`
    - selecting display command ..... 53
    - setting level ..... 51
  - confidence level
    - color ..... 52
    - pattern ..... 52
    - width ..... 52
  - connect() ..... 39–41, 55, 84, 251–253, 333–335
  - connect lines width ..... *see* `clwidth`
  - connected plots .. *see* twoway connected
  - connecting
    - lines ..... *see* lines, connecting
    - points ..... 39–41
    - styles ..... 332–335

correlogram.....see `ac` and `pac`  
`cprplot`.....348  
 cross-correlogram ..... see `xcorr`  
`cumsp`.....350  
 cumulative spectral distribution graph ..  
     .....see `cumsp`  
`cwhiskers` ..... 188

**D**

`dates`.....58–59  
 density ..... see `kdensity` and `twoway`  
     `kdensity`  
 descending ..... 122, 220  
 diagonal.....101  
     `bfcolor()` .....101  
 discrete.....79  
 displaying named graphs ..... 359  
 distribution graphs ..... 346  
 distribution plots.....74–82  
 dot plots.....see `graph dot` and `twoway`  
     `dot`  
     alphabetical order.....200  
     axes ..... see axes, dot plots  
     `by()` ..... see `by()`, dots plots  
     categorical axes.....see axes,  
     categorical, dot plots  
     descending order ..... 200  
     excluding missing categories ..... see  
     `nofill`  
     legend.....205–207  
     look.....210–214  
     ordering ..... 200  
     `over()` .....see `over()`, dot plots  
     reverse order.....202  
     sorting.....200  
`dots()` .....211  
     `mcolor()` .....211  
     `msize()` .....211  
     `msymbol()` .....211  
 dropped-line plots.....see `twoway`  
     `dropline`

**E**

`exclude()` ..... 135  
`exclude0` ..... 145–146, 209  
 exploding pie slices ..... 222

**F**

fits (regression predictions)  
     fractional polynomial....see `twoway`  
         `fpfit` and `twoway fpfitci`  
     linear.....see `twoway lfit` and  
         `twoway lfitci`  
     quadratic.....see `twoway qfit` and  
         `twoway qfitci`  
 formatting numbers  
     axis labels ..... 261  
     bar graphs.....142  
     bar labels.....32  
     pie slices ..... 226–227  
 forty-five degree lines.....362  
`fraction()` .....76  
 fractional polynomial fits.....see `twoway`  
     `fpfit` and `twoway fpfitci`  
`frequency()` .....77  
`frequency`.....81  
 function, line plot of..... see `twoway`  
     `function`  
`fysize()`.....365

**G**

`gap`  
     between bars.....148  
     between bars and edge of plot...148  
     between boxes ..... 185  
     between boxes and edge of plot..184  
     between columns.....297  
     between groups ..... 185  
     between labels and outside of graph  
     .....173  
     between labels and ticks ..... 172  
     between lines ..... 213  
     between marker and label.....250  
     between rows ..... 297  
     box plots ..... 163–164  
     dot plots.....199  
     textboxes.....309  
`gap()` .....77–78  
`gladder`.....347  
`glcolor`.....265  
`graph bar` ..... 27, 29–33, 107–155  
`graph box`.....157–193  
`graph combine`.....362–363  
`graph display`.....29, 360  
`graph dot` ..... 13, 193–217  
`graph hbar` ..... 13, 63, 107–155

- graph hbox..... 13, 157–193
  - graph matrix..... 12, 27, 95–105
  - graph pie..... 14, 217–235
  - graph use..... 359
  - graphing a function..... *see* *twoway*
    - function
  - graphregion()..... 325–326
    - color()..... 325
    - fcolor()..... 326
    - ifcolor()..... 326
    - lcolor()..... 326
    - lwidth()..... 326
  - graphs, specialized..... *see* *specialized*
    - graphs
  - grids
    - displaying..... 264–265
    - suppressing..... 146, 182, 264
  - groups..... *see* *by()* and *over()*
- H**
- half..... 102
  - height
    - bar..... 139
    - histogram bar..... *see* *histogram*, *bar*
      - height
    - symbol..... 297
  - hi-lo graphs..... *see* *range* *plots*
  - histogram..... *see* *twoway histogram*
    - bar color..... 78
    - bar height..... 75–77
    - bar width..... 78, 80
    - gap between bars..... 77
    - horizontal..... 79
    - overlying..... 81
  - horizontal..... 48, 61, 63, 68, 79, 80
- I**
- if..... *see* *samples*, *selecting*
  - imargin()..... 365
  - immediate graphs..... *see* *twoway*
    - scatteri
  - in..... *see* *samples*, *selecting*
  - intensity()..... 149, 186, 223
- J**
- jitter()..... 102
  - jittering..... *see* *scatterplot* *matrices*,
    - jittering
- justification**
- textboxes..... 305–307
  - titles.. *see* *title()*, *justification*
- K**
- kdensity..... 12, 353
  - kernel density..... *see* *kdensity* and
    - twoway* *kdensity*
      - horizontal..... 80
      - lines..... 82
      - methods..... 81
      - overlying..... 81
- L**
- l1title()..... 130, 174, 204, 285, 315
  - l2title()..... 130, 174, 204, 315
  - label()..... 298, 356
  - labels..... 22–23
    - alternate..... 127, 171
    - angles..... *see* *angle*, *label*
    - axes..... *see* *xlabel()* and *ylabel()*
    - bar graphs..... 32, 136
    - changing.... 124–126, 133, 168, 177,
      - 203
    - color..... 128, 172
    - gap from axis..... 129, 130
    - gap from outside edge of graph.. 173
    - gap from ticks..... 172
    - legend..... *see* *legend*, *labels*
    - marker symbols..... 38–39
    - markers..... 83, 97, 247–250
    - matrix..... 98–100
    - missing values..... 124
    - pie charts..... 224–228, 233
    - placing below bars..... 142
    - placing inside bars..... 141
    - placing outside bars..... 142
    - points..... 300
    - position..... 140–142, 226, 301
    - scale..... 105
    - size..... 97, 128, 171, 226
    - suppressing..... 104, 126, 128, 132,
      - 137, 176–177, 206, 260
    - ticks..... 172
    - time series..... 59
    - titles..... 84
  - ladder of power graphs..... 347
  - legend..... 23–25, 40–41
    - bar graphs..... 130–142

legend, *continued*

box plots ..... 174–179  
 columns ..... 135, 154, 178, 230, 291  
 dot plots ..... 205–207  
 key ..... 289, 292  
 labels ..... 154, 206, 288–289, 296  
 margins ..... 296  
 options ..... 287–299  
 overlaid graphs ..... 90–92  
 pie charts ..... 228–231, 234  
 placing within plot regions ..... 134  
 position .. 31, 134–136, 154, 178, 231,  
 234, 293–294  
 rows ..... 31, 133, 177, 207, 291  
 stacked ..... 136, 179, 293  
 subtitle ..... 154  
 suppressing ..... 133, 225  
 text ..... 290  
 titles ..... 295  
 twoway ..... 86  
 width ..... 294  
**legend()** .. 23–25, 27–29, 31–33, 40–41,  
 46, 86, 90–94, 133–136, 138, 154,  
 177–179, 206–207, 225, 229–231,  
 234, 285, 288–299, 356  
 bexpand ..... 294  
 bfcolor() ..... 296  
 bmargin() ..... 296  
 box ..... 296  
 by() ..... *see* **by()**, **legend**  
 colfirst ..... 133, 177, 230, 291–292  
 colgap() ..... 297  
 color() ..... 296  
 cols() .... 24, 41, 86, 135, 154, 178,  
 207, 231, 234, 291, 293, 299  
 holes() ..... 230, 292  
 label() ..... 24–25,  
 40–41, 90–91, 94, 133, 154, 177,  
 206, 229, 285–286, 288–289  
 legend() ..... 192  
   cols() ..... 192  
 note() ..... 295  
 order() ..... 41, 230, 289–295  
 position() ..... 27, 31–33, 134–136,  
 178, 207, 293–295, 298  
 region() ..... 296  
   fcolor() ..... 296  
   lcolor() ..... 296  
   lwidth() ..... 296

region(), *continued*

margin() ..... 296  
 ring() ..... 31–33, 134–135, 293  
 rowgap() ..... 297  
 rows() ... 31–33, 133, 177, 207, 231,  
 291–296  
 size() ..... 296  
 span ..... 294  
 stack .. 136, 154, 179, 192, 231, 234,  
 293  
 subtitle()  
   bexpand ..... 295  
   box ..... 295  
 symxsize() ..... 297  
 symysize() ..... 297  
 textfirst ..... 135, 178, 292  
 title() ..... 206, 229–230, 295  
   position() ..... 230–231, 295  
**level()** ..... 52  
 leverage-versus-squared-residual plot ....  
   ..... *see* **lvr2plot**  
 life tables for survival data... *see* **ltable**  
**line()** ..... 223  
   lcolor() ..... 223  
   lwidth() ..... 223  
 line plots ..... *see* **twoway** **line**  
   sorting ..... 54  
**line, twoway** ..... *see* **twoway** **line**  
 linear fits ..... *see* **lfit** and **lfitci**  
 linear regression diagnostics graphs .. 348  
**linegap()** ..... 213–214  
 lines  
   adjacent ..... 188  
   axes  
     color ..... 43  
     width ..... 43  
   box plots ..... 181  
   color ..... 82, 181, 208, 211  
   connecting ... 52, 54, 69, 84, 250–253  
   fit ..... 52–53  
   gap between ..... 213  
   graph region ... *see* **graphregion()**  
   median ..... 187  
   overlying ..... 89  
   patterns ..... 43, 82, 181, 208, 211,  
     336–338  
   plot region ..... *see* **plotregion()**  
   styles ..... 89  
   textbox outlines ..... 309–310

- lines, *continued*
    - whiskers . . . . . see box plots, whiskers
    - width . . . . . 82, 88, 181, 208
  - lines() . . . . . 188, 211
    - lcolor() . . . . . 188, 211
    - lwidth() . . . . . 188, 211
  - linetype() . . . . . 211–212
  - loading graphs . . . . . see graph use
  - local linear smooth plots . . . . . see twoway
    - lowess
  - lroc . . . . . 351
  - lsens . . . . . 351
  - ltable . . . . . 349
  - lvr2plot . . . . . 348, 352–353
- M**
- margins
    - graph region . . . . . see graphregion()
    - legend . . . . . 296
    - plot region . . . . . see plotregion()
    - styles . . . . . 338–340
    - textboxes . . . . . 308
  - marker() . . . . . 189, 212–213
    - mcolor() . . . . . 212
    - mfcolor() . . . . . 213
    - mlcolor() . . . . . 213
    - mlwidth() . . . . . 213
    - msize() . . . . . 189, 212–213
    - msymbol() . . . . . 189, 212–213
  - markers
    - fill color . . . . . 48
    - box plots . . . . . 189
    - color . . . . . 55, 69, 96–97, 211–213, 242–244
    - displaying for data points . . . . . 55
    - fill color . . . . . 242
    - invisible . . . . . 239
    - label gap . . . . . 250
    - label size . . . . . 97
    - labels . . . . . 38–39, 83, 97, 247–250
    - line width . . . . . 48
    - median line . . . . . 188
    - options . . . . . 95–97, 235–250
    - outline color . . . . . 242
    - outline width . . . . . 243
    - overlying . . . . . 90
    - plus sign . . . . . 237
    - schemes . . . . . 247
  - markers, *continued*
    - size . . . . . 55, 69, 96, 211–213, 240–241, 340–341
    - squares . . . . . 236
    - styles . . . . . 88, 244–246, 340–343
    - symbols . . . . . 25–27, 36–38, 83, 87, 95–96, 342–343
    - width . . . . . 69
  - matrix
    - axis labels . . . . . 98–100
    - scatterplot . . . . . see scatterplot matrices
    - titles . . . . . 101
  - maxes() . . . . . 100, 104–105
    - xlabel() . . . . . 100
    - xtick() . . . . . 100
    - ylabel() . . . . . 100, 104–105
    - ytick() . . . . . 100
  - mcolor() . . . . . 37, 55, 69, 96, 242, 329–330
  - mean . . . . . 108
  - median . . . . . 108, 196
  - median band plots . . . . . see twoway mband
  - median line
    - color . . . . . 187
    - markers . . . . . 188
    - width . . . . . 187
  - median points . . . . . see medtype(), medmarker(), and medline()
  - median spline plots . . . . . see twoway mspline
  - medline() . . . . . 187
    - lcolor() . . . . . 187
    - lwidth() . . . . . 187
  - medmarker() . . . . . 188
    - msize() . . . . . 188
    - msymbol() . . . . . 188
  - medtype() . . . . . 187–188
  - mfcolor() . . . . . 48–49, 97, 242–243, 246
  - missing . . . . . 116, 124, 162, 197, 218
  - mlabangle() . . . . . 249, 327
  - mlabcolor() . . . . . 250
  - mlabel() . . . . . 38–39, 83, 97, 239, 241, 248–250, 300, 303, 327, 344, 353
  - mlabpos() . . . . . 248
  - mlabgap() . . . . . 250
  - mlabposition() . . . . . 38–39, 239, 241, 331
  - mlabsize() . . . . . 38, 97, 249, 344
  - mlabvposition() . . . . . 248–249
  - mlcolor() . . . . . 48–49, 97, 242–243
  - mlwidth() . . . . . 48–49, 243–244

mountain plots.....see `twoway area`  
`mstyle()` .... 37–38, 48–49, 55, 69, 71, 72,  
 96, 240–241, 246, 341, 352  
`mstyle()` ..... 88, 244–246  
`msymbol()` .... 22, 26, 36, 39–41, 48–49,  
 55, 56, 69, 72, 83, 87, 90, 94–96,  
 236–241, 247, 331, 343, 352  
 multiple axes.....see axes, multiple  
 multiple plots.....see *overlying*

**N**

`name()` ..... 359, 361, 363–365  
 naming graphs.....see `name()`  
`ndots()` ..... 211  
`noclockwise`..... 219  
`nofill` ..... 30–33, 117, 162, 198  
`nofit` ..... 52  
`nogrid` ..... 355  
`nolabel`..... 128, 132, 137, 176, 206  
`nooutsides`..... 157–193  
`note()` ..... 190–192, 282, 315, 354, 357

**O**

options..... 20–29  
 adding text..... 299–303  
 axes..... 254–256, 272  
 labels..... 22–23  
 legend..... 23–25  
 marker symbols..... 25–27  
 markers ..... 235–250  
 region ..... 324–326  
 scatterplot matrices ..... 102–103  
 specialized graphs ..... 352–358  
 standard ..... 324–326  
 textboxes..... 303–313  
 titles ..... 20–22  
 using in the wrong context ..... 377  
 ordering  
 bars.....see bar graphs, ordering  
 boxes.....see box plots, ordering  
 orientation  
 textboxes..... 305  
 titles ..... 341–342  
`outergap()` ..... 148, 184  
 outside values  
 color..... 189  
 size ..... 189  
 suppressing ..... 180

`over()` ..... 29–33, 111–150, 157–235  
`asyvars`..... 161–162  
`axis()` ..... 130, 142, 173  
`outergap()` ..... 130, 142, 173  
 bar graphs..... 111–123, 151–155  
 box plots..... 157–162, 193–202  
 descending..... 119–121, 123,  
 165–167, 200–202  
 display only existing variables... 117  
 dot plots ..... 193–202  
`gap()` ... 118–119, 163–164, 185, 199  
`label()` .. 33, 126–130, 138, 171–173  
`angle()` ..... 33, 127, 171  
`labcolor()` ..... 128, 172  
`labgap()` ..... 129, 172–173  
`labsize()` ..... 128, 171  
`ticks`..... 129, 172  
`tlength()` ..... 129, 172  
`tlwidth()` ..... 129, 172  
`tposition()` ..... 129, 172  
 missing ..... 116  
 pie charts..... 218  
`relabel()` ..... 124–126, 168–170,  
 203–204  
`sort()` .. 120–123, 165–167, 200–202  
`sum()` ..... 122  
*y*-variables ..... 110–111  
*overlying*..... 49–50, 87–94  
 bar graphs.....see bar graphs,  
*overlying*  
 connected marker plots..... 56  
 fits, CIs, smooths, and scatters .. 49–  
 54, 89–90  
 histograms.....see histogram,  
*overlying*  
 kernel density .... see kernel density,  
*overlying*  
 legends .. see legend, overlaid graphs  
 lines.....see lines, *overlying*  
 markers.....see markers, *overlying*  
 mixed plot types ..... 6, 25–26  
 scatterplots ..... see scatterplots,  
*overlying*

**P**

`pac`..... 350  
 patterns  
 axis lines..... 43  
 box plots ..... 181



- patterns, *continued*
- confidence level ..... 52
  - connecting lines ..... 52, 69, 253
  - lines ..... 82, 181, 208, 211, 336–338
- percent() ..... 76
- percent ..... 226
- percentages ..... 110–111, 115
- pergram ..... 350
- periodogram .. *see* pergram and wntestb
- pie() ..... 222, 233
- color() ..... 222
  - explode ..... 222, 233
- pie charts ..... *see* graph pie
- adding text ..... 227–228
  - angles ..... 220
  - by() ..... *see* by(), pie charts
  - color ..... 221–223
  - counterclockwise ..... 219
  - descending order ..... 220
  - exploding slices ..... 222–223
  - labels ..... 224–228, 233
  - legend ..... 228–231, 234
  - over() ..... *see* over(), pie charts
  - slices ..... 221–223
  - sorting ..... 219–221, 233
  - titles ..... 229
  - types ..... 217–218
- plabel() ..... 224–227, 233
- color() ..... 226
  - format() ..... 226–227
  - gap() ..... 226–227
  - legend() ..... 227
  - name ..... 233
  - size() ..... 226
- plotregion() ..... 325
- color() ..... 325
  - lcolor() ..... 325
  - lwidth() ..... 325
- pnorm ..... 346
- points, connecting ..... *see* connecting points
- population pyramid ..... 367–368
- position
- labels ..... 38, 140–142, 226, 301
  - legend ... 31, 134–136, 154, 178, 231, 234, 293–294
  - marker labels ..... 248–249
  - standard options ..... 330–332
  - ticks ..... 129, 263
- position, *continued*
- titles ..... *see* title(), position
- prefix ..... *see* titles, prefix
- ptext() ..... 227–228
- bfcolor() ..... 228
  - box ..... 228
  - margin() ..... 228
  - orientation() ..... 228
  - placement() ..... 228
- Q**
- qladder ..... 347
- qnorm ..... 346
- quadratic fits ..... *see* twoway qfit and twoway qfitci
- R**
- r1title() ..... 315
- r2title() ..... 315
- range() ..... 81, 82
- range plots
- with area shading ..... *see* twoway rarea
  - with bars ..... *see* twoway rbar
  - with capped spikes ..... *see* twoway rcap
  - with capped spikes and marker symbols ..... *see* twoway rcapsym
  - with connected lines ..... *see* twoway rconnected
  - with lines ..... *see* twoway rline
  - with markers ..... *see* twoway rscatter
  - with spikes ..... *see* twoway rspike
- rectangles() ..... 212
- fcolor() ..... 212
  - lcolor() ..... 212
- reference lines ..... *see* lines, axes and yline()
- region ..... 324–326
- replace ..... 364, 365
- rescheming graphs ..... *see* schemes, rescheming graphs
- residual-versus-fit plot ..... *see* rvfplot
- residual-versus-predictor plot ..... *see* rvpplot
- restoring graphs ..... *see* graph use
- reusing graphs ..... 359–360

reversing axes . . . . . see axes, reverse scale  
 ROC analysis . . . . . 351  
 roccomp . . . . . 351  
 rocplot . . . . . 351  
 roctab . . . . . 351  
 rvfplot . . . . . 348, 355  
 rvpplot . . . . . 348  
 rwidth() . . . . . 212

## S

samples, selecting . . . . . 58  
 saving() . . . . . 358  
 saving graphs . . . . . 358  
 scale . . . . . 182  
   adjusting . . . . . 322–324  
   axes . . . . . 85, 209, 265–269  
   labels . . . . . 105  
   markers . . . . . 105  
 scale() . . . . . 103, 323–324, 358  
 scatter with immediate arguments . . . . . see  
   *twoway scatteri*  
 scatter, *twoway* . . . . . see *twoway scatter*  
 scatterplot matrices . . . . . 12  
   by() . . . . . see by(), scatterplot matrices  
   displaying lower half . . . . . 102  
   jittering . . . . . 102  
   options . . . . . 102–103  
   scale . . . . . 103  
 scatterplots . . . . . see *twoway scatter*  
   overlying . . . . . 39–40, 84–86  
 scheme() . . . . . 359–360  
 schemes . . . . . 14–20, 318–321  
   colors . . . . . 319  
   customizing . . . . . 379–381  
   economist . . . . . 321, 357  
   markers . . . . . 247  
   rescheming named graphs . . . . . see  
     *scheme()*  
   s1color . . . . . 320  
   s1manual . . . . . 320  
   s1mono . . . . . 320  
   s2color . . . . . 319  
   s2manual . . . . . 319  
   s2mono . . . . . 319  
   sj . . . . . 321  
   vg\_blue . . . . . 19  
   vg\_brite . . . . . 19  
   vg\_lgndc . . . . . 18  
   vg\_outc . . . . . 17

## schemes, *continued*

  vg\_outm . . . . . 17  
   vg\_palec . . . . . 16  
   vg\_palem . . . . . 16  
   vg\_past . . . . . 18  
   vg\_rose . . . . . 18  
   vg\_s1c . . . . . 15  
   vg\_s1m . . . . . 15  
   vg\_s2c . . . . . 15  
   vg\_s2m . . . . . 16  
   vg\_samec . . . . . 17  
   vg\_teal . . . . . 19  
   vg\_lgndc . . . . . 179  
 separating graphs . . . . . 44  
 shading area graphs . . . . . 62  
 showyvars . . . . . 132–133, 176–177  
 size  
   adjacent line . . . . . 188  
   adjusting . . . . . 322–324  
   axes . . . . . 323–324  
   caps . . . . . 189  
   labels . . . . . 38, 128, 171, 226  
   marker symbols . . . . . 37–38  
   markers . . . . . 55, 69, 96–97, 211–213,  
     240–241, 340–341  
   text . . . . . 344  
   textbox . . . . . 144, 304  
   titles . . . . . 144, 181  
 slices . . . . . 221–223  
 sort . . . . . 39–41, 54–56, 61, 65, 84, 220–221,  
   233–234, 251–253, 333–335  
 sorting  
   area graphs . . . . . see area graphs,  
     sorting  
   box plots . . . . . see box plots, sorting  
   line plots . . . . . see line plots, sorting  
   pie charts . . . . . see pie charts, sorting  
 spacing . . . . . see gaps  
 specialized graphs . . . . . 345–358  
 spike plots . . . . . see *twoway spike*  
 splines . . . . . see *mspline*  
 stack . . . . . 111, 115, 122, 139  
 stacking bars . . . . . see stack  
 standard error of forecast . . . . . see *stdf*  
 standard options . . . . . 324–326  
 standardized normal probability graphs . .  
   . . . . . 346  
 start() . . . . . 76  
 Stata 7 syntax . . . . . 376

- statistical function graphs... see **twoway**
    - function**
  - stci** ..... 349
  - stcoxkm** ..... 349
  - stcurve** ..... 349
  - stdf** ..... 51
  - stepstair** ..... 252, 335
  - storing graphs ..... see **graph save**
  - stphplot** ..... 349
  - strip plots ..... 277–278, 371
  - sts graph** ..... 349, 356
  - styles ..... 327–345
    - angles ..... 327–328
    - clock position ..... 330–331
    - color ..... 328–330
    - compass direction ..... 331–332
    - lines ..... 89
    - margins ..... 338–340
    - marker symbols ..... 342–343
    - markers ..... 88, 244–246, 340–343
    - orientation ..... 341–342
    - text size ..... 344
  - subtitle()** ..... 154, 281–284, 314
    - nobexpand** ..... 154
    - position()** ..... 154, 283–284
    - prefix** ..... 281–282
    - ring()** ..... 154, 284
    - suffix** ..... 281–282
  - suffix ..... see **titles, suffix**
  - sum** ..... 139
  - survival graphs ..... 349
  - symbols
    - height ..... 297
    - margin ..... see **msymbol()**
    - width ..... 297
  - symmetry plots ..... 346
  - symplot** ..... 346
- T**
- t1title()** ..... 315
  - t2title()** ..... 315
  - text
    - adding ..... 45, 86, 299–303
    - legend ..... 290
    - orientation ..... 101
    - pie charts ..... 227–228
    - scale ..... 105
    - size ..... 344
  - text()** ..... 45, 86, 299–313, 356
    - blwidth()** ..... 45
    - box** ..... 45
    - color()** ..... 304
    - linegap()** ..... 309
    - margin()** ..... 45, 308
    - orientation()** ..... 305
    - placement()** ..... 301–302, 304–305
    - size()** ..... 45, 304
  - textboxes** ..... 303–313
    - annotations ..... 308
    - by()** ..... see **by()**, **textboxes**
    - color ..... 304, 310
    - interline gaps ..... 309
    - justification ..... 305–307
    - margins ..... 308
    - orientation ..... 305
    - outline ..... 309–310
    - size ..... 144, 304
  - thickness** ..... see **width**
  - ticks
    - controlling ..... 258–265
    - labels ..... 172
    - length ..... 263
    - matrix ..... 100
    - position ..... 263
    - suppressing ..... 259
    - time series ..... 60
  - time series
    - labels ..... 59
    - line plots ..... 57–60
    - minor labels ..... 59
    - ticks ..... 60
    - titles ..... 59
  - time-series line... see **tsline** and **tsrline**
  - tin()** ..... 58
  - title()** .... 20–22, 26, 86, 279, 309–318, 357
    - bcolor()** ..... 310
    - bexpand** ..... 318
    - bfcolor()** ..... 86, 310
    - blcolor()** ..... 86, 310
    - blwidth()** ..... 86, 310
    - bmargint()** ..... 307
    - box** .... 21–22, 86, 305–312, 317–318
    - justification()** ..... 306–307, 318
    - margin()** ..... 339–340
    - nobox** ..... 21
    - placement()** ..... 332

- title(), *continued*
    - position() ..... 316–317
    - ring() ..... 317
    - size() ..... 21–22
    - span ..... 317
  - titles ..... 20–22, 130, 313–318
    - axes ..... see axes, titles
    - bar graphs ..... see bar graphs, titles
    - box plots ..... see box plots, titles
    - categorical axes ..... see axes, categorical, titles
    - justification ..... see title(), justification
    - legend ..... 295
    - matrix ..... 101
    - multiple lines ..... 316
    - orientation ..... 341–342
    - pie charts ..... 229
    - placing in a box ..... see title(), box
    - placing inside a plot region ..... see title(), placement
    - position ..... see title(), position
    - prefix ..... 255, 281–282, 354
    - size ..... see title(), size
    - suffix ..... 1, 255, 281–282, 354
    - time series ..... 59
    - width ..... 317–318
  - tlabel() ..... 59
  - tline() ..... 60
  - tmlabel() ..... 59
  - tmtick() ..... 54, 60
  - ttext() ..... 60
    - orientation() ..... 60
  - ttitle() ..... 59
  - twoway
    - adding text ..... 86
    - by() ..... see by(), twoway
    - graphs ..... 35–94
    - legend ..... 86
    - options ..... 82–86
    - overlying ..... 87–94
    - titles ..... 26, 86
  - twoway area ..... 9, 61–62
  - twoway bar ..... 10, 62–64
  - twoway connected ..... 8, 55–56, 88
  - twoway dot ..... 8, 49
  - twoway dropline ..... 7, 48–49
  - twoway ffit ..... 6, 50
  - twoway fffitci ..... 50–54
  - twoway function ..... 12, 82
  - twoway histogram .. 11, 75–81, 346, 358
  - twoway kdensity ..... 12, 80–82, 346
  - twoway lfit .. 5–6, 25–26, 49–50, 89–91, 93–94, 287–297
  - twoway lfitci ..... 7, 50–54
  - twoway line .. 8, 54–60, 88–89, 268–269
  - twoway lowess ..... 6, 50
  - twoway mband ..... 6, 7
  - twoway mspline ..... 6, 50
  - twoway qfit ..... 6, 50, 90–91, 93–94, 287–299
  - twoway qfitci ..... 50–54, 91–92
  - twoway rarea ..... 10–11, 66, 70, 92–93
  - twoway rbar ..... 11, 67, 73–74
  - twoway rcap ..... 11, 66, 71–72
  - twoway rcapsym ..... 11, 67, 72
  - twoway rconnected ..... 10, 65, 68–69
  - twoway rline ..... 10, 65, 70
  - twoway rscatter ..... 10, 65, 69
  - twoway rspike ..... 11, 67, 72, 265–269
  - twoway scatter ..... 5–7, 20–26, 35–54, 83–94, 104, 235–313
  - twoway scatteri ..... 45–46
  - twoway spike ..... 7, 47–48, 92–93, 346
  - twoway tsline ..... 9, 57–60, 88
  - twoway tsrline ..... 9, 57
  - types of graphs ..... 4–14
- U**
- using graphs ..... see graph use
- W**
- whiskers ..... see box plots, whiskers
  - width
    - axes ..... 267
    - bars ..... 64
    - box plot lines ..... 185–187
    - confidence level ..... 52
    - connecting lines ..... 52, 54, 69, 253
    - histogram bars ..... 75, 78, 80
    - legend ..... 294
    - lines ..... 82, 88, 181, 208
    - marker outline ..... 243
    - markers ..... 69
    - median line ..... 187
    - symbols ..... 297
    - ticks ..... 129
    - titles ..... 317–318

width() ..... 75–77, 80, 81  
 wntestb ..... 350

**X**

xalternate ..... 126, 170, 204  
 xaxis() ..... 270, 303  
 xcorr ..... 350  
 xlabel() ..... 22–23, 42–43, 98–100,  
 257–258, 260–262, 267, 328  
   alternate ..... 262  
   angle() ..... 262  
   axis() ..... 98–100  
   format() ..... 261  
   grid ..... 264  
   labsize() ..... 23  
   nogrid ..... 264  
   valuelabels ..... 260  
 xline() ..... see lines, axes  
 xscale() ..... 43, 266–268, 364  
   lwidth() ..... 267  
 xsize() ..... 323, 358, 360  
 xtitle() ..... 41, 84, 254–256, 354–355  
   box ..... 255  
   orientation() ..... 342  
   prefix ..... 255  
   size() ..... 255, 355

**Y**

*y*-variables  
   bar graphs ..... see bar graphs,  
     *y*-variables  
   multiple ..... 109–111  
 yalternate ..... 146, 183, 210  
 yaxis() ..... 85, 92–93, 256, 270–272  
 ycommon ..... 362  
 ylabel() .. 31–33, 42–43, 84–86, 98–100,  
 145–146, 181–182, 209, 257–265,  
 269, 271–272, 328, 355, 365  
   angle() .. 31–33, 145, 182, 261, 328  
   axis() ..... 98–100, 271–272  
   glcolor ..... 264  
   glpattern ..... 264–265  
   glwidth ..... 264  
   grid ..... 43, 264–265  
   labgap() ..... 263  
   labsize() ..... 262  
   nogrid ..... 43, 146, 182, 264  
   nolabel ..... 260  
   noticks ..... 259

*ylabel()*, *continued*

  tlength() ..... 263  
   tlwidth() ..... 263  
   tposition() ..... 263  
 yline() ..... 43, 144, 181, 208, 355  
   lcolor() ..... 43, 144, 181, 208  
   lpattern() ..... 43, 144, 181, 208  
   lwidth() ..... 43, 144, 181, 208  
 ymlabel() ..... 258, 265  
   glcolor() ..... 265  
   glpattern() ..... 265  
   grid ..... 265  
 ymtick() ..... 259, 263  
   tposition() ..... 263  
 yreverse ..... 147, 183, 210  
 yscale() ..... 85, 92, 138, 146, 182, 209,  
 268–269  
   axis() ..... 92, 269  
   range() ..... 92, 138, 268–269  
 ysize() ..... 323, 358, 360  
 ytick() ..... 258, 263  
   tposition() ..... 263  
 ytitle() .. 30–33, 41–42, 144, 180–181,  
 254–256, 272, 354  
   axis() ..... 272  
   bexpand ..... 144, 181, 208  
   bfcolor() ..... 208  
   box ..... 144, 181, 208  
   orientation() ..... 342  
   size() ..... 42, 144, 181  
   suffix ..... 255  
 ytitle ..... 208  
 yvaroptions() .. 125–126, 128, 163–167,  
 169–170, 203–204  
   label() ..... 128  
   relabel() ..... 125–126, 169–170,  
     203–204