

Subject index

A

`ac`.....436
`acrplot`.....434
added-variable plot see `avplot`
adding lines, Graph Editor.....see Graph Editor, adding lines
adding markers, Graph Editor see Graph Editor, adding markers
adding objects, Graph Editor see Graph Editor, adding objects
adding text, Graph Editor see Graph Editor, adding text
`addplot()` 448
 `msymbol()`448
adjacent lines see `alsize`
`alsize`257
`alternate` 242
alternate axes see axes, alternate
angle 411–412
 axis labels see `xlabel()` and `ylabel()`
 label 31, 198, 216, 242, 253, 335
 marker labels see `mlabangle()`
`angle0()`292
`area()` 140
area graphs see `twoway area`
 color121
 horizontal120
 setting the base120
 shading120
 sorting120
`ascategory`.. 176, 196–197, 240–242, 275
aspect ratio 405
`aspectratio()`405
`asyvars` .. 30–32, 181, 192, 194, 202–208, 229, 231–232, 245, 247–250, 264, 267, 277
augmented component-plus-residual plot see `acrplot`
`avplot` 434, 440–441, 443–444
`aweight` 91, 313

axes

alternate 197, 198, 217, 242, 276, 282, 340
bar graphs 193–201, 213–218
base 101
box plots238–244, 250–254
categorical
 bar graphs 193–201
 box plots238–244
 dot plots 274–276
 titles 31
displaying for multiple graphs ... 351
dot plots274–276, 279–282
label gap200
labels .. see `xlabel()` and `ylabel()`
lines see `xline()` and `yline()`
log scale 341
multiple 150, 157–158, 165–167, 329, 345–346, 378
options 327–329, 346
reverse scale 340
scale ... see `xscale()` and `yscale()`
scaling independently 350
selecting345–346
size 405–406
suppressing217, 253, 339
titles ... see `xtitle()` and `ytitle()`
`axis()` 166, 329

B

`b1title()` 31–33, 201, 244, 359, 397
`b2title()`201, 244, 397
`bar()` 220
 `bcolor()` 220
 `fcolor()` 220–221
 `lcolor()` 220–221
 `lwidth()` 220–221
bar graphs ... see `graph bar` and `twoway bar`
 axes see axes, bar graphs
 bar height 211

bar graphs, *continued*

bar width 122
 base 122
 by() 221–227
 categorical axes see axes,
 categorical, bar graphs
 color 219–221
 confidence intervals 467
 descending 189, 191, 193
 excluding missing bars... see **nofill**
 fill color 123
 format 32
 gaps 183–188
 horizontal see **graph hbar**
 labels 32, 208
 legend 201–208
 line color 123
 lines 101
 look 218–221
 ordering 188–193
 overlaying 184
 placing labels inside bars ... 212–213
 reverse order 193
 sorting 188–193
 stacked 177, 181
 titles 214
 vertical separators 158–160
y variables 173–177
barwidth() 122, 132, 137
base() 101, 120, 122
bcolor() 111, 129, 132
bexpand() 381–383
bin() 134
 bins
 lower limit 134
 number 134
blabel() 32–33, 198, 208–213
 format() 32–33
 gap() 213
 position() 212–213
bold 390–391
box() 255–256
 bcolor() 255–256
 blcolor() 256
 blwidth() 256
box 443
 box plots see **graph box**
 adjacent lines see **alsize**
 alphabetical order 236

box plots, *continued*

axes see axes, box plots
 by() see by(), box plots
 categorical axes see axes,
 categorical, box plots
 descending order 235
 excluding missing categories see
 nofill
 horizontal see **graph hbox**
 legend 244–250
 lines 252
 look 254–258
 median values see **medtype()**,
 medmarker(), and **medline()**
 ordering 235–238
over() see **over()**, box plots
 patterns 252
 sorting 236
 titles 251
 whiskers customized see
 cwhiskers
 y variables 227–232
boxgap() 235, 255
 bubble plots 91, 313
 building a graph 29–33
by() 170–172, 260–261, 286–288,
 304–306, 346–361, 372–374
 alignment() 387
 bititle() 361
 bar graphs 221–227
 box 387–388
 box plots 258–262
 caption() 354
 colfirst 348
 cols() 224, 261, 288, 349, 351
 combining options 360–361
 compact 98, 171–172, 349
 dot plots 285–288
 errors 478
 height() 387
 holes() 348
 iscale() 349
 ixaxes 352–353
 ixtitle 353, 361
 iyaxes 351, 352
 iytitle 352, 361
 justification() 387
 l1title() 361

- by(), *continued*
 - legend() ... 224, 261, 305–306, 360, 372–374
 - at() 306, 374
 - position() 224, 261, 305, 360
 - missing 223–224, 260, 287
 - noedgelabel 350
 - note() 224, 357
 - suffix 357
 - pie charts 303–306
 - position() 387–388
 - rescale 351, 361
 - ring() 387–388
 - rows() 261, 348
 - scale() 172
 - scatterplot matrices 170–172, 347–361
 - sts graph 442
 - subtitle() 356
 - textboxes 386–388
 - title 347
 - title() 353–354, 358, 360
 - position() 358
 - ring() 358
 - total ... 98, 223, 260–261, 287, 347, 361
 - twoway 98–99, 150
 - width() 387
 - xrescale 350
 - yrescale 350
 - bydimension() 454
 - label() 455
 - byopts() 455
 - caption() 455
 - ixaxes 455
 - note() 455
 - subtitle() 455
 - title() 455
- C**
- caps *see* `capsize()`
 - capsize() 258
 - caption() 354, 397, 445, 456
 - categorical axes *see* axes, categorical
 - ccolors() 142
 - ccuts() 142
 - ciopts() 447
 - lwidth() 447
 - msize() 447
 - ciplot 111
 - clock position 414–415
 - color
 - area graphs 121
 - bar fill 123
 - bar graphs 220–221
 - bar lines 101, 123
 - box plots 255–256
 - confidence level 110
 - connecting lines 113, 128, 326
 - graph region *see* `graphregion()`
 - histogram bars 137
 - intensity 219, 255
 - labels 199, 243
 - legend 371
 - lines 140, 280, 283
 - marker fill 102, 315
 - marker outline 315
 - marker symbols 91
 - markers 114, 127, 283–285, 314–316
 - median line 256
 - pie charts 293–295
 - plot region *see* `plotregion()`
 - schemes 401
 - styles 412–414
 - textbox 380, 385–386
 - cols() 464–466
 - columns 301
 - combining graphs 460–466
 - commas with graph options 477
 - compass direction 415–416
 - component-plus-residual plot *see* `cprplot`
 - confidence interval
 - fit (regression predictions) .. 108–112
 - for means and percentiles of survival time *see* `stci`
 - selecting display command 111
 - setting level 109
 - confidence level
 - color 110
 - pattern 110
 - width 110
 - connect() 93–95, 114, 148, 325–326, 418–420
 - connect lines width *see* `lwidth()`
 - connected plots .. *see* `twoway connected`

- connecting
 - lines see lines, connecting
 - points 93–95
 - styles 416–420
- Contextual Toolbar, Graph Editor
 - .. see Graph Editor, Contextual Toolbar
- contour plots 141–147
- copying graphs, Graph Editor see Graph Editor, copying graphs
- correlogram see ac and pac
- cprplot 434
- cross-correlogram see xcorr
- crule() 143–146
- cumsp 436
- cumulative spectral distribution graph ..
 - see cumsp
- cwhiskers 257

- D**
- dates 117
- density see kdensity and twoway
 - kdensity
- descending 192, 292
- diagonal 168
 - fcolor() 168
- discrete 138
- displaying named graphs 458
- distribution graphs 432
- distribution plots 133–140
- dot plots see graph dot and twoway
 - dot
 - alphabetical order 272
 - axes see axes, dot plots
 - by() see by(), dots plots
 - categorical axes see axes, categorical, dot plots
 - descending order 271
 - excluding missing categories see nofill
 - legend 277–279
 - look 282–285
 - ordering 271
 - over() see over(), dot plots
 - reverse order 273
 - sorting 272
- dots() 283
 - mcolor() 283
 - msize() 283
- dots(), *continued*
 - msymbol() 283
- dropped-line plots see twoway
 - dropline

- E**
- ecolor() 143–146
- exclude0 216–217, 281
- exploding pie slices 294

- F**
- fcolor() 121, 123, 129, 133, 137
- fits (regression predictions)
 - fractional polynomial see twoway
 - fpfit and twoway fpfitci
 - linear see twoway lfit and twoway lfitci
 - quadratic see twoway qfit and twoway qfitci
- fonts 391–394
- formatting numbers
 - bar labels 32
 - pie slices 297–298
- forty-five degree lines 461
- fraction() 135
- fractional polynomial fits see twoway
 - fpfit and twoway fpfitci
- frequency 135
- function, line plot of see twoway
 - function
- fysize() 466

- G**
- gap
 - between boxes 235
 - between boxes and edge of plot .. 234
 - between columns 372
 - between labels and outside the graph
 - 201
 - between labels and ticks 243
 - between lines 269
 - between marker and label 323
 - between rows 372
 - box plots 233–234
 - dot plots 269
 - textboxes 384
- gap() 136–137
- gladder 433
- glcolor 338

- graph bar 27, 29–33, 173–227
- graph box 227–262
- graph combine 461–464
- graph display 29, 459
- graph dot 14, 263–288
- Graph Editor 35–88
 - adding arrows 54–62
 - adding lines 54–62
 - adding markers 54–62
 - adding objects 41–43, 54–62, 83
 - adding text 54–62
 - annotated 36
 - axes and titles with `by()` 85
 - axis label 49
 - box around text 48
 - box properties 48
 - caption 50
 - commands more useful 82–83
 - compared with commands 82–88
 - Contextual Toolbar 37
 - copying graphs 39
 - deselect object 38
 - Graph Recorder 38, 78–81
 - Grid Edit 41
 - hidden objects 44
 - hide Object Browser 39
 - hiding objects 73–76
 - immediate feedback 88
 - labeling axes with text 83
 - legend customizations 82
 - legends 52–53
 - locking objects 76–78
 - marker label position 51–52
 - marker labels 51–52
 - markers 51–52
 - modifying a single object 84
 - modifying objects 47–54
 - more useful than commands .. 83–88
 - moving lines 41–43
 - moving objects 40–41, 62–73
 - moving objects with the Grid Editor 68–73
 - moving objects with the object properties 65–68
 - moving objects with the Pointer tool 62–65
 - moving scale to alternate position 82
- Graph Editor, *continued*
 - moving text 41–43
 - nested objects 45
 - note 50
 - Object Browser 43–47
 - objects explained 44–47
 - opening graphs 38
 - pause recording 38, 81
 - play recording 38
 - plot types 53–54
 - Pointer tool 40
 - preferences 39
 - printing graphs 39
 - Recorder, Graph.. *see* Graph Editor, Graph Recorder
 - recording 38
 - Redo 38
 - rename 39
 - rotating axes for bar charts 86
 - rotating axes for box plots 86
 - rotating axes for dot plots 86
 - saving graphs 38
 - schemes 39
 - screen capture 36
 - selecting objects 40
 - showing objects 73–76
 - sorting bars 83
 - sorting boxes 83
 - sorting dots 83
 - Standard Toolbar 38–39
 - start recording 38
 - starting 36, 38
 - stop recording 38
 - stopping 36, 38
 - text size 47, 50
 - title 47, 48, 50
 - Tools Toolbar 39–43
 - Undo 38, 41
 - unequal spacing of labels 83
 - unlocking objects 76–78
 - using with commands 88
- graph hbar 13, 122, 173–227
- graph hbox 14, 227–262
- graph matrix 13, 28, 161–172
- graph pie 14, 289–306
- graph save 457
- graph use 458–459
- graphing a function *see* twoway function

graphregion() 408–410
 color() 408
 fcolor() 408
 ifcolor() 408
 lcolor() 408
 lwidth() 408
 graphs, specialized see specialized graphs
 Greek symbols 389
 Grid Editor ... see Graph Editor, moving objects with the Grid Editor
 grids
 displaying 337–339
 suppressing 217, 253, 337
 groups see by() and over()

H

half 169
 height
 bar 211
 histogram bar ... see histogram, bar height
 symbol 372
 hi-lo graphs see range plots
 hiding objects, Graph Editor ... see Graph Editor, hiding objects
 histogram see twoway histogram
 bar color 137
 bar height 134–136
 bar width 137, 138
 gap between bars 136
 horizontal 138
 overlaying 140
 horizontal .. 102, 120, 122, 127, 138, 139

I

if see samples, selecting
 imargin() 465
 immediate graphs see twoway scatteri
 in see samples, selecting
 intensity() 219, 255
 italics 390–391

J

jitter() 169
 jittering see scatterplot matrices, jittering

justification
 textboxes 380–383
 titles see title(), justification()

K

kdensity 12, 439
 kernel density see kdensity and twoway kdensity
 horizontal 139
 lines 140
 methods 139
 overlaying 140
 kernel(biweight) 139

L

l1title() 201, 244, 276, 359, 397
 l2title() 201, 244, 276, 397
 label() 373, 442
 labels 22–23
 alternate 198, 242
 angles see angle, label axes ... see xlabel() and ylabel()
 bar graphs 32, 208
 changing 194–197, 204, 239, 247, 274
 color 199, 243
 gap from axis 200, 201, 244
 gap from outside edge of graph .. 201
 gap from ticks 243
 legend see legend, labels
 marker symbols 92–93
 markers 148, 164, 320–323
 matrix 165–167
 missing values 195
 pie charts 295–299, 305
 placing inside bars 212–213
 points 375
 position 212–213, 297, 376
 scale 172
 size 164, 199, 243, 298
 suppressing 171, 197, 199, 203, 209, 246–247, 278, 333
 ticks 243
 time series 118
 titles 149
 ladder of powers graphs 433
 lcolor() ... 101, 111, 113, 114, 116, 121, 123, 128–130, 133, 137, 140, 326

- legend 24–25, 94–95
 - bar graphs 201–208
 - box plots 244–250
 - columns 206–207, 225, 249, 301, 365
 - dot plots 277–279
 - key 364, 367
 - labels 225, 278, 363, 371
 - margins 371
 - options 361–374
 - overlaid graphs 156, 158
 - pie charts 300–303, 305
 - placing within plot regions 206
 - position .. 31, 205–208, 224, 248–250, 302, 305, 368–374
 - rows 31, 204, 247, 279, 365
 - stacked 207, 249, 367
 - subtitle 226
 - suppressing 204, 296
 - text 364–365
 - titles 369–370
 - twoway 150
 - width 369
- legend() ... 24–25, 27–28, 31–33, 94–95, 100, 150, 156, 158, 160, 201–209, 225, 247–250, 261, 278–279, 296, 300–303, 305, 359, 363–374, 442, 449
 - bexpand 369
 - bmargint() 371
 - box 371
 - by() *see* by(), legend()
 - colfirst 204, 247, 301, 366–367
 - colgap() 372
 - color() 371
 - cols() 24, 95, 150, 206–207, 225, 249, 261, 279, 302, 305, 365, 367, 374
 - fcolor() 371
 - holes() 302, 366
 - label() ... 25, 94–95, 156, 160, 204, 225, 247, 278, 300, 359–360, 363
 - note() 370
 - order() 95, 302, 364–370
 - pos() 450
 - position() 27, 31–33, 205–208, 248–250, 368–374
 - region() 371
 - fcolor() 371
- legend(), region(), *continued*
 - lcolor() 371
 - lwidth() 371
 - margin() 371
 - ring() 31–33, 206, 368, 450
 - rowgap() 372
 - rows() ... 31–33, 204, 247, 279, 302, 365–371, 449
 - size() 371
 - span 369
 - stack .. 207, 225, 249, 261, 302, 305, 367
 - subtitle() 449
 - bexpand 370
 - box 370
 - symxsize() 372
 - symysize() 372
 - textfirst 207, 367
 - title() 278, 301, 369
 - color() 370
 - position() 301–303
 - size() 370
- level() 110
- levels() 141
- leverage-versus-squared-residual plot
 - *see* lvr2plot
- life tables for survival data... *see* ltable
- line() 295
 - lcolor() 295
 - lwidth() 295
- line plots *see* twoway line
 - sorting 113
- line, twoway *see* twoway line
- linear fits... *see* twoway lfit and twoway lfitci
- linear regression diagnostics graphs .. 434
- linegap() 269–270
- lines
 - adjacent 257
 - axes *see* xline() and yline()
 - box plots 252
 - color 140, 252, 280, 283
 - connecting 110, 113, 128, 148, 323–326
 - fit 110–111
 - gap between 269
 - graph region *see* graphregion()
 - median 256
 - overlying 155

lines, *continued*
 patterns.....97, 140, 252, 280, 283,
 420–422
 plot region..... *see* `plotregion()`
 styles.....154
 textbox outlines.....384–385
 whiskers..... *see* `cwhiskers`
 width.....140, 154, 252, 280
`lines()`.....257, 283
`lcolor()`.....257, 283
`lwidth()`.....257, 283
`linetype()`.....283–284
 loading graphs..... *see* `graph use`
 local linear smooth plots..... *see* `twoway`
 `lowess`
 locking object position, Graph Editor...
 *see* Graph Editor, locking
 objects
 locking objects, Graph Editor..... *see*
 Graph Editor, locking objects
`lpattern()`.....110, 111, 114, 128, 140,
 156, 326, 420–421, 439
`lroc`.....437
`lsens`.....437
`lstyle()`.....154
`ltable`.....435
`lv2plot`.....434, 438–439
`lwidth()`....26, 101, 110, 111, 113–116,
 128–130, 133, 137, 140, 154–156,
 159, 326, 422, 439

M

margins
 graph region.... *see* `graphregion()`
 legend.....371
 plot region..... *see* `plotregion()`
 plots.....444–456
 styles.....423–424
 textboxes.....383
`marginsplot`.....444–456
`marker()`.....258, 284–285
 `mcolor()`.....284
 `mfcolor()`.....285
 `mlcolor()`.....285
 `mlwidth()`.....285
 `msize()`.....258, 284–285
 `msymbol()`.....258, 284–285

markers
 fill color.....102
 box plots.....258
 color.....114, 127, 163, 283–285,
 314–316
 displaying for data points.....113
 fill color.....315
 invisible.....311
 label gap.....323
 label size.....164
 labels.....92–93, 148, 164, 320–323
 line width.....102
 median line.....257
 options.....161–164, 307–323
 outline color.....315
 outline width.....316
 overlying.....156
 plus sign.....309
 schemes.....319
 size.....114, 127, 162, 283–285,
 312–314, 425
 squares.....308
 styles.....153, 317–319, 425–428
 symbols.....26–28, 90–92, 148, 152,
 161–162, 427–428
 width.....127
 math symbols.....389–390
 matrix
 axis labels.....165–167
 scatterplot.. *see* scatterplot matrices
 titles.....168
`maxes()`.....167, 171–172
 `xlabel()`.....167
 `xtick()`.....167
 `ylabel()`.....167, 171–172
 `ytick()`.....167
`mcolor()`.....91, 114, 127, 163, 314,
 413–414
`mean`.....174
`median`.....174, 266
 median band plots.... *see* `twoway mband`
 median line
 color.....256
 markers.....257
 width.....256
 median points..... *see* `medtype()`,
 `medmarker()`, and `medline()`
 median spline plots..... *see* `twoway`
 `mspline`

medline() 256
 lcolor() 256
 lwidth() 256
 medmarker() 257
 msize() 257
 msymbol() 257
 medtype() 256–257
 mfcolor() 102–106, 163, 315, 319
 missing 182, 195, 232, 267, 290
 mlabangle() 322, 411
 mlabcolor() 322
 mlabel() 92–93, 148, 164, 311, 313,
 320–323, 375, 378, 411, 428, 439
 mlabgap() 323
 mlabposition() ... 92–93, 311, 314, 320,
 415
 mlabsize() 92, 164, 321, 428
 mlabvposition() 321–322
 mlcolor() 102–106, 163, 315
 mlwidth() 102–106, 316
 modifying objects, Graph Editor see
 Graph Editor, modifying objects
 mountain plots see *twoway area*
 moving objects w/Grid Editor, Graph Ed-
 itor .. see Graph Editor, moving
 objects with the Grid Editor
 moving objects w/object properties,
 Graph Editor see Graph
 Editor, moving objects with the
 object properties
 moving objects w/Pointer tool, Graph
 Editor see Graph Editor,
 moving objects with the Pointer
 tool
 moving objects, Graph Editor see
 Graph Editor, moving objects
 msize() .. 91–92, 102–106, 114, 127, 130,
 131, 162, 312–314, 318, 425, 438
 mstyle() 153, 317–319
 msymbol() 22, 26, 90, 93–95,
 102–106, 114, 115, 127, 131, 148,
 152, 156, 159, 161–162, 308–314,
 319, 415, 427, 438
 multiple axes see axes, multiple
 multiple plots see *overlying*

N
 name() 459, 460, 463, 465, 466
 naming graphs see *name()*

ndots() 283
 noci 448, 454
 noclockwise 291
 nofill 30–33, 183, 232, 268
 nofit 110
 nogrid 441
 nolabel 199, 203, 209, 246, 278
 nooutsides 227–262
 note() 259–261, 356, 397, 440, 443,
 445, 456

O
 Object Browser, Graph Editor see
 Graph Editor, Object Browser
 opening graphs, Graph Editor see
 Graph Editor, opening graphs
 options 20–28
 adding text 374–379
 axes 327–329, 346
 labels 22–23
 legend 24–25
 marker symbols 26–28
 markers 307–323
 region 406–410
 scatterplot matrices 169–170
 specialized graphs 438–444
 standard 406–410
 textboxes 379–388
 titles 21–22
 using in the wrong context 477
 ordering
 bars see bar graphs, ordering
 boxes see box plots, ordering
 orientation
 textboxes 380
 titles 426
 outergap() 234
 outside values
 color 258
 size 258
 suppressing 250
 over() 29–33, 177–201, 214–221,
 227–306
 asyvars 231–232
 axis() 201
 outergap() 201
 bar graphs 177–193, 221–226
 box plots 227–232, 263–274

over(), *continued*

- descending 189, 191, 193, 235–238, 271–273
- display only existing variables... 183
- dot plots 263–274
- gap() 183–188, 233–234, 269
- label() .. 32, 197–201, 210, 242–244
 - angle() 32, 198, 242
 - labcolor() 199, 243
 - labgap() 200, 243–244
 - labsize() 199, 243
 - ticks 200, 243
 - tlength() 200, 243
 - tlwidth() 200, 243
 - tposition() 200, 243
- missing 182
- pie charts 290
- relabel() 194–197, 239–242, 274–276
- sort() .. 188–193, 236–238, 272–273
 - sum() 193
- y* variables 176–177
- overlying 106–107, 152–160
 - bar graphs see bar graphs, overlying
 - connected marker plots 115
 - fits, CIs, smooths, and scatters.. 106–112, 155–156
 - histograms see histogram, overlying
 - kernel density see kernel density, overlying
 - legends .. see legend, overlaid graphs
 - lines see lines, overlying
 - markers see markers, overlying
 - mixed plot types 6, 25–26
 - scatterplots see scatterplots, overlying

P

- pac 436
- patterns
 - axis lines 97
 - box plots 252
 - confidence level 110
 - connecting lines 110, 128, 326
 - lines 140, 252, 280, 283, 420–422
- percent 135, 296
- percentages 176–177, 181

- pergram 436
- periodogram .. see pergram and wntestb
- pie() 294, 304
 - color() 294
 - explode 294, 304
- pie charts see graph pie
 - adding text 299
 - angles 292
 - by() see by(), pie charts
 - color 293–295
 - counterclockwise 291
 - descending order 292
 - exploding slices 294–295
 - labels 295–299, 305
 - legend 300–303, 305
 - over() see over(), pie charts
 - slices 293–295
 - sorting 291–293, 304
 - titles 301
 - types 289–290
- plabel() 295–298, 305
 - color() 298
 - format() 297–299
 - gap() 297–299
 - legend() 298
 - name 305
 - size() 298
- plotdimension() 451
 - allsimplelabels 453
 - elabels() 452
 - labels() 452
 - no labels 453
 - nosimplelabels 452
- plotopts() 447
 - clwidth() 447
 - msize() 447
 - msymbol() 447
- plotregion() 407
 - color() 407
 - lcolor() 407
 - lwidth() 407
- pnorm 432
- points, connecting see connecting points
- population pyramid 468, 474–477
- position
 - labels 92, 212–213, 297, 376
 - legend ... 31, 205–208, 224, 248–250, 302, 305, 368–374

- position, *continued*
 marker labels 320–322
 standard options 414–416
 ticks 200, 337
 titles see `title()`, `position()`
 prefix see titles, prefix
 printing graphs, Graph Editor see
 Graph Editor, printing graphs
`ptext()` 299
 orientation() 299
 placement() 299
- Q**
`qladder` 433
`qnorm` 432
 quadratic fits see `twoway qfit` and
`twoway qfitci`
- R**
`r1title()` 397
`r2title()` 397
`range()` 140
 range plots
 with area shading see `twoway`
`rarea`
 with bars see `twoway rbar`
 with capped spikes see `twoway`
`rcap`
 with capped spikes and marker sym-
 bols see `twoway`
`rcapsym`
 with connected lines see `twoway`
`rconnected`
 with lines see `twoway rline`
 with markers see `twoway`
`rscatter`
 with spikes see `twoway rspike`
`recast()` 448
`recastci()` 448
`rectangles()` 284
`fcolor()` 284
`lcolor()` 284
 Redo, Graph Editor ... see Graph Editor,
 Redo
 reference lines see lines, axes and
`yline()`
 region 406–410
 replace 465, 466
 rescheming graphs see `scheme()`
 residual-versus-fit plot see `rvfplot`
 residual-versus-predictor plot see
`rvpplot`
 restoring graphs see `graph use`
 reusing graphs 458–460
 reversing axes see axes, reverse scale
 ROC analysis 437
`roccomp` 437
`rocplot` 437
`roctab` 437
`rvfplot` 434, 441
`rvpplot` 434
`rwidth()` 284
- S**
 samples, selecting 117
`saving()` 457
 saving graphs 456–458
 saving graphs, Graph Editor .. see Graph
 Editor, saving graphs
 scale 253
 adjusting 404–406
 axes 149, 281, 339–343
 labels 172
 markers 172
`scale()` 170, 406, 444
 scatter with immediate arguments see
`twoway scatteri`
 scatter, `twoway` ... see `twoway scatter`
 scatterplot matrices 13
 by() .. see by(), scatterplot matrices
 displaying lower half 169
 jittering 169
 options 169–170
 scale 170
 scatterplots see `twoway scatter`
 overlaying 93–94, 148–151
`scheme()` 445, 458–460
 schemes 15–20, 401–404
 colors 401
 customizing 479–482
`economist` 403, 444
 markers 319
 rescheming named graphs see
`scheme()`
`s1color` 402
`s1manual` 403
`s1mono` 402
`s2color` 401

schemes, *continued*

s2manual 402
 s2mono 401
 sj 403
 vg_blue 19
 vg_brite 20
 vg_lgn dc 18
 vg_outc 17
 vg_outm 17
 vg_palec 16
 vg_palem 17
 vg_past 18
 vg_rose 19
 vg_s1c 15
 vg_s1m 15
 vg_s2c 16
 vg_s2m 16
 vg_samec 18
 vg_teal 19
 vg_lgn dc 250

schemes, Graph Editor *see* Graph Editor, schemes

scolor() 143–146

separating graphs 98

shading area graphs 120

showing objects, Graph Editor *see* Graph Editor, showing objects

showyvars 203–204, 246–247
 size

adjacent line 257

adjusting 404–406

axes 405–406

caps 258

labels 92, 199, 243, 298

marker symbols 91–92

markers 114, 127, 162–163, 283–285, 312–314, 425

text 428–429

textbox 214, 379

titles 214, 251

slices 293–295

sort 93–95, 113–115, 120, 123, 148, 292–293, 304–305, 324–326, 417–420

sorting

area graphs *see* area graphs, sorting

box plots *see* box plots, sorting

line plots *see* line plots, sorting

sorting, *continued*

pie charts *see* pie charts, sorting

spacing *see* gap

spaghetti plot 471

specialized graphs 431–444

spike plots *see* twoway spike

splines *see* twoway mspline

stack 177, 181, 192, 211

stacking bars *see* stack

standard error of forecast *see* stdf

standard options 406–410

Standard Toolbar, Graph Editor *see* Graph Editor, Standard Toolbar

standardized normal probability graphs ..
 432

start() 134

starting Graph Editor *see* Graph Editor, starting

statistical function graphs *see* twoway function

stci 435

stcoxkm 435

stcurve 435

stdf 109

stepstair 325, 419

stopping Graph Editor *see* Graph Editor, stopping

storing graphs *see* graph save

stphplot 435

strip plots 351–352, 471

sts graph 435, 442

styles 411–429

angles 411–412

clock position 414–415

color 412–414

compass direction 415–416

lines 154

margins 423–424

marker symbols 427–428

markers 153, 317–319, 425–428

orientation 426

text size 428–429

subscripts 390

subtitle() .. 226, 355–358, 396, 445, 456

nobexpand 226

position() 226, 357–358

prefix 355–356

ring() 226, 358

suffix 355–356

suffix see titles, suffix
 sum 211
 superscripts 390
 survival graphs 435
 symbols
 height 372
 margin see `msymbol()`
 width 372
 symmetry plots 432
 subplot 432

T

`t1title()` 397
`t2title()` 397
 text
 adding 99, 151, 374–379
 legend 364–365
 orientation 168
 pie charts 299
 scale 172
 size 428–429
`text()` 99, 151, 374–388, 443
 box 99
 color 380
 linegap 384
 lwidth 99
 margin 99, 383
 orientation 380
 placement 376–380
 size 99, 379
 textboxes 379–388
 by see `by()`, textboxes
 color 380, 385–386
 interline gaps 384
 justification 380–383
 margins 383
 orientation 380
 outline 384–385
 size 214, 379
 thickness see width
 ticks
 controlling 331–339
 labels 243
 length 336
 matrix 167
 position 337
 suppressing 333
 time series 118

time series
 labels 118
 line plots ... see `twoway tslide` and
 `twoway tsrline`
 minor labels 118
 ticks 118
 titles 117
`tin()` 117
`title()` ... 21–22, 26, 151, 353, 384–388,
 395–401, 443, 445, 456
 `bcolor()` 386
 `bexpand` 400–401
 `bmarg` 382
 box ... 21–22, 151, 381–388, 400–401
 `fc` 385
 `justification()` 381–383, 400
 `lc` 385
 `lw` 385
 margin 423–424
 `nobox` 21
 `placement()` 416
 `position()` 398–400
 `ring()` 399
 size 22
 span 400
 titles 21–22, 201, 244, 395–401
 axes ... see `xtitle()` and `ytitle()`
 bar graphs ... see bar graphs, titles
 box plots ... see box plots, titles
 categorical axes ... see axes,
 categorical, titles
 justification see `title()`,
 `justification()`
 legend 369–370
 matrix 168
 multiple lines 398
 orientation 426
 pie charts 301
 placing in a box ... see `title()`, box
 placing inside a plot region ... see
 `title()`, `placement()`
 position ... see `title()`, `position()`
 prefix 329, 355–356, 440
 size see `title()`, `size()`
 suffix 329, 355–356, 440
 time series 117
 width 400–401
`tlabel()` 118
`tline()` 119

tmlabel() 118
 tmtick() 113, 118
 Tools Toolbar, Graph Editor .. see Graph Editor, Tools Toolbar
 ttext() 119
 orientation() 119
 tttitle() 117
 twoway
 adding text 151
 by() see by(), twoway
 graphs 89–160
 legend 150
 options 147–151
 overlaying 152–160
 titles 26, 151
 twoway area 10, 119–121
 twoway bar 10, 121–123
 twoway connected 9, 114–115, 154
 twoway contour 13, 141–146
 twoway contourline 146–147
 twoway dot 8, 103
 twoway dropline 7, 102–103
 twoway fffit 7, 107
 twoway fffitci 108–112
 twoway function 12, 140
 twoway histogram 12, 133–138, 140, 432
 twoway kdensity 12, 139–140, 432
 twoway lfit 6–7, 26–27, 106–107, 155–157, 159–160, 362–372
 twoway lfitci 7, 108–112
 twoway line 8, 112–119, 154–155, 342–343
 twoway lowess 7, 107
 twoway mband 7
 twoway mspline 7, 107
 twoway qfit .. 6, 107, 155–157, 159–160, 362–374
 twoway qfitci 108–112, 157
 twoway rarea .. 10–11, 124, 129, 157–158
 twoway rbar 11, 126, 132–133
 twoway rcap 11, 125, 130–131
 twoway rcapsym 11, 126, 131
 twoway rconnected 11, 123, 127
 twoway rline 10, 124, 128
 twoway rscatter 11, 124, 128
 twoway rspike 11, 125, 131, 339–343

twoway scatter 5–7, 21–27, 89–107, 109–112, 147–157, 159–160, 171, 307–394
 twoway scatteri 99–100
 twoway spike .. 8, 101–102, 157–158, 432
 twoway tsline 9, 116–119, 154
 twoway tsrline 9, 116
 types of graphs 5–14

U

Undo, Graph Editor .. see Graph Editor, Undo
 unlocking object position, Graph Editor ... see Graph Editor, unlocking objects
 unlocking objects, Graph Editor see Graph Editor, unlocking objects
 using graphs see graph use

W

whiskers see cwhiskers
 width
 axes 341
 bars 122
 box plot lines 235–256
 confidence level 110
 connecting lines .. 110, 113, 128, 326
 histogram bars 134, 137, 138
 legend 369
 lines 140, 154, 252, 280
 marker outline 316
 markers 127
 median line 256
 symbols 372
 ticks 200
 titles 400–401
 width() 134–136, 138
 wntestb 436

X

xalternate 218, 241, 276
 xaxis() 344, 378
 xcorr 436
 xdimension() 451
 xlabel() .. 23, 96–97, 164–167, 330–331, 334–335, 341, 412, 446, 450
 alternate 335
 angle() 335

- xlabel(), *continued*
 - axis() 165–167
 - grid 337
 - labsize() 23
 - nogrid 337
 - valuelabels 334
- xline() 97
- xscale() 97, 339–342, 446, 450, 465
 - lwidth() 341
 - range() 446
- xsize() 405, 444, 459
- xtitle() 95, 149, 328–329, 440–441, 445, 446
 - box 328
 - orientation() 426
 - prefix 329
 - size() 328, 441
- Y**
- y* variables
 - bar graphs see bar graphs, *y* variables
 - multiple 175–177
- yalternate 197, 217, 254, 282
- yaxis() 150, 158, 329, 344–346
- ycommon 461
- ylabel() 31–33, 96–97, 149–150, 164–167, 216–217, 252–253, 281, 330–339, 343, 345–346, 412, 441, 446, 466
 - angle() .. 31–33, 216, 253, 335, 412, 446
 - axis() 165–167, 345–346
 - glcolor 338
 - glpattern 338–339
 - glwidth 338
 - grid 97, 337–339
 - labgap() 336
 - labsize() 336
 - nogrid 97, 217, 253, 337
 - nolabel 333
 - noticks 333
 - tlength() 336
 - tlwidth() 336
 - tposition() 336
- yline() 97, 215–216, 252, 280, 441
 - lcolor() 215–216, 252, 280
 - lpattern() 215–216, 252, 280
 - lwidth() 215–216, 252, 280
- ylabel() 332, 338
 - glcolor() 338
 - glpattern() 338
 - grid 338
- ymtick() 332, 337
 - tposition() 337
- yreverse 218, 254, 282
- yscale() ... 149, 158, 210, 217, 253, 281, 342–343, 446
 - axis() 158, 343
 - range() 158, 210, 342–343, 446
- ysize() 405, 444, 459
- ytick() 332, 337
 - tposition() 337
- ytitle() 30–33, 95–96, 214–215, 251–252, 280, 328–329, 346, 440, 445, 446
 - axis() 346
 - bexpand 214, 251, 280
 - box 214, 251, 280
 - fcolor() 280
 - orientation() 426
 - size() 96, 214, 251
 - suffix 329
- yvaroptions() .. 196–197, 199, 233–238, 241–242, 275–276
 - label() 199
 - relabel() 196–197, 241–242, 275–276