

Subject and author index

This is the subject and author index for the *Data-Management Reference Manual*. Readers interested in topics other than data management should see the combined subject index (and the combined author index) in the *Quick Reference and Index*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

*****, **clear** subcommand, [D] **clear**

A

`abbrev()` string function, [D] **functions**
 Abramowitz, M., [D] **functions**
`abs()` function, [D] **functions**
 absolute value function, see `abs()` function
 Access, Microsoft, reading data from, [D] **odbc**
`acos()` function, [D] **functions**
`acosh()` function, [D] **functions**
 addition across
 observations, [D] **egen**
 variables, [D] **egen**
`ado`, **clear** subcommand, [D] **clear**
 aggregate
 functions, [D] **egen**
 statistics, dataset of, [D] **collapse**
 Ahrens, J. H., [D] **functions**
`all`, **clear** subcommand, [D] **clear**
 alphabetizing
 observations, [D] **sort**; [D] **gsort**
 variable names, [D] **order**
 variables, [D] **sort**
 Andrews, D. F., [D] **egen**
`anycount()`, **egen** function, [D] **egen**
`anymatch()`, **egen** function, [D] **egen**
`anyvalue()`, **egen** function, [D] **egen**
`append` command, [D] **append**
`_append` variable, [D] **append**
 appending data, [D] **append**
 arccosine, arcsine, and arctangent functions,
 [D] **functions**
`asin()` function, [D] **functions**
`asinh()` function, [D] **functions**
`assert` command, [D] **assert**
`atan()` function, [D] **functions**
`atan2()` function, [D] **functions**
`atanh()` function, [D] **functions**
 Atkinson, A. C., [D] **functions**
`autocode()` function, [D] **functions**
 averages, see **means**

B

`b()` function, [D] **functions**
 Babu, A. J. G., [D] **functions**
 Balakrishnan, N., [D] **functions**
 Baum, C. F., [D] **cross**, [D] **fillin**, [D] **joinby**,
 [D] **reshape**, [D] **separate**, [D] **stack**, [D] **xpose**
`bcal`
 check command, [D] **bcal**
 describe command, [D] **bcal**
 dir command, [D] **bcal**
 load command, [D] **bcal**
 Best, D. J., [D] **functions**
 beta
 density,
 central, [D] **functions**
 noncentral, [D] **functions**
 distribution,
 cumulative, [D] **functions**
 cumulative noncentral, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse cumulative noncentral, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 reverse cumulative, [D] **functions**
 function
 complement to incomplete, [D] **functions**
 incomplete, [D] **functions**
`betaden()` function, [D] **functions**
 Bickel, P. J., [D] **egen**
 binomial
 distribution,
 cumulative, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 reverse cumulative, [D] **functions**
 probability mass function, [D] **functions**
`binomial()` function, [D] **functions**
`binomialp()` function, [D] **functions**
`binomialtail()` function, [D] **functions**
`binormal()` function, [D] **functions**
 bivariate normal function, [D] **functions**
 blanks, removing from strings, [D] **functions**
 Blasnik, M., [D] **clonevar**, [D] **split**, [D] **statsby**
`bofd()` function, [D] **datetime business calendars**,
 [D] **functions**
 Brady, T., [D] **edit**
 Bray, T. A., [D] **functions**
`browse` command, [D] **edit**
 business calendars, [D] **bcal**, [D] **datetime business**
 calendars, [D] **datetime business calendars**
 creation
 business dates, see **business calendars**
 by-groups, [D] **by**, [D] **statsby**
 by *varlist*: prefix, [D] **by**
bysort varlist: prefix, [D] **by**
 byte, [D] **data types**
`byteorder()` function, [D] **functions**

C

- c() pseudofunction, [D] **functions**
- c(checksum) c-class value, [D] **checksum**
- c(dp) c-class value, [D] **format**
- c(max_memory) c-class value, [D] **memory**
- c(maxvar) c-class value, [D] **memory**
- c(min_memory) c-class value, [D] **memory**
- c(niceness) c-class value, [D] **memory**
- c(segmentsize) c-class value, [D] **memory**
- c(type) c-class value, [D] **generate**
- calendars, [D] **bcal**, [D] **datetime business calendars**, [D] **datetime business calendars creation**
- _caller() pseudofunction, [D] **functions**
- Cappellari, L., [D] **corr2data**, [D] **egen**
- casewise deletion, [D] **egen**
- cat command, [D] **type**
- categorical data, [D] **egen**, [D] **recode**
- cd command, [D] **cd**
- Cdhms() function, [D] **datetime**, [D] **functions**
- ceil() function, [D] **functions**
- ceiling function, [D] **functions**
- centiles, *see* percentiles
- certifying data, [D] **assert**, [D] **checksum**, [D] **count**, [D] **datasignature**, [D] **inspect**
- cf command, [D] **cf**
- changeool command, [D] **changeool**
- changing
 - data, *see* editing data
 - directories, [D] **cd**
- char() string function, [D] **functions**
- character
 - data, *see* string variables
 - variables, [D] **infile (free format)**
- chdir command, [D] **cd**
- check,
 - bcal subcommand, [D] **bcal**
 - icd9 subcommand, [D] **icd9**
 - icd9p subcommand, [D] **icd9**
- checking data, [D] **assert**
- checkpoint, [D] **snapshot**
- checksum, set subcommand, [D] **checksum**
- checksum command, [D] **checksum**
- checksums of data, [D] **checksum**, [D] **datasignature**
- chi2() function, [D] **functions**
- chi2tail() function, [D] **functions**
- chi-squared distribution,
 - cumulative, [D] **functions**
 - cumulative noncentral, [D] **functions**
 - inverse cumulative, [D] **functions**
 - inverse cumulative noncentral, [D] **functions**
 - inverse reverse cumulative, [D] **functions**
 - reverse cumulative, [D] **functions**
- Chms() function, [D] **datetime**, [D] **functions**
- cholesky() matrix function, [D] **functions**
- chop() function, [D] **functions**
- Clayton, D. G., [D] **egen**
- clean,
 - icd9 subcommand, [D] **icd9**
 - icd9p subcommand, [D] **icd9**
- clear
 - * command, [D] **clear**
 - ado command, [D] **clear**
 - all command, [D] **clear**
 - command, [D] **clear**
 - mata command, [D] **clear**
 - matrix command, [D] **clear**
 - programs command, [D] **clear**
 - results command, [D] **clear**
- clear, datasignature subcommand, [D] **datasignature**
- clearing memory, [D] **clear**
- clip() function, [D] **functions**
- Clock() function, [D] **datetime**, [D] **datetime translation**, [D] **functions**
- clock() function, [D] **datetime**, [D] **datetime translation**, [D] **functions**
- cloglog() function, [D] **functions**
- clonevar command, [D] **clonevar**
- clusters, duplicating, [D] **expandl**
- Cmdyhms() function, [D] **datetime**, [D] **functions**
- codebook command, [D] **codebook**
- Cofc() function, [D] **datetime**, [D] **functions**
- cofC() function, [D] **datetime**, [D] **functions**
- Cofd() function, [D] **datetime**, [D] **functions**
- cofd() function, [D] **datetime**, [D] **functions**
- collapse command, [D] **collapse**
- collect statistics, [D] **statsby**
- colnumb() matrix function, [D] **functions**
- colsof() matrix function, [D] **functions**
- comb() function, [D] **functions**
- combinatorials, calculating, [D] **functions**
- combining datasets, [D] **append**, [D] **cross**, [D] **joinby**, [D] **merge**
- commands, repeating automatically, [D] **by**
- commas, reading data separated by, [D] **insheet**; [D] **infile (fixed format)**, [D] **infile (free format)**
- comments with data, [D] **notes**
- compare command, [D] **compare**
- comparing two
 - files, [D] **cf**, [D] **checksum**
 - variables, [D] **compare**
- compress command, [D] **compress**
- compress files, [D] **zipfile**
- concat(), egen function, [D] **egen**
- cond() function, [D] **functions**
- confirm, datasignature subcommand, [D] **datasignature**
- contents of data, [D] **describe**, [D] **ds**; [D] **codebook**, [D] **labelbook**
- contract command, [D] **contract**
- conversion, file, [D] **changeool**, [D] **filefilter**
- copy and paste, [D] **edit**
- copy command, [D] **copy**

copy, label subcommand, [D] **label**
 copying variables, [D] **clonevar**, [D] **edit**
 corr() matrix function, [D] **functions**
 corr2data command, [D] **corr2data**
 correcting data, see editing data
 correlation, data generation, [D] **corr2data**,
 [D] **drawnorm**
 cos() function, [D] **functions**
 cosh() function, [D] **functions**
 cosine function, [D] **functions**
 count command, [D] **count**
 count(), egen function, [D] **egen**
 counts, making dataset of, [D] **collapse**
 covariate class, [D] **duplicates**
 Cox, N. J., [D] **by**, [D] **clonevar**, [D] **contract**,
 [D] **describe**, [D] **destring**, [D] **drop**, [D] **ds**,
 [D] **duplicates**, [D] **egen**, [D] **fillin**, [D] **format**,
 [D] **functions**, [D] **missing values**, [D] **rename**,
 [D] **reshape**, [D] **sample**, [D] **separate**, [D] **split**,
 [D] **statsby**
 cross command, [D] **cross**
 cumulative distribution functions, [D] **functions**
 cut(), egen function, [D] **egen**

D

data, [D] **data types**
 appending, see appending data
 categorical, see categorical data
 certifying, see certifying data
 checksums of, see checksums of data
 combining, see combining datasets
 contents of, see contents of data
 displaying, see displaying data
 documenting, see documenting data
 editing, see editing data
 entering, see inputting data interactively; importing
 data
 exporting, see exporting data
 extended missing values, see missing values
 generating, see generating data
 importing, see importing data
 inputting, see inputting data interactively; importing
 data
 labeling, see labeling data
 large, dealing with, see memory
 listing, see listing data
 loading, see inputting data interactively; importing
 data; loading saved data
 missing values, see missing values
 range of, see range of data
 reading, see importing data; loading saved data
 recoding, see recoding data
 rectangularizing, see rectangularize dataset
 reordering, see reordering data
 reorganizing, see reorganizing data
 restoring, see restoring data

data, *continued*
 sampling, see sampling
 saving, see exporting data; saving data
 stacking, see stacking data
 strings, see string variables
 summarizing, see summarizing data
 time-series, see time-series analysis
 transposing, see transposing data
 verifying, see certifying data
 Data Browser, see Data Editor
 Data Editor, [D] **edit**
 copy and paste, [D] **edit**
 data entry, see inputting data interactively; importing
 data
 data, label subcommand, [D] **label**
 data signature, [D] **datasignature**
 data transfer, see exporting data; importing data
 database, reading data from, [D] **odbc**
 dataset,
 adding notes to, [D] **notes**
 comparing, [D] **cf**, [D] **checksum**
 creating, [D] **corr2data**, [D] **drawnorm**
 loading, see inputting data interactively; importing
 data; loading saved data
 rectangularize, [D] **fillin**
 saving, see exporting data; saving data
 dataset labels, [D] **label**, [D] **label language**, [D] **notes**
 determining, [D] **codebook**, [D] **describe**
 managing, [D] **varmanage**
datasignature
 clear command, [D] **datasignature**
 command, [D] **datasignature**
 confirm command, [D] **datasignature**
 report command, [D] **datasignature**
 set command, [D] **datasignature**
 date
 and time stamp, [D] **describe**
 functions, [D] **datetime**, [D] **datetime translation**,
 [D] **functions**
 date() function, [D] **datetime**, [D] **datetime**
 translation, [D] **functions**
 dates and times, [D] **datetime**, [D] **datetime business**
 calendars, [D] **datetime business calendars**
 creation, [D] **datetime display formats**,
 [D] **datetime translation**
 dates,
 business, see business calendars
 Excel, [D] **datetime**
 OpenOffice, [D] **datetime**
 R, [D] **datetime**
 SAS, [D] **datetime**
 SPSS, [D] **datetime**
 datetime, [D] **datetime**, [D] **datetime business**
 calendars, [D] **datetime business calendars**
 creation, [D] **datetime display formats**,
 [D] **datetime translation**
 David, H. A., [D] **egen**
 day() function, [D] **datetime**, [D] **functions**

.dct filename suffix, [D] **import**, [D] **infile (fixed format)**, [D] **infix (fixed format)**, [D] **outfile**
 decimal symbol, setting, [D] **format**
 decode command, [D] **encode**
 define, label subcommand, [D] **label**
 degree-to-radian conversion, [D] **functions**
 deleting
 casewise, [D] **egen**
 files, [D] **erase**
 variables or observations, [D] **drop**
 derivative of incomplete gamma function, [D] **functions**
 describe, bcal subcommand, [D] **bcal**
 describe command, [D] **describe**
 descriptive statistics,
 creating dataset containing, [D] **collapse**
 creating variables containing, [D] **egen**
 displaying, [D] **codebook**, [D] **ptile**
 destrng command, [D] **destrng**
 det() matrix function, [D] **functions**
 Devroye, L., [D] **functions**
 dgammapda() function, [D] **functions**
 dgammapdada() function, [D] **functions**
 dgammapdadx() function, [D] **functions**
 dgammapdx() function, [D] **functions**
 dgammapdxdx() function, [D] **functions**
 dhms() function, [D] **datetime**, [D] **functions**
 diag() matrix function, [D] **functions**
 diag0cnt() matrix function, [D] **functions**
 diagnostic codes, [D] **icd9**
 dictionaries, [D] **export**, [D] **import**, [D] **infile (fixed format)**, [D] **infix (fixed format)**, [D] **outfile**
 Dieter, U., [D] **functions**
 diff(), egen function, [D] **egen**
 digamma() function, [D] **functions**
 digits, controlling the number displayed, [D] **format**
 dir,
 bcal subcommand, [D] **bcal**
 label subcommand, [D] **label**
 sysuse subcommand, [D] **sysuse**
 dir command, [D] **dir**
 directories,
 changing, [D] **cd**
 creating, [D] **mkdir**
 listing, [D] **dir**
 removing, [D] **rmdir**
 dispersion, measures of, [D] **ptile**
 display formats, [D] **describe**, [D] **format**
 displaying
 contents, [D] **describe**
 data, [D] **edit**, [D] **list**
 files, [D] **type**
 distributions, examining, [D] **ptile**
 documenting data, [D] **codebook**, [D] **labelbook**, [D] **notes**
 dof() function, [D] **datetime** **business calendars**, [D] **functions**
 dofC() function, [D] **datetime**, [D] **functions**

dofc() function, [D] **datetime**, [D] **functions**
 dofh() function, [D] **datetime**, [D] **functions**
 dofm() function, [D] **datetime**, [D] **functions**
 dofq() function, [D] **datetime**, [D] **functions**
 dofw() function, [D] **datetime**, [D] **functions**
 dofy() function, [D] **datetime**, [D] **functions**
 double, [D] **data types**
 dow() function, [D] **datetime**, [D] **functions**
 doy() function, [D] **datetime**, [D] **functions**
 dp, set subcommand, [D] **format**
 drawnorm command, [D] **drawnorm**
 drop,
 duplicates subcommand, [D] **duplicates**
 label subcommand, [D] **label**
 notes subcommand, [D] **notes**
 drop command, [D] **drop**
 dropping variables and observations, [D] **drop**
 ds command, [D] **ds**
 dunnettprob() function, [D] **functions**
 Dunnett's multiple range, [D] **functions**
 duplicate observations,
 dropping, [D] **duplicates**
 identifying, [D] **duplicates**
 duplicates
 drop command, [D] **duplicates**
 examples command, [D] **duplicates**
 list command, [D] **duplicates**
 report command, [D] **duplicates**
 tag command, [D] **duplicates**
 duplicating
 clustered observations, [D] **expandcl**
 observations, [D] **expand**

E

e() scalars, macros, matrices, functions, [D] **functions**
 e(sample) function, [D] **functions**
 EBCDIC files, [D] **filefilter**, [D] **infile (fixed format)**
 edit command, [D] **edit**
 editing data, [D] **edit**, [D] **generate**, [D] **merge**, [D] **recode**
 egen command, [D] **egen**
 el() matrix function, [D] **functions**
 encode command, [D] **encode**
 end-of-line characters, [D] **changeool**
 ends(), egen function, [D] **egen**
 entering data, see inputting data interactively; importing data
 epsdouble() function, [D] **functions**
 epsfloat() function, [D] **functions**
 erase, snapshot subcommand, [D] **snapshot**
 erase command, [D] **erase**
 erasing files, [D] **erase**
 error checking, [D] **assert**
 error, reshape subcommand, [D] **reshape**
 Esman, R. M., [D] **egen**
 examples, duplicates subcommand, [D] **duplicates**

excel,
 export subcommand, [D] **import excel**
 import subcommand, [D] **import excel**
Excel dates, [D] **datetime**
Excel, Microsoft, reading data from, [D] **import excel**,
 [D] **odbc**, [D] **xmlexport**, *also see* spreadsheets,
 transferring
exec(), odbc subcommand, [D] **odbc**
exp() function, [D] **functions**
expand command, [D] **expand**
expandcl command, [D] **expandcl**
exponential function, [D] **functions**
export
 excel command, [D] **import excel**
 sasxport command, [D] **import sasxport**
exporting data, [D] **export**, [D] **import excel**,
 [D] **import sasxport**, [D] **odbc**, [D] **outfile**,
 [D] **outsheet**, [D] **xmlexport**
extrapolation, [D] **ipolate**

F

F() distribution function, [D] **functions**
F density,
 central, [D] **functions**
 noncentral, [D] **functions**
F distribution,
 cumulative, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 inverse reverse cumulative noncentral, [D] **functions**
 reverse cumulative, [D] **functions**
 reverse cumulative noncentral, [D] **functions**
factorial function, [D] **functions**
Fden() function, [D] **functions**
file
 conversion, [D] **changeool**, [D] **filefilter**
 modification, [D] **changeool**, [D] **filefilter**
 translation, [D] **changeool**, [D] **filefilter**
filefilter command, [D] **filefilter**
filenames, displaying, [D] **dir**
files,
 checksum of, [D] **checksum**
 comparison, [D] **cf**
 compressing, [D] **zipfile**
 copying and appending, [D] **copy**
 display contents of, [D] **type**
 downloading, [D] **checksum**, [D] **copy**
 erasing, [D] **erase**
 exporting, *see* exporting data
 importing, *see* importing data
 loading, [D] **use**
 saving, [D] **save**
 uncompressing, [D] **zipfile**
fill(), egen function, [D] **egen**
fillin command, [D] **fillin**
finding variables, [D] **lookfor**

Flannery, B. P., [D] **functions**
flist command, [D] **list**
float, [D] **data types**
float() function, [D] **functions**
floor() function, [D] **functions**
%fmts, [D] **format**
fmtwidth() function, [D] **functions**
folders,
 creating, [D] **mkdir**
 removing, [D] **rmdir**
format command, [D] **format**
formats, [D] **datetime**, [D] **describe**, [D] **format**,
 [D] **varmanage**
formatted data, reading, *see* importing data
formatting statistical output, [D] **format**
Franklin, C. H., [D] **cross**
frequencies, creating dataset of, [D] **collapse**,
 [D] **contract**
Ftail() function, [D] **functions**
functions, [D] **functions**
 aggregate, [D] **egen**
 combinatorial, [D] **functions**
 creating dataset of, [D] **collapse**, [D] **obs**
 date and time, [D] **functions**
 graphing, [D] **range**
 mathematical, [D] **functions**
 matrix, [D] **functions**
 programming, [D] **functions**
 random number, [D] **generate**
 statistical, [D] **functions**
 string, [D] **functions**
 time-series, [D] **functions**

G

gamma
 density function, [D] **functions**
 incomplete, [D] **functions**
 distribution
 cumulative, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 reverse cumulative, [D] **functions**
 gammaden() function, [D] **functions**
 gammag() function, [D] **functions**
 gammatail() function, [D] **functions**
 generate,
 icd9 subcommand, [D] **icd9**
 icd9p subcommand, [D] **icd9**
 generate command, [D] **generate**
 generating data, [D] **generate**; [D] **egen**
 Gentle, J. E., [D] **functions**
 get() matrix function, [D] **functions**
 getmata command, [D] **putmata**
 Gleason, J. R., [D] **cf**, [D] **describe**, [D] **functions**,
 [D] **generate**, [D] **infile (fixed format)**, [D] **label**,
 [D] **notes**, [D] **order**

Golbe, D. L., [D] **label language**, [D] **merge**
 Goldstein, R., [D] **egen**
 Gould, W. W., [D] **datasignature**, [D] **datetime**,
 [D] **destring**, [D] **egen**, [D] **format**, [D] **icd9**,
 [D] **infile (fixed format)**, [D] **merge**,
 [D] **putmata**, [D] **reshape**
 Govindarajulu, Z., [D] **functions**
 graphs,
 functions, [D] **obs**, [D] **range**
 parameterized curves, [D] **range**
 group(), **egen** function, [D] **egen**
 gsort command, [D] **gsort**

H

hadamard() matrix function, [D] **functions**
 Hadamard, J. S., [D] **functions**
 Hakkio, C. S., [D] **egen**
 halfyear() function, [D] **datetime**, [D] **functions**
 halfyearly() function, [D] **datetime**, [D] **datetime translation**, [D] **functions**
 Hamilton, L. C., [D] **xpose**
 Hampel, F. R., [D] **egen**
 Hardin, J. W., [D] **statsby**
 Harrison, D. A., [D] **list**
 has_ewprop() function, [D] **functions**
 Haynam, G. E., [D] **functions**
 hexadecimal report, [D] **hexdump**
 hexdump command, [D] **hexdump**
 hh() function, [D] **datetime**, [D] **functions**
 hhC() function, [D] **datetime**, [D] **functions**
 Higbee, K. T., [D] **clonevar**
 Hilbe, J. M., [D] **functions**
 Hills, M., [D] **egen**
 hms() function, [D] **datetime**, [D] **functions**
 hofd() function, [D] **datetime**, [D] **functions**
 hours() function, [D] **datetime**, [D] **functions**
 HRF, see human readable form
 Huber, P. J., [D] **egen**
 human readable form, [D] **datetime**, [D] **datetime display formats**, [D] **datetime translation**
 hyperbolic functions, [D] **functions**
 hypergeometric() function, [D] **functions**
 hypergeometric,
 cumulative distribution, [D] **functions**
 probability mass function, [D] **functions**
 hypergeometricpc() function, [D] **functions**

I

I() matrix function, [D] **functions**
 ibeta() function, [D] **functions**
 ibetatail() function, [D] **functions**
 icd9
 check command, [D] **icd9**
 clean command, [D] **icd9**
 generate command, [D] **icd9**

icd9, *continued*
 lookup command, [D] **icd9**
 query command, [D] **icd9**
 search command, [D] **icd9**
 icd9p
 check command, [D] **icd9**
 clean command, [D] **icd9**
 generate command, [D] **icd9**
 lookup command, [D] **icd9**
 query command, [D] **icd9**
 search command, [D] **icd9**
 identifier, unique, [D] **isid**
 import excel command, [D] **import excel**
 import sasxport command, [D] **import sasxport**
 importing data, [D] **import**, [D] **import excel**,
 [D] **import sasxport**, [D] **infile (fixed format)**,
 [D] **infile (free format)**, [D] **infix (fixed format)**,
 [D] **insheet**, [D] **odbc**, [D] **xmlsave**, *also see*
 inputting data interactively; combining datasets
 income tax rate function, [D] **egen**
 incomplete
 beta function, [D] **functions**
 gamma function, [D] **functions**
 indexnot() string function, [D] **functions**
 infile command, [D] **infile (fixed format)**, [D] **infile (free format)**
 infix command, [D] **infix (fixed format)**
 %infmt, [D] **infile (fixed format)**
 inlist() function, [D] **functions**
 input command, [D] **input**
 inputting data
 from a file, see importing data
 interactively, [D] **edit**, [D] **input**, *also see* editing
 data; importing data
 inrange() function, [D] **functions**
 insert, odbc subcommand, [D] **odbc**
 insheet command, [D] **insheet**
 inspect command, [D] **inspect**
 int, [D] **data types**
 int() function, [D] **functions**
 integer truncation function, [D] **functions**
 interpolation, [D] **ipolate**
 interquartile range,
 generating variable containing, [D] **egen**
 making dataset of, [D] **collapse**
 summarizing, [D] **pctile**
 inv() matrix function, [D] **functions**
 invbinomial() function, [D] **functions**
 invbinomialtail() function, [D] **functions**
 invchi2() function, [D] **functions**
 invchi2tail() function, [D] **functions**
 invcloglog() function, [D] **functions**
 invdunnettprob() function, [D] **functions**
 inverse
 cumulative
 beta distribution, [D] **functions**
 binomial function, [D] **functions**

inverse, cumulative, *continued*
 chi-squared distribution function, [D] **functions**
F distribution function, [D] **functions**
 incomplete gamma function, [D] **functions**
 noncentral
 beta distribution, [D] **functions**
 chi-squared distribution function, [D] **functions**
F distribution, [D] **functions**
 normal distribution function, [D] **functions**
 reverse cumulative
 beta distribution, [D] **functions**
 binomial function, [D] **functions**
 chi-squared distribution function, [D] **functions**
F distribution function, [D] **functions**
 incomplete gamma function, [D] **functions**
t distribution function, [D] **functions**
 invF() function, [D] **functions**
 invFtail() function, [D] **functions**
 invgammmap() function, [D] **functions**
 invgammaptail() function, [D] **functions**
 invibeta() function, [D] **functions**
 invibetatail() function, [D] **functions**
 invlogit() function, [D] **functions**
 invnbinomial() function, [D] **functions**
 invnbinomialtail() function, [D] **functions**
 invnchi2() function, [D] **functions**
 invnFtail() function, [D] **functions**
 invnibeta() function, [D] **functions**
 invnormal() function, [D] **functions**
 invpoisson() function, [D] **functions**
 invpoissonontail() function, [D] **functions**
 invsym() matrix function, [D] **functions**
 invttail() function, [D] **functions**
 invtukeyprob() function, [D] **functions**
 ipolate command, [D] **ipolate**
 IQR, *see* interquartile range
 iqr(), *egen* function, [D] **egen**
 irecode() function, [D] **functions**
 isid command, [D] **isid**
 issymmetric() matrix function, [D] **functions**
 itrim() string function, [D] **functions**

J

J() matrix function, [D] **functions**
 Jacobs, M., [D] **duplicates**
 Jeanty, P. W., [D] **reshape**
 Jenkins, S. P., [D] **corr2data**, [D] **egen**, [D] **rename**
 Johnson, N. L., [D] **functions**
 joinby command, [D] **joinby**
 joining datasets, *see* combining datasets

K

Kachitvichyanukul, V., [D] **functions**
 Kantor, D., [D] **cf**, [D] **functions**
 keep command, [D] **drop**

keeping variables or observations, [D] **drop**
 Kemp, A. W., [D] **functions**
 Kemp, C. D., [D] **functions**
 Kinderman, A. J., [D] **functions**
 Knuth, D., [D] **functions**
 Kohler, U., [D] **input**
 Kotz, S., [D] **functions**
 Kronecker product, [D] **cross**
 kurt(), *egen* function, [D] **egen**

L

label, snapshot subcommand, [D] **snapshot**
 label
 copy command, [D] **label**
 data command, [D] **label**
 define command, [D] **label**
 dir command, [D] **label**
 drop command, [D] **label**
 language command, [D] **label language**
 list command, [D] **label**
 save command, [D] **label**
 values command, [D] **label**
 variable command, [D] **label**
 labelbook command, [D] **labelbook**
 labeling data, [D] **describe**, [D] **label**, [D] **label language**, [D] **edit**, [D] **notes**, [D] **varmanage**
 labels,
 creating, [D] **edit**, [D] **varmanage**
 editing, [D] **edit**, [D] **varmanage**
 Lal, R., [D] **functions**
 language, label subcommand, [D] **label language**
 languages, multiple, [D] **label language**
 Lauritsen, J. M., [D] **labelbook**, [D] **list**
 length() string function, [D] **functions**
 length of string function, [D] **functions**
 Leone, F. C., [D] **functions**
 limits, [D] **describe**, [D] **memory**
 Linde-Zwirble, W., [D] **functions**
 linear interpolation and extrapolation, [D] **ipolate**
 Linhart, J. M., [D] **format**
 list,
 duplicates subcommand, [D] **duplicates**
 label subcommand, [D] **label**
 notes subcommand, [D] **notes**
 odbc subcommand, [D] **odbc**
 snapshot subcommand, [D] **snapshot**
 list command, [D] **list**
 listing data, [D] **edit**, [D] **list**
 ln() function, [D] **functions**
 lnfactorial() function, [D] **functions**
 lngamma() function, [D] **functions**
 lnnormal() function, [D] **functions**
 lnnormalden() function, [D] **functions**
 load,
 bcal subcommand, [D] **bcal**
 odbc subcommand, [D] **odbc**

loading data, see inputting data interactively; importing data; loading saved data; using data
loading saved data, [D] **use**
`log()` function, [D] **functions**
`log10()` function, [D] **functions**
`logit` function, [D] **functions**
long, [D] **data types**
Long, J. S., [D] **codebook**, [D] **label**, [D] **notes**
long, `reshape` subcommand, [D] **reshape**
`lookfor` command, [D] **lookfor**
`lookup`,
 `icd9` subcommand, [D] **icd9**
 `icd9p` subcommand, [D] **icd9**
`lower()` string function, [D] **functions**
lowercase-string function, [D] **functions**
LRECLs, [D] **infile (fixed format)**
`ls` command, [D] **dir**
`ltrim()` string function, [D] **functions**

M

MacLaren, M. D., [D] **functions**
`mad()`, `egen` function, [D] **egen**
mapping strings to numbers, [D] **destring**, [D] **encode**, [D] **label**, also see `real()` string function
marginal tax rate `egen` function, [D] **egen**
Marsaglia, G., [D] **functions**
Mata, [D] **putmata**
`mata`, `clear` subcommand, [D] **clear**
mathematical functions and expressions, [D] **functions**
`matmissing()` matrix function, [D] **functions**
matrices, functions, [D] **functions**
`matrix`, `clear` subcommand, [D] **clear**
`matrix()` function, [D] **functions**
`matuniform()` matrix function, [D] **functions**
`max()`,
 built-in function, [D] **functions**
 `egen` function, [D] **egen**
`maxbyte()` function, [D] **functions**
`maxdouble()` function, [D] **functions**
`maxfloat()` function, [D] **functions**
maximum
 function, [D] **egen**, [D] **functions**
 number of observations, [D] **memory**
 number of variables, [D] **describe**, [D] **memory**
maximums and minimums,
 creating dataset of, [D] **collapse**
 functions, [D] **egen**, [D] **functions**
`maxint()` function, [D] **functions**
`maxlong()` function, [D] **functions**
`max_memory`, `set` subcommand, [D] **memory**
`maxvar`, `set` subcommand, [D] **memory**
Mazya, V., [D] **functions**
`md` command, [D] **mkdir**
`mdev()`, `egen` function, [D] **egen**
`mdy()` function, [D] **datetime**, [D] **functions**
`mdyhms()` function, [D] **datetime**, [D] **functions**
`mean()`, `egen` function, [D] **egen**
means,
 across variables, not observations, [D] **egen**
 creating
 dataset of, [D] **collapse**
 variable containing, [D] **egen**
`median()`, `egen` function, [D] **egen**
medians,
 creating
 dataset of, [D] **collapse**
 variable containing, [D] **egen**
 displaying, [D] **ptile**
memory, query subcommand, [D] **memory**
memory,
 clearing, [D] **clear**
 determining and resetting limits, [D] **describe**, [D] **memory**
 reducing utilization, [D] **compress**, [D] **encode**, [D] **recast**
memory command, [D] **memory**
merge command, [D] **merge**
`_merge` variable, [D] **merge**
merging data, see combining datasets
`mi()` function, [D] **functions**
Microsoft
 Access, reading data from, [D] **odbc**
 Excel, reading data from, [D] **import excel**, [D] **odbc**
 SpreadsheetML, [D] **xmllsave**
Miller, R. G., Jr., [D] **functions**
`min()`,
 built-in function, [D] **functions**
 `egen` function, [D] **egen**
`minbyte()` function, [D] **functions**
`mindouble()` function, [D] **functions**
`minfloat()` function, [D] **functions**
minimums and maximums, see maximums and minimums
`minint()` function, [D] **functions**
`minlong()` function, [D] **functions**
`min_memory`, `set` subcommand, [D] **memory**
`minutes()` function, [D] **datetime**, [D] **functions**
`missing()` function, [D] **functions**
missing values, [D] **missing values**
 counting, [D] **codebook**, [D] **inspect**
 encoding and decoding, [D] **mvencode**
 extended, [D] **mvencode**
 replacing, [D] **merge**
Mitchell, M. N., [D] **by**, [D] **data management**, [D] **egen**, [D] **reshape**
`mkdir` command, [D] **mkdir**
`mm()` function, [D] **datetime**, [D] **functions**
`mmC()` function, [D] **datetime**, [D] **functions**
`mod()` function, [D] **functions**
`mode()`, `egen` function, [D] **egen**
modification, file, [D] **filefilter**
modifying data, [D] **generate**, also see editing data

modulus function, [D] **functions**
 mofd() function, [D] **datetime**, [D] **functions**
 Monahan, J. F., [D] **functions**
 month() function, [D] **datetime**, [D] **functions**
 monthly() function, [D] **datetime**, [D] **datetime translation**, [D] **functions**
 Moore, R. J., [D] **functions**
 mreldif() matrix function, [D] **functions**
 mssofhours() function, [D] **datetime**, [D] **functions**
 mssofminutes() function, [D] **datetime**, [D] **functions**
 mssofseconds() function, [D] **datetime**, [D] **functions**
 mtr(), **egen** function, [D] **egen**
 multiple languages, [D] **label language**
 mvdecode command, [D] **mvencode**
 mvencode command, [D] **mvencode**
 Myland, J. C., [D] **functions**

N

naming groups of variables, [D] **rename group**
 naming variables, [D] **rename**
 Nash, J. D., [D] **infile (fixed format)**, [D] **merge**
 natural log function, [D] **functions**
 nbetaden() function, [D] **functions**
 nbinomial() function, [D] **functions**
 nbinomialp() function, [D] **functions**
 nbinomialtail() function, [D] **functions**
 nchi2() function, [D] **functions**
 negative binomial
 distribution,
 cumulative, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 reverse cumulative, [D] **functions**
 probability mass function, [D] **functions**
 new lines, data without, [D] **infile (fixed format)**
 Newson, R., [D] **contract**, [D] **generate**, [D] **statsby**
 nFden() function, [D] **functions**
 nFtail() function, [D] **functions**
 nibeta() function, [D] **functions**
 niceness, set subcommand, [D] **memory**
 noncentral
 beta density, [D] **functions**
 beta distribution, [D] **functions**
 chi-squared distribution function, [D] **functions**
 F density, [D] **functions**
 F distribution, [D] **functions**
 normal() function, [D] **functions**
 normal distribution and normality,
 bivariate, [D] **functions**
 cdf, [D] **functions**
 density, [D] **functions**
 generating multivariate data, [D] **corr2data**,
 [D] **drawnorm**
 inverse, [D] **functions**
 normalden() function, [D] **functions**
 normally distributed random numbers, [D] **functions**

notes
 command, [D] **notes**
 drop command, [D] **notes**
 list command, [D] **notes**
 renumber command, [D] **notes**
 replace command, [D] **notes**
 search command, [D] **notes**
 notes,
 creating, [D] **notes**, [D] **varmanage**
 editing, [D] **notes**, [D] **varmanage**
 npnchi2() function, [D] **functions**
 nullmat() matrix function, [D] **functions**
 number to string conversion, see string functions
 numbers,
 formatting, [D] **format**
 mapping to strings, [D] **encode**, [D] **label**
 numeric value labels, [D] **labelbook**
 numlabel command, [D] **labelbook**

O

obs, set subcommand, [D] **obs**
 obs parameter, [D] **obs**; [D] **describe**
 observations,
 creating dataset of, [D] **collapse**
 dropping, [D] **drop**
 dropping duplicate, [D] **duplicates**
 duplicating, [D] **expand**
 duplicating, clustered, [D] **expandcl**
 identifying duplicate, [D] **duplicates**
 increasing number of, [D] **obs**
 maximum number of, [D] **memory**
 ordering, [D] **sort**; [D] **gsort**
 transposing with variables, [D] **xpose**
 odbc
 describe command, [D] **odbc**
 exec() command, [D] **odbc**
 insert command, [D] **odbc**
 list command, [D] **odbc**
 load command, [D] **odbc**
 query command, [D] **odbc**
 sqlfile() command, [D] **odbc**
 ODBC data source, reading data from, [D] **odbc**
 odbcmgr, set subcommand, [D] **odbc**
 Oldham, K. B., [D] **functions**
 OpenOffice dates, [D] **datetime**
 operating system command, [D] **cd**, [D] **copy**, [D] **dir**,
 [D] **erase**, [D] **mkdir**, [D] **rmdir**, [D] **shell**,
 [D] **type**
 Oracle, reading data from, [D] **odbc**
 order command, [D] **order**
 order statistics, [D] **egen**
 ordering
 observations, [D] **sort**; [D] **gsort**
 variables, [D] **order**, [D] **sort**
 .out filename suffix, [D] **outsheet**
 outer product, [D] **cross**

outfile command, [D] **outfile**
 output, formatting numbers, [D] **format**
 outsheet command, [D] **outsheet**

P

pairwise combinations, [D] **cross**, [D] **joinby**
 parameterized curves, [D] **range**
 patterns of data, [D] **egen**
 pc(), *egen* function, [D] **egen**
 pctile(), *egen* function, [D] **egen**
 _pctile command, [D] **pctile**
 pctile command, [D] **pctile**
 percentiles,
 create
 dataset of, [D] **collapse**
 variable containing, [D] **codebook**, [D] **egen**,
 [D] **pctile**
 plural() string function, [D] **functions**
 poisson() function, [D] **functions**
 Poisson
 distribution,
 cdf, [D] **functions**
 cumulative, [D] **functions**
 inverse cumulative, [D] **functions**
 inverse reverse cumulative, [D] **functions**
 reverse cumulative, [D] **functions**
 probability mass function, [D] **functions**
 poissonp() function, [D] **functions**
 poissontail() function, [D] **functions**
 polar coordinates, [D] **range**
 Posten, H. O., [D] **functions**
 Press, W. H., [D] **functions**
 procedure codes, [D] **icd9**
 programs, *clear* subcommand, [D] **clear**
 proper() string function, [D] **functions**
 proportional sampling, [D] **sample**
 pseudofunctions, [D] **datetime**, [D] **functions**
 psi function, [D] **functions**
 putmata command, [D] **putmata**
 pwd command, [D] **cd**

Q

qofd() function, [D] **datetime**, [D] **functions**
 quantiles, [D] **pctile**, *also see* percentiles
 quarter() function, [D] **datetime**, [D] **functions**
 quarterly() function, [D] **datetime**, [D] **datetime**
 translation, [D] **functions**
 query,
 webuse subcommand, [D] **webuse**
 icd9 subcommand, [D] **icd9**
 icd9p subcommand, [D] **icd9**
 odbc subcommand, [D] **odbc**
 query memory command, [D] **memory**
 quick reference, [D] **data types**, [D] **missing values**

R

R dates, [D] **datetime**
 r() function, [D] **functions**
 radians, [D] **functions**
 random
 number function, [D] **functions**, [D] **generate**
 numbers, normally distributed, [D] **functions**,
 [D] **generate**
 sample, [D] **sample**
 range command, [D] **range**
 range of data, [D] **codebook**, [D] **inspect**
 rank(), *egen* function, [D] **egen**
 rank-order statistics, [D] **egen**
 ranks of observations, [D] **egen**
 rbeta() function, [D] **functions**
 rbinomial() function, [D] **functions**
 rchi2() function, [D] **functions**
 reading data from disk, *see* importing data
 real number to string conversion, [D] **destring**,
 [D] **encode**, [D] **functions**
 real() string function, [D] **functions**
 recase() string function, [D] **functions**
 recast command, [D] **recast**
 recode command, [D] **recode**
 recode() function, [D] **functions**
 recoding data, [D] **recode**
 recoding data autocode() function, [D] **functions**
 rectangularize dataset, [D] **fillin**
 regexm() string function, [D] **functions**
 regexpr() string function, [D] **functions**
 regexs() string function, [D] **functions**
 regular expressions, [D] **functions**
 relative difference function, [D] **functions**
 reldif() function, [D] **functions**
 remainder function, [D] **functions**
 removing
 directories, [D] **rmdir**
 files, [D] **erase**
 rename command, [D] **rename**, [D] **rename group**
 renaming variables, [D] **rename**, [D] **rename group**
 renumber, *notes* subcommand, [D] **notes**
 reordering data, [D] **sort**; [D] **order**, [D] **gsort**
 reorganizing data, [D] **reshape**, [D] **xpose**
 repeating commands, [D] **by**
 replace, *notes* subcommand, [D] **notes**
 replace command, [D] **generate**
 replay() function, [D] **functions**
 replicating
 clustered observations, [D] **expandcl**
 observations, [D] **expand**
 report,
 datasignature subcommand, [D] **datasignature**
 duplicates subcommand, [D] **duplicates**
 reshape
 command, [D] **reshape**
 error command, [D] **reshape**
 long command, [D] **reshape**

- reshape, *continued*
 wide command, [D] **reshape**
 restore, snapshot subcommand, [D] **snapshot**
 restoring data, [D] **snapshot**
 results, clear subcommand, [D] **clear**
 return() function, [D] **functions**
 reverse() string function, [D] **functions**
 rgamma() function, [D] **functions**
 rhypergeometric() function, [D] **functions**
 Riley, A. R., [D] **filefilter**, [D] **list**
 Rising, B., [D] **functions**
 rm command, [D] **erase**
 rmdir command, [D] **rmdir**
 rnbinoimial() function, [D] **functions**
 rnormal() function, [D] **functions**
 Rogers, W. H., [D] **egen**
 Ronchetti, E. M., [D] **egen**
 Roodman, D., [D] **collapse**
 round() rounding function, [D] **functions**
 Rousseeuw, P. J., [D] **egen**
 row operators for data, [D] **egen**
 rowfirst(), egen function, [D] **egen**
 rowlast(), egen function, [D] **egen**
 rowmax(), egen function, [D] **egen**
 rowmean(), egen function, [D] **egen**
 rowmedian(), egen function, [D] **egen**
 rowmin(), egen function, [D] **egen**
 rowmiss(), egen function, [D] **egen**
 rownonmiss(), egen function, [D] **egen**
 rownumb() matrix function, [D] **functions**
 rowpctile(), egen function, [D] **egen**
 rowsd(), egen function, [D] **egen**
 rowsof() matrix function, [D] **functions**
 rowtotal(), egen function, [D] **egen**
 Royston, P., [D] **list**, [D] **sort**
 rpoisson() function, [D] **functions**
 rseed() function, [D] **functions**
 rt() function, [D] **functions**
 rtrim() string function, [D] **functions**
 runiform() function, [D] **functions**
 Rush, M., [D] **egen**
 Ryan, P., [D] **egen**, [D] **ptile**
- ## S
- s()
 function, [D] **functions**
 saved results, [D] **functions**
 sample command, [D] **sample**
 sample, random, see random sample
 sampling, [D] **sample**
 SAS dates, [D] **datetime**
 SAS XPORT format, [D] **import sasxport**
 Sasieni, P., [D] **list**, [D] **memory**
 sasxport,
 export subcommand, [D] **import sasxport**
 import subcommand, [D] **import sasxport**
 save,
 label subcommand, [D] **label**
 snapshot subcommand, [D] **snapshot**
 save command, [D] **save**
 saveold command, [D] **save**
 saving data, [D] **outfile**, [D] **outsheet**, [D] **save**,
 [D] **snapshot**, *also see* exporting data
 scalar() function, [D] **functions**
 Schmeiser, B. W., [D] **functions**
 Schmidt, T. J., [D] **egen**
 Schumm, L. P., [D] **sort**
 sd(), egen function, [D] **egen**
 search,
 icd9 subcommand, [D] **icd9**
 icd9p subcommand, [D] **icd9**
 search, notes subcommand, [D] **notes**
 seconds() function, [D] **datetime**, [D] **functions**
 segmentsize, set subcommand, [D] **memory**
 separate command, [D] **separate**
 separating string variables into parts, [D] **split**
 seq(), egen function, [D] **egen**
 set,
 checksum command, [D] **checksum**
 dp command, [D] **format**
 max_memory command, [D] **memory**
 maxvar command, [D] **memory**
 min_memory command, [D] **memory**
 niceness command, [D] **memory**
 obs command, [D] **obs**
 odbcmgr command, [D] **odbc**
 segmentsize command, [D] **memory**
 type command, [D] **generate**
 set,
 datasignature subcommand, [D] **datasignature**
 webuse subcommand, [D] **webuse**
 Shaposhnikova, T., [D] **functions**
 shell command, [D] **shell**
 SIF, see Stata internal form
 sign() function, [D] **functions**
 signature of data, [D] **checksum**, [D] **datasignature**
 signum function, [D] **functions**
 sin() function, [D] **functions**
 sine function, [D] **functions**
 sinh() function, [D] **functions**
 skew(), egen function, [D] **egen**
 smallestdouble() function, [D] **functions**
 snapshot, [D] **snapshot**
 snapshot
 erase command, [D] **snapshot**
 label command, [D] **snapshot**
 list command, [D] **snapshot**
 restore command, [D] **snapshot**
 save command, [D] **snapshot**
 sort command, [D] **sort**
 sort order, [D] **describe**
 soundex() string function, [D] **functions**
 soundex_nara() string function, [D] **functions**

Spanier, J., [D] **functions**
 split command, [D] **split**
 spreadsheets, transferring
 from Stata, [D] **edit**, [D] **export**, [D] **import excel**,
 [D] **odbc**, [D] **outfile**, [D] **outsheet**, [D] **xmlsave**
 into Stata, [D] **edit**, [D] **import**, [D] **import excel**,
 [D] **infile (fixed format)**, [D] **infile (free format)**,
 [D] **insheet**, [D] **odbc**, [D] **xmlsave**
 SPSS dates, [D] **datetime**
 SQL, [D] **odbc**
 sqlfile(), odbc subcommand, [D] **odbc**
 sqrt() function, [D] **functions**
 square root function, [D] **functions**
 ss() function, [D] **datetime**, [D] **functions**
 ssC() function, [D] **datetime**, [D] **functions**
 stack command, [D] **stack**
 stacking data, [D] **stack**
 Stahel, W. A., [D] **egen**
 standard deviations,
 creating
 dataset of, [D] **collapse**
 variable containing, [D] **egen**
 standardized, variables, [D] **egen**
 Stata internal form, [D] **datetime**, [D] **datetime display**
 formats, [D] **datetime translation**
 statsby prefix command, [D] **statsby**
 .stbcal file suffix, [D] **bcal**, [D] **datetime business**
 calendars, [D] **datetime business calendars**
 creation
 stbcal-files, [D] **bcal**, [D] **datetime business calendars**,
 [D] **datetime business calendars creation**
 std(), **egen** function, [D] **egen**
 Stegun, I. A., [D] **functions**
 Steichen, T. J., [D] **duplicates**
 storage types, [D] **codebook**, [D] **compress**,
 [D] **describe**, [D] **encode**, [D] **format**,
 [D] **generate**, [D] **recast**, [D] **varmanage**
 str#, [D] **data types**
 string() string function, [D] **functions**
 string functions, [D] **functions**
 string variables, [D] **data types**, [D] **infile (free format)**
 converting to numbers, [D] **functions**
 encoding, [D] **encode**
 exporting, [D] **export**
 formatting, [D] **format**
 importing, [D] **import**
 inputting, [D] **edit**, [D] **input**
 making from value labels, [D] **encode**
 mapping to numbers, [D] **destring**, [D] **encode**,
 [D] **label**, *also see* real() function
 splitting into parts, [D] **split**
 strlen() string function, [D] **functions**
 strtolower() string function, [D] **functions**
 strltrim() string function, [D] **functions**
 strmatch() string function, [D] **functions**
 strofreal() string function, [D] **functions**
 strpos() string function, [D] **functions**
 strproper() string function, [D] **functions**

strreverse() string function, [D] **functions**
 strrtrim() string function, [D] **functions**
 strtoname() string function, [D] **functions**
 strtrim() string function, [D] **functions**
 strupper() string function, [D] **functions**
 Student's *t* distribution, cdf, [D] **functions**
 subinstr() string function, [D] **functions**
 subinword() string function, [D] **functions**
 substr() string function, [D] **functions**
 substring function, [D] **functions**
 sum() function, [D] **functions**
 summarize command, [D] **format**
 summarizing data, [D] **codebook**, [D] **inspect**
 summary statistics, *see* descriptive statistics
 sums,
 creating dataset containing, [D] **collapse**
 over observations, [D] **egen**, [D] **functions**
 over variables, [D] **egen**
 sweep() matrix function, [D] **functions**
 sysmiss, *see* missing values
 sysuse
 command, [D] **sysuse**
 dir command, [D] **sysuse**

T

t distribution, cdf, [D] **functions**
 %t formats, [D] **format**
 %t values and formats, [D] **datetime**
 tab characters, show, [D] **type**
 tables, formatting numbers in, [D] **format**
 tag, **duplicates** subcommand, [D] **duplicates**
 tag(), **egen** function, [D] **egen**
 tan() function, [D] **functions**
 tangent function, [D] **functions**
 tanh() function, [D] **functions**
 tC() pseudofunction, [D] **datetime**, [D] **functions**
 tc() pseudofunction, [D] **datetime**, [D] **functions**
 td() pseudofunction, [D] **datetime**, [D] **functions**
 tden() function, [D] **functions**
 Teukolsky, S. A., [D] **functions**
 text,
 exporting, *see* exporting data
 reading data in, *see* importing data
 saving data in, *see* exporting data
 th() pseudofunction, [D] **datetime**, [D] **functions**
 time-series
 analysis, [D] **egen**
 formats, [D] **format**
 functions, [D] **functions**
 time stamp, [D] **describe**
 time variables and values, [D] **datetime**
 tin() function, [D] **functions**
 tm() pseudofunction, [D] **datetime**, [D] **functions**
 tostring command, [D] **destring**
 total(), **egen** function, [D] **egen**
 tq() pseudofunction, [D] **datetime**, [D] **functions**

trace() matrix function, [D] **functions**
 transferring data
 copying and pasting, [D] **edit**
 from Stata, [D] **export**
 into Stata, [D] **import**
 translation, file, [D] **changeool**, [D] **filefilter**
 transposing data, [D] **xpose**
trigamma() function, [D] **functions**
 trigonometric functions, [D] **functions**
trim() string function, [D] **functions**
trunc() function, [D] **functions**
 truncating
 real numbers, [D] **functions**
 strings, [D] **functions**
ttail() function, [D] **functions**
 Tukey, J. W., [D] **egen**
tukeyprob() function, [D] **functions**
 Tukey's Studentized range, [D] **functions**
tw() pseudofunction, [D] **datetime**, [D] **functions**
twithin() function, [D] **functions**
type
 command, [D] **type**
 parameter, [D] **generate**
type, **set** subcommand, [D] **generate**

U

uncompress files, [D] **zipfile**
underscore c() function, [D] **functions**
 uniformly distributed random-number function,
 [D] **functions**
 unique value labels, [D] **labelbook**
 unique values,
 counting, [D] **codebook**
 determining, [D] **inspect**, [D] **labelbook**
unzipfile command, [D] **zipfile**
upper() string function, [D] **functions**
 uppercase-string function, [D] **functions**
use command, [D] **use**
uselabel command, [D] **labelbook**
 using data, [D] **sysuse**, [D] **use**, [D] **webuse**, *also see*
 importing data

V

value labels, [D] **codebook**, [D] **describe**, [D] **edit**,
 [D] **encode**, [D] **inspect**, [D] **label**, [D] **label**
 language, [D] **labelbook**, [D] **varmanage**
 potential problems in, [D] **labelbook**
 values, **label** subcommand, [D] **label**
variable, **label** subcommand, [D] **label**
 variable
 description, [D] **describe**
 labels, [D] **codebook**, [D] **edit**, [D] **describe**,
 [D] **label**, [D] **label language**, [D] **notes**,
 [D] **varmanage**
 types, [D] **codebook**, [D] **data types**, [D] **describe**

variables,
 alphabetizing, [D] **order**
 categorical, *see* categorical data
 changing storage types of, [D] **recast**
 comparing, [D] **compare**
 copying, [D] **clonevar**
 creating, [D] **varmanage**
 creating new, [D] **separate**
 describing, [D] **codebook**, [D] **notes**
 determining storage types of, [D] **describe**
 displaying contents of, [D] **edit**, [D] **list**
 documenting, [D] **codebook**, [D] **labelbook**,
 [D] **notes**
 dropping, [D] **drop**
 filtering, [D] **varmanage**
 finding, [D] **lookfor**
 in dataset, maximum number of, [D] **memory**
 listing, [D] **edit**, [D] **list**; [D] **codebook**,
 [D] **describe**, [D] **labelbook**
 mapping numeric to string, [D] **destring**
 naming, [D] **rename**
 naming groups of, [D] **rename group**
 ordering, [D] **sort**
 renaming, *see* renaming variables
 reordering, [D] **order**
 setting properties of, [D] **varmanage**
 sorting, [D] **gsort**, [D] **sort**, [D] **varmanage**
 standardizing, [D] **egen**
 storage types, *see* storage types
 string, *see* string variables
 transposing with observations, [D] **xpose**
 unique values, [D] **codebook**, [D] **duplicates**
 unique values, determining, [D] **duplicates**,
 [D] **inspect**
 Variables Manager, [D] **varmanage**
 variance,
 creating dataset of, [D] **collapse**
 creating variable containing, [D] **egen**
varmanage command, [D] **varmanage**
vec() matrix function, [D] **functions**
vecdiag() matrix function, [D] **functions**
 verifying data, [D] **assert**, [D] **count**,
 [D] **datasignature**, [D] **inspect**, *also see*
 certifying data
 Vetterling, W. T., [D] **functions**
 virtual memory, [D] **memory**

W

Walker, A. J., [D] **functions**
 Wang, D., [D] **duplicates**
webuse
 query command, [D] **webuse**
 set command, [D] **webuse**
 command, [D] **webuse**
week() function, [D] **datetime**, [D] **functions**
weekly() function, [D] **datetime**, [D] **datetime**
 translation, [D] **functions**

Weesie, J., [D] **generate**, [D] **joinby**, [D] **label**,
[D] **label language**, [D] **labelbook**, [D] **list**,
[D] **merge**, [D] **mvencode**, [D] **order**,
[D] **recode**, [D] **rename**, [D] **reshape**,
[D] **sample**

Weiss, M., [D] **functions**

Wernow, J. B., [D] **destring**

Whittaker, J., [D] **functions**

Wichura, M. J., [D] **functions**

wide, reshape subcommand, [D] **reshape**

Wilcox, R. R., [D] **egen**

wildcard, see `strmatch()` string function, `regexm()`
string function, `regexr()` string function, and
`regexs()` string function

winexec command, [D] **shell**

wofd() function, [D] **datetime**, [D] **functions**

word() string function, [D] **functions**

wordcount() string function, [D] **functions**

writing data, see saving data; exporting data

X

XML, [D] **xmlsave**

xmlsave command, [D] **xmlsave**

xmluse command, [D] **xmlsave**

xpose command, [D] **xpose**

xshell command, [D] **shell**

xtile command, [D] **pctile**

Y

year() function, [D] **datetime**, [D] **functions**

yearly() function, [D] **datetime**, [D] **datetime**
translation, [D] **functions**

yh() function, [D] **datetime**, [D] **functions**

ym() function, [D] **datetime**, [D] **functions**

yofd() function, [D] **datetime**, [D] **functions**

yq() function, [D] **datetime**, [D] **functions**

yw() function, [D] **datetime**, [D] **functions**

Z

zipfile command, [D] **zipfile**