

# Subject index

This is the subject index for the *Getting Started with Stata for Unix* manual. Readers may also want to consult the combined subject index (and the combined author index) in the *Quick Reference and Index*.

## A

ado command, 34  
arithmetic operators, see operators, arithmetic

## B

batch mode, 132  
blog, see Stata blog  
Break, 84  
    button, 24  
browse command, 2, 6, 7, 60  
button,  
    Break, 24, 84  
    Data Editor (Browse), 2, 24, 48  
    Data Editor (Edit), 24, 47, 49  
    Do, 96, also see button, Execute (do)  
    Do-file Editor, 24, 96  
    Execute (do), 97, 101  
    Execute Quietly (run), 96, 101  
    Graph, 16, 24  
    Graph Editor, 104  
    Log, 22, 24, 109  
    Open, 24  
    Print, 24  
    Properties, 48  
    Reset, 18  
    Run, see button, Execute Quietly (run)  
    Save, 24  
    Show File in Viewer, 101  
    Variables, 48  
    Variables Manager, 24  
    Viewer, 24, 31  
by() option, 13, 17  
by prefix, 12, 14, 21  
by/if/in tab, 7, 12, 14, 28

## C

cd command, 29  
clear command, 91  
cmdlog command, 111  
codebook command, 4–6, 39  
command history, 25  
command syntax, 21–22  
Command window, 23, 25  
commands,  
    compared with menus, 21  
    learning, 29, 115–117  
comments, see log files, commenting

conren command, 136–139  
contextual menu, 23  
    Graph window, 104  
    Review window, 25  
    Variables window, 26–27  
    Viewer window, 34

copying,  
    data, see data, copying  
    graphs, see graphs, copying  
    text, see text, copying  
correlate command, 14  
creating variables, see variables, creating

## D

data,  
    copying, 52, 65  
        tips, 53  
    entering, 48–53  
    graphing, 15–20  
    importing, see importing data  
    labeling, 69  
    listing, 75–84  
    pasting, 52, 65  
    sorting, 54  
    strings, 50  
Data Editor, 2–3, 47–60  
    attach value labels, 55  
    browse mode, 60  
        toolbar button, 24  
    cell navigation, 50  
    color coding, 3, 50  
    contextual menus, 48  
    create value labels, 54  
    creating variables, 55  
    cursor location box, 49–50, 54  
    date  
        editing, 57–58  
        formats, 57–58  
        mask, 58  
    edit mode toolbar button, 24  
    edit within cell, 50  
    empty columns, 50  
    empty rows, 50  
    enter data by column, 50  
    enter data by row, 49  
    entering data, 48–53  
    filtering, 9, 59  
    fonts, 113  
    hiding variables, 59  
    limiting exposure, 58–60  
    movement, 48  
    opening, 49  
    reordering variables, 59  
    right-clicking, 48  
    snapshots, 56–57  
    sorting, 48, 54

Data Editor, *continued*  
tips, 58, 68  
toolbar, 47  
Tools menu, 54–60  
value labels, 54  
when to browse, 58  
data management, 2–8  
data type, see variables, data type  
dataset, 4  
changing, 54–60  
notes, 3  
opening, 45  
saving, 45  
saving in old format, 45  
structure, 2, 3  
dates, editing, see Data Editor, date editing  
db command, 29  
deleting variables, see variables, dropping  
describe command, 3, 69–74  
with `short` option, 49  
descriptive statistics, 8–15  
dialogs, 27  
accessing from Command window, 29  
Cancel button, 28  
Copy button, 29  
Help button, 29  
OK button, 28  
Reset button, 29  
saving commands, 101  
Submit button, 29  
*Variables* field, 5, 7  
directory, working, see working directory  
display format, see variables, display format  
displaying graphs, see graphs, schemes  
Do,  
button, see button, Do  
menu item, 101  
do-file, 96–99, 101, 111–112, 131  
editing, see Do-file Editor  
tips, 98  
troubleshooting, 97–99  
Do-file Editor, 95–101  
balancing parentheses, 100  
buttons, 95–96  
changing case, 100  
editing help files, 101  
editing tools, 100  
fonts, 113  
getting Review window contents, 26  
inserting a file, 100  
matching braces, 100  
next bookmark, 96  
previous bookmark, 96  
select entire line, 100  
syntax highlighting, 97  
toggle bookmark, 96  
toolbar button, 24

Do-file Editor, *continued*  
Tools menu, 101  
Execute (do), 101  
Execute Quietly (run), 101  
Show File in Viewer, 101  
viewing whitespace, 100  
drop command, 91–92  
dropping variables, see variables, dropping  
dummy variable, see indicator variable

## E

edit command, 59  
editing data, see Data Editor  
editing dates, see Data Editor, date editing  
editing do-file, see Do-file Editor  
environment variables, 133  
equality, 12, 79  
examples,  
dialogs, 4, 5, 7, 8, 10–16, 18, 28, 29, 103  
graphs, 15–20, 103, 105  
help, 37–40  
if qualifier, 6, 7, 12, 59–60, 77–80, 92–93  
in qualifier, 81  
menus, 1, 3–5, 7, 8, 10–16, 18, 28–103  
*varlist*, 59, 75–77  
`excel`, `import` subcommand, 66, 68  
*exp*, see expressions  
expressions, 77, 85

## F

Facebook, 115, 118  
filenames, quotes, 45  
fitted values, see `predict` command  
fonts,  
changing in one graph, see Graph Editor  
changing in windows, see preferences, font  
preferences, see preferences, font  
functions, 85

## G

`generate` command, 17, 18, 20, 85–90  
tips, 88  
troubleshooting, 87  
generating variables, see variables, creating  
Graph Editor, 105–107  
abilities, 106  
closing, see Graph Editor, stopping  
contextual toolbar, 105–106  
experimentation, 106  
Grid Edit tool, 106  
Object Browser, 106  
recording, 106  
starting, 105  
stopping, 106

Graph Editor, *continued*  
 tools, 106  
 Undo button, 106  
 graph setup, *see* graphs, schemes  
 Graph window, 16, 104  
 contextual menu, 104  
 right-clicking, 104–105  
 toolbar button, 24  
 Graphical User Interface, *see* GUI  
 graphs,  
 copying, 104  
 editing, *see* Graph Editor  
 overlaid, 18–20  
 printing, 20, 104  
 renaming, 104  
 right-clicking, 104  
 saving, 104  
 schemes, 113  
 subgraphs, 16  
 GUI, 23–29, 31–43, 47–60, 65, 95–107, 113–114,  
 119–124, 133

## H

`help` command, 41  
 help for *command*, 34  
 help system, 37–43  
 FAQs, 37  
 links, 39  
 menu, 37  
 search dialog, 38  
 searching, 37–43, 120–122  
 tips, 40  
 hypothesis testing, 13–14

## I

identifier variable, 5  
`if` qualifier, 6, 7, 12, 21, 75, 77–80, 86, 91  
 examples, *see* examples, `if` qualifier  
 troubleshooting, 79–80  
`import excel` command, 66, 68  
`import sasxport` command, 66, 68  
 importing data, 65–68  
 comma-delimited, 66  
 copying and pasting, 65, 68  
 fixed-format data, 68  
 paste special, 53  
 spreadsheet, 53, 66, 68  
 tab-delimited, 66  
 tips, 68  
 unformatted data, 68  
`in` qualifier, 21, 75, 81, 91  
 examples, *see* examples, `in` qualifier  
 indicator variable, 6, 17, 88  
 generating, 86  
`infile` command, 66, 68

`infix` command, 66, 68  
`insheet` command, 66–68  
 Internet, 119–124  
 installing programs, *see* programs, downloading and  
 installing  
 resources, 115–118  
 searching, 120–122  
 using remote files, 119

## K

`keep` command, 91, 93

## L

`label` command, 71  
`label data` command, 71  
`label define` command, 71, 74  
`label values` command, 71, 74  
`label variable` command, 20, 71  
 labels,  
 data, 3, 71–72  
 value, 3–5, 10, 12, 71, 73  
 confusing with string variable, 80  
 why needed, 6  
 variable, 4, 5, 71–72  
`line, twoway` subcommand, 19  
 linear regression, *see* regression, linear  
`list` command, 7, 67, 75–84  
 listing data, *see* data, listing  
 loading data, *see* dataset, opening  
 Log button, 24  
`log` command, 109–111  
 log files, 22, 109–112  
 appending, 109  
 commenting, 110  
 contents, 110  
 keeping just commands, 111  
 multiple open at once, 110  
 overwriting, 109  
 plain text, 109, 111  
 printing, 111  
 rerunning commands, 111–112  
 SMCL, 109, 111  
 starting, 109  
 tips, 111  
 translating formats, 109, 111  
 types, 111  
 viewing, 111  
 logical  
 expression, 77–79  
 operators, *see* operators, logical

## M

median, 9

memory, 6, 45, 70, 129  
  allocation, 129  
menus, 27  
  compared with commands, 21  
  examples, see examples, menus  
`missing()` function, 7, 60, 78  
missing values, 3, 4, 7, 11, 50, 54, 77–78, 85–86, 90  
  extended, 54

## N

`net` command, 34  
NetCourses, 116  
Not Elsewhere Classified, see Stata blog  
notes,  
  managing, 62–63  
  timestamps, 63  
`numlist`, 81

## O

observations, 2  
ODBC, 68  
`odbc` command, 66, 68  
one-way table, see table, one-way  
open, 47  
Open toolbar button, 24  
opening a dataset, see dataset, opening  
operators,  
  arithmetic, 85  
  logical, 77, 79, 85  
  relational, 77, 85  
  string, 90  
options, 8, 21, 39, 75, 81  
output, printing and saving, see log files

## P

pasting,  
  data, see data, pasting  
  text, see text, pasting  
PATH, 133  
PDF documentation, 37, 39, 41  
`poisson` command, 28  
postestimation commands, 18  
precision, 70  
`predict` command, 18  
preferences, 113–114  
  Clipboard, 113  
  font, 113–114  
  Graph window, 113  
  loading, 114  
  managing, 114  
  saving, 114  
  window, 113–114  
prefix command, 12, 21

printing, 24  
  contents of Viewer, 34  
  graphs, 104  
  output, 111  
  toolbar button, 24  
`profile.do`, 131  
programs,  
  downloading and installing, 120–123  
  uninstalling, 123  
Properties window, 2, 23, 51  
  hiding, 27  
  revealing, 27

## R

reading list, see Stata reading list  
recording sessions, see log files  
reference manuals, 41  
`regress` command, 18, 21  
regression,  
  linear, 17–21, 99  
  Poisson, 28  
relational operators, see operators, relational  
`replace` command, 85–88  
Results window, 1, 16, 23, 25  
  color scheme, 113  
  fonts, 113  
  searching, 25  
Review window, 2, 23, 25–26  
  contextual menu, 25  
  filtering, 25  
  hiding errors, 25  
  reusing commands, 25, 55–56  
  right-click, 25, 112  
  saving contents, 26  
  sending contents to Do-file Editor, 26  
  tip, 112  
Run button, see button, Run

## S

sample session, 1–22  
SAS, 66, 68  
`save` command, 29, 45–46  
Save toolbar button, 24  
`saveold` command, 45  
saving  
  data, see dataset, saving  
  output, see log files  
`scatter, twoway` subcommand, 15–17, 19  
`search` command, 34, 41  
searching help system, see help system, searching  
Show File in Viewer button, see button, Show File in Viewer  
SMCL, 33, 96, 101, 109

## Stata

- batch mode, 132, 140–141
- blog, 115, 118
- bookstore, 116
- command line options, 140
- console, 1, 119, 136–139
- datasets available, 115, 119
- executing commands at startup, 131
- FAQs, 115
- Graph Editor, *see* Graph Editor
- learning more, 115–118
- Markup and Control Language, *see* SMCL
- NetCourses, 116, 117
- output, 1
- Press, 117
- public training courses, 116
- reading list, 116–117
- starting, 140
- starting remotely, 133
- starts with an error, *see* troubleshooting
- startup options, 132
- Statalist, 115
- training, 116, 117
- troubleshooting, *see* troubleshooting
- updating, *see* updates
- user interface, *see* GUI
- won't start, *see* troubleshooting
- working directory, *see* working directory

`stata` command, 140

*Stata Journal*, 37–38, 42–43, 115, 118, 119

*Stata News*, 117

*Stata Technical Bulletin*, 37–38, 42–43, 119

Stata(GUI), *see* GUI

`stata-mp` command, 140

`stata-se` command, 140

status bar, 29

STB, *see* *Stata Technical Bulletin*

storage type, *see* variables, data type

string variable, *see* variables, string

strings, 89–90

- quoting, 80

`strpos()` function, 90

`substr()` function, 90

`summarize` command, 4, 8, 12, 21

syntax, 39, 75–82

- abbreviations, 75
- diagram, 21
- `list` command, 75

syntax note, 2, 5, 7–14, 16–17, 21

`sysprofile.do`, 131

`sysuse` command, 1

## T

## table,

- one-way, 10–11, 13
- two-way, 11

`tabulate` command, 10–13

## text,

- copying, 95
- pasting, 95

text variables, *see* variables, string

toolbar, main, 24

tooltip, 24

training, *see* Stata training

troubleshooting, 125–127

- installation, 127

- updates, *see* updates, troubleshooting

- X windows, 126–127

`ttest` command, 13

Twitter, 115, 118

`twoway line` command, 19

`twoway scatter` command, 15–17, 19

two-way table, *see* table, two-way

`type` command, 34

## U

`update` command, 34

updates, 34, 120

- troubleshooting, 120

`use` command, 45

*User's Guide*, 115

## V

value labels, creating and managing, 54

variables, 2

- allowable names, 52

- creating, 55, 85–90

- data type, 4–6, 70, 86

- display format, 4, 70

- dropping, 26, 62, 91–92

- formatting, 51

- generating, *see* variables, creating

- keeping, 26, 62

- missing values, *see* missing values

- name, 4, 70

- abbreviating, 67, 75–77

- auto-completion, 25

- naming, 51

- renaming, 51

- storage type, *see* variables, data type

- string, 4, 5, 89–90

- confusing with value labels, 80

- text, *see* variables, string

Variables Manager, 61–63

- contextual menus, 62

- creating *varlists*, 62

- dropping variables, 62

- filtering variables, 61

- keeping variables, 62

- notes, 62–63

- properties pane, 62

Variables Manager, *continued*  
  restore sort order, 61  
  right-clicking, 62  
  toolbar button, 24  
  Variable pane, 61–62  
  variable properties pane, 62

Variables window, 2, 18, 23, 26–27  
  clicking, 26  
  contextual menu, 26–27  
  filtering, 26  
  hiding, 27  
  revealing, 27

*varlist*, 5, 21, 75, 91  
  examples, see examples, *varlist*

*view* command, 34

Viewer, 31–35  
  Also see button, 39  
  buttons, 32  
  color scheme, 113  
  commands, 34  
  contextual menu, 34  
  Dialog button, 39  
  Find bar, 32  
  fonts, 113  
  Jump To button, 39  
  links  
    clicking, 33  
    middle-clicking, 33  
    *Shift*+clicking, 33  
  log files, 111  
  navigating, 34  
  new window, 33  
  opening, 31  
  preferences, 34  
  printing, 34  
  printing log files, 111  
  right-clicking, 34  
  selecting one Viewer, 33  
  tabs, 34  
  toolbar button, 24, 31  
  viewing  
    current log, 33  
    logs, 33  
    remote files, 33  
    text files, 33

## X

X Windows, 16, 133  
XML, 68  
*xmluse* command, 66, 68  
*xstata* command, 140  
*xstata-mp* command, 140  
*xstata-se* command, 140

## W

windows, 23  
  closing, 114  
  cycle, 23  
  opening, 114  
  revealing, 23

working directory, 29