

Subject index

This is the subject index for the *Getting Started with Stata for Windows* manual. Readers may also want to consult the combined subject index (and the combined author index) in the *Quick Reference and Index*. The combined index indexes the *Getting Started* manuals, the *User's Guide*, and all the reference manuals, except the *Mata Reference Manual*.

A

ado command, 39
 arithmetic operators, see operators, arithmetic
 auto hide, see windows, Auto Hide
 automatic update checking, see updates, automatic update checking

B

batch mode, 139–140
 Break, 90
 button, 26
 browse command, 2, 6, 63–64
 button,
 Break, 26, 90
 Data Editor (Browse), 2, 26, 51
 Data Editor (Edit), 26, 51, 53
 Do, 102, see Execute (do)
 Do-file Editor, 26, 102
 Execute (do), 103, 106
 Execute Quietly (run), 102, 106
 Graph, 16, 26
 Graph Editor, 110
 Log, 23, 26, 115
 Open, 26
 Print, 26
 Reset, 18
 Run, see Execute Quietly (run)
 Save, 26
 Show File in Viewer, 107
 Variable Properties, 51
 Variables Manager, 26, 51
 Viewer, 26, 35
 by() option, 13, 17
 by prefix, 12, 14, 22
 by/if/in tab, 7, 12, 14, 29

C

cd command, 30, 137
 clear command, 97
 cmdlog command, 118
 codebook command, 4–6, 43
 combobox, 5
 command history, 27
 command syntax, 22
 Command window, 25–27, 31

commands,
 compared with menus, 22
 learning, 30, 121–123
 comments, see log files, commenting
 contextual menu, 25
 Graph window, 110
 Review window, 27
 Variables window, 27–28
 Viewer, 38
 copying,
 data, see data, copying
 graphs, see graphs, copying
 text, see text, copying
 correlate command, 14
 creating variables, see variables, creating

D

data,
 copying, 56, 69
 tips, 57
 entering, 52–57
 graphing, 15–21
 importing, see importing data
 labeling, 75
 listing, 81–90
 pasting, 56, 69
 sorting, 57
 strings, 54
 Data Editor, 2, 51–64
 attach value labels, 58
 browse mode, 63–64
 toolbar button, 26
 cell navigation, 54
 color coding, 2, 54
 contextual menus, 52
 create value labels, 58
 creating variables, 59
 cursor location box, 53–54, 57
 date
 editing, 60–61
 formats, 61
 mask, 61
 edit mode toolbar button, 26
 edit within cell, 54
 empty columns, 54
 empty rows, 54
 enter data by column, 54
 enter data by row, 53
 entering data, 52–57
 filtering, 8, 62–63
 fonts, 119
 hiding variables, 62
 limiting exposure, 62–63
 movement, 52
 opening, 53

Data Editor, *continued*
right-clicking, 52
snapshots, 59–60
sorting, 52, 57
tips, 62, 74
toolbar, 51
Tools menu, 57–63
value labels, 58
when to browse, 62

data management, 2–7

data type, *see* variables, data type

dataset, 4
changing, 57–63
dirty, 49, 52
notes, 3, 28
opening, 49, 141
saving, 49
saving in old format, 49
structure, 2, 3

dates, editing, *see* Data Editor, date editing

db command, 30

deleting variables, *see* variables, dropping

describe command, 3, 75–79
describe, short, 52

descriptive statistics, 7–15

dialogs, 28
accessing from Command window, 30
Cancel button, 29
Copy button, 30
Help button, 30
OK button, 29
Reset button, 30
saving commands, 107
Submit button, 30
Variables field, 5, 7

dictionary file, 73

directory, working, *see* working directory

display format, *see* variables, display format

displaying graphs, *see* graphs, schemes

Do,
button, *see* button, Do
menu item, 106

do-file, 102–105, 107, 118, 138
editing, *see* Do-file Editor
tips, 104
troubleshooting, 104–105

Do-file Editor, 101–107
balancing parentheses, 106
buttons, 101–102
changing case, 106
editing help files, 107
editing tools, 106
fonts, 119
getting Review window contents, 27
go to line, 106
inserting a file, 106
matching braces, 106

Do-file Editor, *continued*
next bookmark, 102
previous bookmark, 102
searching, 106
select entire line, 106
syntax highlighting, 103
toggle bookmark, 101
toolbar button, 26
Tools menu, 106
Execute (do), 106
Execute (do) to Bottom, 107
Execute Quietly (run), 106
Show File in Viewer, 107
viewing whitespace, 106

docking guides, *see* windows, docking guides

docking windows, *see* windows, docking

drop command, 97–98

dropping variables, *see* variables, dropping

dummy variable, *see* indicator variable

E

edit command, 63

editing data, *see* Data Editor

editing dates, *see* Data Editor, date editing

editing do-file, *see* Do-file Editor

EMF, 141

Encapsulated Postscript, *see* EPS

Enhanced Metafile, *see* EMF

EPS, 142

equality, 11–12, 85

examples,
dialogs, 4, 5, 7, 9, 10, 12–16, 18, 29, 30, 109
graphs, 15–21, 109, 111
help, 41–44
if qualifier, 6, 7, 11, 63, 83–86, 98–99
in qualifier, 87
menus, 1, 3–5, 7, 9, 10, 12–16, 18, 29–109
varlist, 63, 81–83

exp, *see* expressions

expressions, 83, 91

F

fdause command, 69, 74

files,
double-clicking, 139

fitted values, *see* predict command

floating windows, *see* windows, floating

fonts,
changing in one graph, *see* Graph Editor
changing in windows, *see* preferences, font
preferences, *see* preferences, font

functions, 91

G

`generate` command, 17, 18, 20–21, 91–96
 tips, 94
 troubleshooting, 93
 generating variables, *see* variables, creating
 Graph Editor, 111–113
 abilities, 112
 closing, *see* Graph Editor, stopping
 contextual toolbar, 111–112
 experimentation, 112
 Grid Edit tool, 112
 Object Browser, 112
 recording, 112
 starting, 111
 stopping, 112
 tools, 112
 Undo button, 112
 graph setup, *see* graphs, schemes
 Graph window, 16, 110
 contextual menu, 110
 right-clicking, 110–111
 toolbar button, 26
 Graphical User Interface, *see* GUI
 graphs,
 copy and paste, 141
 copying, 110
 export formats, 142
 exporting, 141
 overlaid, 18–20
 printing, 20, 110, 139
 renaming, 110
 right-clicking, 110
 saving, 110
 schemes, 119
 subgraphs, 16
 GUI, 25–34

H

`help` command, 45
 help for *command*, 39
 help system, 41–47
 contents, 45
 FAQs, 41
 links, 43
 menu, 41
 search dialog, 42
 searching, 41–47, 127–129
 tips, 44
 hypothesis testing, 13

I

identifier variable, 5
`if` qualifier, 6, 7, 11–12, 22, 81, 83–86, 92, 97
 examples, *see* examples, `if` qualifier

`if` qualifier, *continued*
 troubleshooting, 85–86
 importing data, 69–74
 comma-delimited, 70
 copying and pasting, 69, 71, 74
 fixed format data, 73–74
 spreadsheet, 57, 70, 74
 tab-delimited, 70
 tips, 74
 unformatted data, 72, 74
`in` qualifier, 22, 81, 87, 97
 examples, *see* examples, `in` qualifier
 indicator variable, 5, 17, 94
 generating, 92
`infile` command, 69, 72–74
 variable names, 72
`infix` command, 69, 74
`insheet` command, 69–71
 Internet, 125–130
 installing programs, *see* programs, downloading and installing
 resources, 121, 123, 124
 searching, 127–129
 using remote files, 125

K

`keep` command, 97, 99

L

`label` command, 77
`label data` command, 77
`label define` command, 77, 79
`label values` command, 77, 79
`label variable` command, 20, 77
 labels,
 data, 3, 77–78
 value, 2–5, 9, 12, 77, 79
 confusing with string variable, 86
 why needed, 6
 variable, 3–5, 77–78
 license, 142
 changing, 142
`line` command, *see* `twoway line` command
 linear regression, *see* regression, linear
 linking windows, *see* windows, linking
`list` command, 7, 71, 81–90
 listing data, *see* data, listing
 loading data, *see* dataset, opening
 Log button, 26
`log` command, 115–117
 log files, 23, 115–118
 appending, 115
 commenting, 116
 contents, 116
 file extension, 117

log files, *continued*

- keeping just commands, 118
 - multiple open at once, 116
 - overwriting, 115
 - plain text, 115, 117
 - printing, 117
 - rerunning commands, 118
 - SMCL, 115, 117
 - starting, 115
 - tips, 117
 - translating formats, 115, 117
 - types, 117
 - viewing, 117
- logical expression, 83–85
- logical operators, *see* operators, logical

M

- median, 8
- memory, 6, 49, 76, 133–135
 - allocation, 133–134, 139
 - virtual memory, 135
- memory command, 134
- menus, 28
 - compared with commands, 22
 - examples, *see* examples, menus
- `missing()` function, 7, 63, 84
- missing values, 2, 4, 7, 10, 54, 57, 72, 83–84, 91–92, 96
 - extended, 58

N

- `net` command, 39
- NetCourses, 121
- network installation, 142
- nondocking windows, *see* windows, nondocking
- notes,
 - managing, 66–68
 - timestamps, 67
- `numlist`, 87

O

- observations, 2
- ODBC, 74
- `odbc` command, 69, 74
- omniscience,
 - fleeting, 115
- one-way table, *see* table, one-way
- open, 51
- Open toolbar button, 26
- opening a dataset, *see* dataset, opening
- operators,
 - arithmetic, 91
 - logical, 83, 85, 91

operators, *continued*

- relational, 83, 91
 - string, 96
- options, 8, 22, 43, 81, 87
- output, printing and saving, *see* log files
- Output Settings dialog, 117

P

- pastings,
 - data, *see* data, pasting
 - graphs, *see* graphs, copy and paste
 - text, *see* text, pasting
- PDF documentation, 41, 43, 46
- physics, 20
- PNG, 142
- `poisson` command, 29
- Portable Network Graphics, *see* PNG
- postestimation commands, 18
- precision, 76
- `predict` command, 18
- preferences, 119–120
 - Clipboard, 119
 - font, 119–120
 - Graph window, 119
 - loading, 120
 - managing, 120
 - saving, 120
 - window, 119–120
- prefix command, 12, 22
- Printer Preferences dialog, 117
- printing, 26
 - contents of Viewer, 38
 - graphs, 110
 - output, 117
 - toolbar button, 26
- `profile.do`, 138
- programs,
 - downloading and installing, 127–129
 - uninstalling, 129
- Properties Sheet, 137

R

- recording sessions, *see* log files
- reference manuals, 46
- `regress` command, 18, 21
- regression,
 - linear, 17–22, 105
 - Poisson, 29
- relational operators, *see* operators, relational
- `replace` command, 91–94
- Results window, 1, 16, 25
 - color scheme, 119
 - fonts, 119
- Review window, 1, 25, 27, 31
 - contextual menu, 27

Review window, *continued*
 reusing commands, 27, 59
 right-click, 27, 118
 saving contents, 27
 sending contents to Do-file Editor, 27
 tip, 118

Run button, *see* button, Run

S

sample session, 1–23
 SAS, 74
 save command, 30, 49–50
 Save toolbar button, 26
 saveold command, 49
 saving data, *see* dataset, saving
 saving output, *see* log files
 scatter command, *see* twoway scatter command
 search command, 39, 45
 searching help system, *see* help system, searching
 shortcuts, 137–138
 Show File in Viewer button, *see* button, Show File in Viewer
 SMCL, 37, 102, 107, 115
 splitters, *see* windows, splitters
 Stata,
 batch mode, 139–140
 bookstore, 121
 datasets available, 121, 125
 executing commands at startup, 138
 FAQs, 121
 learning more, 121–124
 NetCourses, 121
 output, 1
 public training courses, 122
 reading list, 122–123
 simultaneous sessions, 140
 starting, 137, 139
 Statalist, 121
 troubleshooting, *see* troubleshooting
 updating, *see* updates
 user interface, *see* GUI
 working directory, *see* working directory
 Stata Journal, 41–42, 46–47, 121, 124, 125
 Stata Markup and Control Language, *see* SMCL
 Stata News, 123
 Stata Press, 123
 Stata starts with an error, *see* troubleshooting
 Stata Technical Bulletin, 41–42, 46–47, 125
 Stata won't start, *see* troubleshooting
 STB, *see* Stata Technical Bulletin
 storage type, *see* variables, data type
 string variable, *see* variables, string
 strings, 95–96
 quoting, 86
 strpos() function, 96
 substr() function, 96

summarize command, 4, 8, 11–12, 22
 syntax, 43, 81–88
 abbreviations, 81
 diagram, 22
 list command, 81
 syntax note, 2, 5, 7–14, 16–17, 22
 sysprofile.do, 138
 sysuse command, 1

T

tabbing windows, *see* windows, tabbing
 table,
 one-way, 9–10, 12–13
 two-way, 10–11
 tabulate command, 9–13
 text,
 copying, 101
 pasting, 101
 text variables, *see* variables, string
 TIFF, 142
 toolbar, main, 26
 tooltip, 26
 troubleshooting, 131–132
 unexpected problem, 132
 updates, *see* updates, troubleshooting
 ttest command, 13
 twoway line command, 20
 twoway scatter command, 15–17, 20
 two-way table, *see* table, two-way
 type command, 39

U

update command, 39
 updates, 39, 126–127
 automatic update checking, 127
 troubleshooting, 126
 use command, 49
 User's Guide, 121

V

value labels, creating and managing, 58
 Variable Properties windows, 55
 variables, 2
 allowable names, 55
 creating, 59, 91–96
 data type, 3, 5–6, 76, 92
 display format, 3, 28, 76
 dropping, 28, 66, 97–98
 formatting, 55
 generating, *see* variables, creating
 keeping, 66
 label, 28
 missing values, *see* missing values

variables, *continued*
name, 3, 76
 abbreviating, 71, 81–83
 auto-completion, 27
naming, 55
notes, 28
renaming, 28, 55
storage type, *see* variables, data type
string, 3–5, 95–96
 confusing with value labels, 86
text, *see* variables, string
Variables Manager, 65–68
 contextual menus, 66
 creating *varlists*, 66
 dropping variables, 66
 filtering variables, 65
 keeping variables, 66
 notes, 66–68
 properties pane, 67
 restore columns, 66
 restore sort order, 65
 right-clicking, 66
 toolbar button, 26
 Variable pane, 65–66
 variable properties pane, 67
Variables window, 1, 18, 25, 27–28, 31
 clicking, 27
 contextual menu, 27–28
varlist, 5, 22, 81, 97
 examples, *see* examples, *varlist*
view command, 39
Viewer, 31, 35–40
 buttons, 36
 calling from Command window, 40
 color scheme, 119
 commands, 39
 contextual menu, 38
 copy table as HTML, 38
 Find bar, 36–37
 fonts, 119
 links
 clicking, 37
 middle-clicking, 37
 Shift+clicking, 37
 log files, 117
 navigating, 38
 new window, 37
 opening, 35
 persistent, 37
 preferences, 39
 printing, 38, 39
 printing log files, 117
 right-clicking, 38
 selecting one Viewer, 37
 toolbar button, 26, 35
 viewing current log, 38
 viewing logs, 37

Viewer, *continued*
 viewing remote files, 38
 viewing text files, 37

W

windows, 25
 Auto Hide, 33
 closing, 120
 cycle, 25
 docking, 31, 37
 docking and undocking, 31–33
 docking guides, 31–32
 fine control, 31
 floating, 33–34
 linked, 31
 linking, 31–32
 nondocking, 31, 33
 opening, 120
 preferences, 31
 resizing, 32
 revealing, 25
 splitters, 32
 tabbed, 31
 tabbing, 32
 types, 31
Windows Metafile, *see* WMF
WMF, 38, 141
working directory, 30, 142

X

XML, 74
`xmluse` command, 69, 74