

## Subject and author index

This is the subject and author index for the *Stata User's Guide*. You may also want to consult the combined subject index (and the combined author index) in the *Stata Quick Reference and Index*. The combined index indexes the *Getting Started* manuals and all the Reference manuals except the *Mata Reference Manual*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

! (not), see logical operators  
 != (not equal), see relational operators  
 \* abbreviation character, see abbreviations  
 - abbreviation character, see abbreviations  
 < (less than), see relational operators  
 <= (less than or equal), see relational operators  
 == (equality), see relational operators  
 > (greater than), see relational operators  
 >= (greater than or equal), see relational operators  
 & (and), see logical operators  
 | (or), see logical operators  
 ? abbreviation characters, see abbreviations  
 ~ (not), see logical operators  
 ~ abbreviation character, see abbreviations  
 ~= (not equal), see relational operators

## A

.a, .b, . . . , .z, see missing values  
 abbreviations, [U] **11.2 Abbreviation rules**;  
     [U] **11.1.1 varlist**, [U] **11.4 varlists**  
 aborting command execution, [U] **9 The Break key**,  
     [U] **10 Keyboard use**  
 Access, Microsoft, reading data from, [U] **21.4 Transfer programs**  
 addition operator, see arithmetic operators  
 .ado filename suffix, [U] **11.6 File-naming conventions**  
 ado-files, [U] **3.5 The Stata Journal and the Stata Technical Bulletin**, [U] **17 Ado-files**,  
     [U] **18.11 Ado-files**  
     downloading, see files, downloading  
     installing, [U] **17.6 How do I install an addition?**  
     location, [U] **17.5 Where does Stata look for ado-files?**  
     long lines, [U] **18.11.2 Comments and long lines in ado-files**  
     official, [U] **28 Using the Internet to keep up to date**  
 adopath command, [U] **17.5 Where does Stata look for ado-files?**  
 adosize, [U] **18.11 Ado-files**  
 algebraic expressions, functions, and operators,  
     [U] **13 Functions and expressions**,  
     [U] **13.3 Functions**  
 \_all, [U] **11.1.1 varlist**

alphanumeric variables, see string variables  
 analytic weights, [U] **11.1.6 weight**,  
     [U] **20.17.2 Analytic weights**  
 and operator, [U] **13.2.4 Logical operators**  
 append command, [U] **22 Combining datasets**  
 appending data, [U] **22 Combining datasets**  
 arithmetic operators, [U] **13.2.1 Arithmetic operators**  
 Author Support Program, [U] **3.8.2 For authors**  
 auto.dta, [U] **1.2.1 Sample datasets**  
 autocode() function, [U] **25.1.2 Converting continuous variables to categorical variables**  
 [aweight=exp] modifier, [U] **11.1.6 weight**,  
     [U] **20.17.2 Analytic weights**

## B

\_b[], [U] **13.5 Accessing coefficients and standard errors**  
 BASE directory, [U] **17.5 Where does Stata look for ado-files?**  
 Belsley, D. A., [U] **18 Programming Stata**  
 Binder, D. A., [U] **20 Estimation and postestimation commands**  
 biyearly() function, [U] **25 Dealing with categorical variables**  
 Break key, [U] **9 The Break key**, [U] **16.1.4 Error handling in do-files**  
 built-in variables, [U] **11.3 Naming conventions**,  
     [U] **13.4 System variables (\_variables)**  
 by-groups, [U] **11.5 by varlist: construct**  
 by varlist: prefix, [U] **11.5 by varlist: construct**,  
     [U] **13.7 Explicit subscripting**, [U] **27.2 The by construct**  
 byte (storage type), [U] **12.2.2 Numeric storage types**

## C

categorical variables, [U] **25.1.2 Converting continuous variables to categorical variables**  
 Chambers, J. M., [U] **1 Read this—it will help**  
 char command, [U] **12.8 Characteristics**  
 character data, see string variables  
 characteristics, [U] **12.8 Characteristics**,  
     [U] **18.3.6 Extended macro functions**,  
     [U] **18.3.13 Referring to characteristics**  
 cclear option, [U] **11.2 Abbreviation rules**  
 Cleveland, W. S., [U] **1 Read this—it will help**  
 cmdlog command, [U] **15 Printing and preserving output**  
 \_coef[], [U] **13.5 Accessing coefficients and standard errors**  
 coefficients (from estimation),  
     accessing, [U] **13.5 Accessing coefficients and standard errors**  
     estimated linear combinations, see linear combinations of estimators  
 columns of matrix, names, [U] **14.2 Row and column names**  
 combining datasets, [U] **22 Combining datasets**

command  
  arguments, [U] **18.4 Program arguments**  
  parsing, [U] **18.4 Program arguments**  
  timings, [U] **8 Error messages and return codes**  
commands,  
  abbreviating, [U] **11.2 Abbreviation rules**  
  aborting, [U] **9 The Break key**, [U] **10 Keyboard use**  
  editing and repeating, [U] **10 Keyboard use**  
  immediate, [U] **19 Immediate commands**  
comments in programs, do-files, etc.,  
  [U] **16.1.2 Comments and blank lines in do-files**, [U] **18.11.2 Comments and long lines in ado-files**  
concatenating strings, [U] **13.2.2 String operators**  
confidence intervals, [U] **20.7 Specifying the width of confidence intervals**  
Cook, I., [U] **1 Read this—it will help**  
courses about Stata, [U] **3.7 NetCourses**  
Cox, N. J., [U] **12 Data**, [U] **13 Functions and expressions**, [U] **17 Ado-files**, [U] **23 Dealing with strings**, [U] **24 Dealing with dates and times**

## D

data, [U] **12 Data**  
  appending, see appending data  
  characteristics of, see characteristics  
  combining, see combining datasets  
  exporting, see exporting data  
  importing, see importing data  
  inputting, see importing data  
  labeling, see labeling data  
  large, dealing with, see memory  
  missing values, see missing values  
  reading, see reading data from disk  
  strings, see string variables  
  survey, see survey data  
data entry, see reading data from disk  
database, reading data from other software,  
  [U] **21.4 Transfer programs**  
datasets, sample, [U] **1.2.1 Sample datasets**  
date,  
  displaying, [U] **24.3 Displaying dates and times**;  
  [U] **12.5.3 Date and time formats**  
  formats, [U] **24.3 Displaying dates and times**;  
  [U] **12.5.3 Date and time formats**  
  functions, [U] **24.5 Extracting components of dates and times**  
  inputting, [U] **24.2 Inputting dates and times**  
  variables, [U] **24 Dealing with dates and times**  
datelist, [U] **11.1.9 datelist**  
day() function, [U] **24.5 Extracting components of dates and times**  
dBASE, reading data from, [U] **21.4 Transfer programs**  
.dct filename suffix, [U] **11.6 File-naming conventions**

Deaton, A., [U] **20 Estimation and postestimation commands**  
describe command, [U] **12.6 Dataset, variable, and value labels**  
difference of estimated coefficients, see linear combinations of estimators  
difference operator, [U] **11.4.3 Time-series varlists**  
digits, controlling the number displayed,  
  [U] **12.5 Formats: Controlling how data are displayed**  
directories, [U] **11.6 File-naming conventions**,  
  [U] **18.3.11 Constructing Windows filenames by using macros**  
  location of ado-files, [U] **17.5 Where does Stata look for ado-files?**  
discard command, [U] **18.11.3 Debugging ado-files**  
display command, [U] **19.1.2 A list of the immediate commands**  
display formats, [U] **12.5 Formats: Controlling how data are displayed**, [U] **24.3 Displaying dates and times**  
division operator, see arithmetic operators  
do command, [U] **16 Do-files**  
.do filename suffix, [U] **11.6 File-naming conventions**  
documentation, [U] **1 Read this—it will help**  
  keyword search on, [U] **4 Stata's online help and search facilities**  
do-files, [U] **16 Do-files**, [U] **18.2 Relationship between a program and a do-file**  
  long lines, [U] **18.11.2 Comments and long lines in ado-files**  
double (storage type), [U] **12.2.2 Numeric storage types**  
double-precision floating point number,  
  [U] **12.2.2 Numeric storage types**  
dow() date function, [U] **24.5 Extracting components of dates and times**  
.dta file suffix, [U] **11.6 File-naming conventions**  
dummy variables, see indicator variables

## E

e() scalars, macros, matrices, functions,  
  [U] **18.8 Accessing results calculated by other programs**, [U] **18.9 Accessing results calculated by estimation commands**, [U] **18.10.2 Saving results in e()**  
e-class command, [U] **18.8 Accessing results calculated by other programs**  
editing  
  commands, [U] **10 Keyboard use**  
  output, [U] **15 Printing and preserving output**  
encode command, [U] **23.2 Categorical string variables**  
entering data, see reading data from disk  
equality operator, [U] **13.2.3 Relational operators**  
equation names of matrix, [U] **14.2 Row and column names**

error

handling, [U] **16.1.4 Error handling in do-files**  
 messages and return codes, [U] **4.8.5 Return codes**,  
 [U] **8 Error messages and return codes**, *also*  
*see* error handling

estimate linear combinations of coefficients, *see* linear combinations of estimators

estimation commands, [U] **18.9 Accessing results calculated by estimation commands**,  
 [U] **26 Overview of Stata estimation commands**

estimators,

covariance matrix of, [U] **20.8 Obtaining the variance-covariance matrix**

linear combinations, [U] **20.12 Obtaining linear combinations of coefficients**

Everitt, B. S., [U] **1 Read this—it will help**

exit command, [U] **16.1.4 Error handling in do-files**

=*exp*, [U] **11 Language syntax**

exponential notation, [U] **12.2 Numbers**

exporting data, [U] **21.4 Transfer programs**

expressions, [U] **13 Functions and expressions**

## F

failure-time model, *see* survival-time model

FAQs, [U] **3.2 The <http://www.stata.com> web site**  
 search, [U] **4.8.4 FAQ searches**

files,

downloading, [U] **28 Using the Internet to keep up to date**

exporting, *see* exporting data

extensions, [U] **11.6 File-naming conventions**

importing, *see* importing data

names, [U] **11.6 File-naming conventions**,

[U] **18.3.11 Constructing Windows filenames by using macros**

F-keys, [U] **10 Keyboard use**

float, [U] **13.10 Precision and problems therein**

float (storage type), [U] **12.2.2 Numeric storage types**

float() function, [U] **13.10 Precision and problems therein**

%fmts, [U] **12.5 Formats: Controlling how data are displayed**

formats, [U] **12.5 Formats: Controlling how data are displayed**; [U] **24.3 Displaying dates and times**

formatted data, reading, [U] **21 Inputting data**

Foulkes, M. A., [U] **1.4 References**

FoxPro, reading data from, [U] **21.4 Transfer programs**

Frankel, M. R., [U] **20 Estimation and postestimation commands**

Freedman, L. S., [U] **1 Read this—it will help**

Freese, J., [U] **20 Estimation and postestimation commands**

frequency weights, [U] **11.1.6 weight**,

[U] **20.17.1 Frequency weights**

[*fweight=exp*] modifier, [U] **11.1.6 weight**,

[U] **20.17.1 Frequency weights**

Fuller, W. A., [U] **20 Estimation and postestimation commands**

functions, [U] **13.3 Functions**

date, [U] **24.5 Extracting components of dates and times**

matrix, [U] **14.8 Matrix functions**

[*fweight=exp*] modifier, [U] **11.1.6 weight**,

[U] **20.17.1 Frequency weights**

## G

Gail, M. H., [U] **1.4 References**, [U] **20 Estimation and postestimation commands**

Gauss, reading data from, [U] **21.4 Transfer programs**

getting started, [U] **1 Read this—it will help**

*Getting Started with Stata* manuals, [U] **1.1 Getting Started with Stata**

keyword search of, [U] **4 Stata's online help and search facilities**

global command, [U] **18.3.2 Global macros**,

[U] **18.3.10 Advanced global macro manipulation**

Gould, W., [U] **13 Functions and expressions**,

[U] **18 Programming Stata**, [U] **26 Overview of Stata estimation commands**

.gph files, [U] **11.6 File-naming conventions**

greater than (or equal) operator, [U] **13.2.3 Relational operators**

GUI, examples of, [U] **2 A brief description of Stata**

## H

Hampel, F. R., [U] **20 Estimation and postestimation commands**

help command, [U] **4 Stata's online help and search facilities**, [U] **7 –more– conditions**

writing your own, [U] **18.11.6 Writing online help help—I don't know what to do**, [U] **3 Resources for learning and using Stata**

Heyde, C. C., [U] **1 Read this—it will help**

hsearch command, [U] **4 Stata's online help and search facilities**

<http://www.stata.com>, [U] **3.2 The <http://www.stata.com> web site**

Huber, P. J., [U] **20 Estimation and postestimation commands**

hypertext help, [U] **4 Stata's online help and search facilities**, [U] **18.11.6 Writing online help**

## I

if *exp*, [U] **11 Language syntax**

immediate commands, [U] **19 Immediate commands**;  
 [U] **18.4.5 Parsing immediate commands**

importance weights, [U] **11.1.6 weight**,

[U] **20.17.4 Importance weights**

importing data, [U] **21.4 Transfer programs**

in *range* modifier, [U] **11 Language syntax**

index search, [U] **4 Stata's online help and search facilities**

indicator variables, [U] **25.1.3 Converting categorical variables to indicator variables**, [U] **25.2 Using indicator variables in estimation**

Informix, reading data from, [U] **21.4 Transfer programs**

inputting data from a file, see reading data from disk

installation

- of official updates, [U] **28 Using the Internet to keep up to date**
- of SJ and STB, [U] **3.6 Updating and adding features from the web**, [U] **17.6 How do I install an addition?**

int (storage type), [U] **12.2.2 Numeric storage types**

Internet, [U] **3.2 The <http://www.stata.com> web site**

- installation of updates from, [U] **28 Using the Internet to keep up to date**

interrupting command execution, [U] **10 Keyboard use**

[iweight=exp] modifier, [U] **11.1.6 weight**, [U] **20.17.4 Importance weights**

## J

Johnson, N. L., [U] **1 Read this—it will help**

joinby command, [U] **22 Combining datasets**

joining datasets, see combining datasets

## K

Kent, J. T., [U] **20 Estimation and postestimation commands**

keyboard

- entry, [U] **10 Keyboard use**
- search, [U] **4 Stata's online help and search facilities**

Kish, L., [U] **20 Estimation and postestimation commands**

Kleiner, B., [U] **1 Read this—it will help**

Kolev, G. I., [U] **11 Language syntax**

Kotz, S., [U] **1 Read this—it will help**

Kuh, E., [U] **18 Programming Stata**

## L

label command, [U] **12.6 Dataset, variable, and value labels**

label values, [U] **12.6 Dataset, variable, and value labels**; [U] **13.9 Label values**

labeling data, [U] **12.6 Dataset, variable, and value labels**

labeling data in other languages, [U] **12.6.4 Labels in other languages**

Lachin, J. M., [U] **1.4 References**

lag operator, [U] **11.4.3 Time-series varlists**

lagged values, [U] **13.7 Explicit subscripting**, [U] **13.8.1 Generating lags and leads**

language syntax, [U] **11 Language syntax**

lead

- operator, [U] **11.4.3 Time-series varlists**
- values, see lagged values

less than (or equal) operator, [U] **13.2.3 Relational operators**

likelihood-ratio tests, [U] **20.11.3 Likelihood-ratio tests**

limits, [U] **6 Setting the size of memory**

Lin, D. Y., [U] **20 Estimation and postestimation commands**

linear combinations of estimators, [U] **20.12 Obtaining linear combinations of coefficients**

lines, long, in do-files and ado-files, [U] **18.11.2 Comments and long lines in ado-files**

listserver, [U] **3.4 The Stata listserver**

loading data, see reading data from disk

local command, [U] **18.3.1 Local macros**, [U] **18.3.9 Advanced local macro manipulation**

log command, [U] **15 Printing and preserving output**, [U] **16.1.2 Comments and blank lines in do-files**

.log filename suffix, [U] **11.6 File-naming conventions**

log files, see log command

logical operators, [U] **13.2.4 Logical operators**

long (storage type), [U] **12.2.2 Numeric storage types**

Long, J. S., [U] **20 Estimation and postestimation commands**

long lines in ado-files and do-files, [U] **18.11.2 Comments and long lines in ado-files**

longitudinal data, see panel data

Lotus 1-2-3, reading data from, see spreadsheets

## M

Macintosh,

- keyboard use, [U] **10 Keyboard use**
- specifying filenames, [U] **11.6 File-naming conventions**

MacKinnon, J. G., [U] **20 Estimation and postestimation commands**

macros, [U] **18.3 Macros**

marginal effects, [U] **20.14 Obtaining marginal effects**

mathematical functions and expressions, [U] **13.3 Functions**

Matlab, reading data from, [U] **21.4 Transfer programs**

matrices, [U] **14 Matrix expressions**

- input, [U] **14.4 Inputting matrices by hand**
- operators such as addition, [U] **14.7 Matrix operators**
- row and column names, [U] **14.2 Row and column names**
- subscripting, [U] **14.9 Subscripting**

matsize command, [U] **6.2.2 Advice on setting matsize**, [U] **14 Matrix expressions**

maximum

- number of variables and observations, [U] **6 Setting the size of memory**
- size of dataset, [U] **6 Setting the size of memory**

memory, [U] **6 Setting the size of memory**  
 setting, [U] **6.2.3 Advice on setting memory**  
 virtual, [U] **6.5 Virtual memory and speed considerations**

memory command, [U] **6 Setting the size of memory**

merge command, [U] **22 Combining datasets**

merging data, see combining datasets

messages and return codes, see error messages and return codes

Microsoft  
 Access, reading data from, [U] **21.4 Transfer programs**  
 Windows, see Windows

missing values, [U] **12.2.1 Missing values**,  
 [U] **13 Functions and expressions**

month() function, [U] **24.5 Extracting components of dates and times**

more command and parameter, [U] **7 –more– conditions**

more condition, [U] **7 –more– conditions**,  
 [U] **16.1.6 Preventing –more– conditions**

multiplication operator, see arithmetic operators

multivariate analysis, [U] **26.18 Multivariate and cluster analysis**

## N

`_n` and `_N` built-in variables, [U] **13.4 System variables (\_variables)**, [U] **13.7 Explicit subscripting**

names, [U] **11.3 Naming conventions**

negation operator, see arithmetic operators

NetCourseNow, [U] **3.7 NetCourses**

NetCourses, [U] **3.7 NetCourses**

newsletter, [U] **3 Resources for learning and using Stata**

not equal operator, [U] **13.2.3 Relational operators**

not operator, [U] **13.2.4 Logical operators**

number to string conversion, see string functions, expressions, and operators

numbers, [U] **12.2 Numbers**

numeric list, [U] **11.1.8 numlist**

numerical precision, [U] **13.10 Precision and problems therein**

numlist command, [U] **11.1.8 numlist**

## O

observations,  
 built-in counter variable, [U] **11.3 Naming conventions**  
 maximum number of, [U] **6 Setting the size of memory**

ODBC data source, reading data from,  
 [U] **21.4 Transfer programs**, [U] **21.5 ODBC sources**

OLDPLACE directory, [U] **17.5 Where does Stata look for ado-files?**

online help, [U] **4 Stata’s online help and search facilities**; [U] **7 –more– conditions**

operator,  
 difference, [U] **11.4.3 Time-series varlists**  
 lag, [U] **11.4.3 Time-series varlists**  
 lead, [U] **11.4.3 Time-series varlists**  
 seasonal lag, [U] **11.4.3 Time-series varlists**

operators, [U] **13.2 Operators**  
 order of evaluation, [U] **13.2.5 Order of evaluation, all operators**

options, [U] **11 Language syntax**

or operator, [U] **13.2.4 Logical operators**

ORACLE, reading data from, [U] **21.4 Transfer programs**

out-of-sample predictions, [U] **20.9.3 Making out-of-sample predictions**

output, printing, [U] **15 Printing and preserving output**

## P

panel data, [U] **26.15 Panel-data models**

Paradox, reading data from, [U] **21.4 Transfer programs**

parsing, [U] **18.4 Program arguments**

partitioning memory, [U] **6 Setting the size of memory**

paths, [U] **11.6 File-naming conventions**

PERSONAL directory, [U] **17.5 Where does Stata look for ado-files?**

pharmacokinetic data, [U] **26.19 Pharmacokinetic data**

`–pi` built-in variable, [U] **11.3 Naming conventions**,  
 [U] **13.4 System variables (\_variables)**

pi, value of, [U] **11.3 Naming conventions**,  
 [U] **13.4 System variables (\_variables)**

Piantadosi, S., [U] **20 Estimation and postestimation commands**

platforms for which Stata is available,  
 [U] **5.1 Platforms**

PLUS directory, [U] **17.5 Where does Stata look for ado-files?**

power, raise to, function, see arithmetic operators

precision, [U] **13.10 Precision and problems therein**

predict command, [U] **20.9 Obtaining predicted values**

prefix command, [U] **11.1.10 Prefix commands**

printing, logs (output), [U] **15 Printing and preserving output**

probability weights, [U] **11.1.6 weight**,  
 [U] **20.17.3 Sampling weights**, *also see* survey data

[pweight=exp] modifier, [U] **11.1.6 weight**,  
 [U] **20.17.3 Sampling weights**

## Q

Quattro Pro, reading data from, [U] **21.4 Transfer programs**

quitting Stata, see exit command

quotes  
 to delimit strings, [U] **18.3.5 Double quotes**  
 to expand macros, [U] **18.3.1 Local macros**

## R

`r()` saved results, [U] **18.8 Accessing results calculated by other programs**, [U] **18.10.1 Saving results in r()**

`r-class` command, [U] **18.8 Accessing results calculated by other programs**

`raise` to a power function, [U] **13.2.1 Arithmetic operators**

random sample, [U] **21.3 If you run out of memory**

raw data, [U] **12 Data**

`.raw` filename suffix, [U] **11.6 File-naming conventions**

`_rc` built-in variable, [U] **13.4 System variables (\_variables)**

`rc` (return codes), see error messages and return codes

reading data from disk, [U] **21 Inputting data**, [U] **21.4 Transfer programs**

`recode()` function, [U] **25.1.2 Converting continuous variables to categorical variables**

record I/O versus stream I/O, [U] **21 Inputting data**

recording sessions, [U] **15 Printing and preserving output**

`regress` command, [U] **25.2 Using indicator variables in estimation**

regression (in generic sense), *also see* estimation commands

- accessing coefficients and standard errors, [U] **13.5 Accessing coefficients and standard errors**
- dummy variables, with, [U] **25.2 Using indicator variables in estimation**

relational operator, [U] **13.2.3 Relational operators**

repeating and editing commands, [U] **10 Keyboard use**

`replace` option, [U] **11.2 Abbreviation rules**

reserved names, [U] **11.3 Naming conventions**

return codes, see error messages and return codes

`#review` command, [U] **10 Keyboard use**, [U] **15 Printing and preserving output**

`rmsg`, [U] **8 Error messages and return codes**

Rogers, W. H., [U] **20 Estimation and postestimation commands**

round-off error, [U] **13.10 Precision and problems therein**

Royall, R. M., [U] **20 Estimation and postestimation commands**

Rubinstein, L. V., [U] **1.4 References**

`run` command, [U] **16 Do-files**

Ryan, P., [U] **11 Language syntax**

## S

`s()` saved results, [U] **18.8 Accessing results calculated by other programs**, [U] **18.10.3 Saving results in s()**

`s-class` command, [U] **18.8 Accessing results calculated by other programs**

sample datasets, [U] **1.2.1 Sample datasets**

sample, random, see random sample

sampling weights, [U] **11.1.6 weight**, [U] **20.17.3 Sampling weights**

Snatner, T. J., [U] **1.4 References**

SAS, reading data from, [U] **21.4 Transfer programs**

saved results, [U] **18.8 Accessing results calculated by other programs**, [U] **18.9 Accessing results calculated by estimation commands**, [U] **18.10 Saving results**

Schoenfeld, D., [U] **1 Read this—it will help scientific notation**, [U] **12.2 Numbers**

scores, obtaining, [U] **20.16 Obtaining scores**

`_se[]`, [U] **13.5 Accessing coefficients and standard errors**

`search` command, [U] **4 Stata's online help and search facilities**

seasonal lag operator, [U] **11.4.3 Time-series varlists**

Seneta, E., [U] **1 Read this—it will help session, recording**, [U] **15 Printing and preserving output**

significance levels, [U] **20.7 Specifying the width of confidence intervals**

single-precision floating point number, [U] **12.2.2 Numeric storage types**

SITE directory, [U] **17.5 Where does Stata look for ado-files?**

Small Stata, [U] **5 Flavors of Stata**

sort order for strings, [U] **13.2.3 Relational operators**

S-Plus, reading data from, [U] **21.4 Transfer programs**

spreadsheets, transferring

- from Stata, [U] **21.4 Transfer programs**
- into Stata, [U] **21 Inputting data**, [U] **21.4 Transfer programs**

SPSS, reading data from, [U] **21.4 Transfer programs**

standard errors, accessing, [U] **13.5 Accessing coefficients and standard errors**

Stat/Transfer, [U] **21.4 Transfer programs**

Stata

- description, [U] **2 A brief description of Stata**
- documentation, [U] **1 Read this—it will help exiting**, see `exit` command
- for Macintosh, see Macintosh
- for Unix, see Unix
- for Windows, see Windows
- limits, [U] **5 Flavors of Stata**
- listserver, [U] **3.4 The Stata listserver**
- NetCourseNow, [U] **3.7 NetCourses**
- NetCourses, [U] **3.7 NetCourses**
- platforms, [U] **5.1 Platforms**
- sample datasets, [U] **1.2.1 Sample datasets**
- Small, see Small Stata
- Stata/IC, see Stata/IC
- Stata/MP, see Stata/MP
- Stata/SE, see Stata/SE
- supplementary material, [U] **3 Resources for learning and using Stata**
- support, [U] **3 Resources for learning and using Stata**
- web site, [U] **3.2 The http://www.stata.com web site**

*Stata Journal* and *Stata Technical Bulletin*, [U] **3.5 The Stata Journal and the Stata Technical Bulletin**  
 installation of, [U] **17.6 How do I install an addition?**

keyword search of, [U] **4 Stata's online help and search facilities**

*Stata News*, [U] **3 Resources for learning and using Stata**

*Stata Technical Bulletin Reprints*, [U] **3.5 The Stata Journal and the Stata Technical Bulletin**

Stata/IC, [U] **5 Flavors of Stata**

Stata/MP, [U] **5 Flavors of Stata**

Stata/SE, [U] **5 Flavors of Stata**

Statalist, [U] **3.4 The Stata listserver**

STB, *see Stata Journal* and *Stata Technical Bulletin*

.sthlp files, [U] **4 Stata's online help and search facilities**, [U] **18.11.6 Writing online help**

stopping command execution, [U] **10 Keyboard use**

storage types, [U] **12.2.2 Numeric storage types**, [U] **12.4.4 String storage types**; [U] **11.4 varlists**  
**str#**, [U] **12.4.4 String storage types**

stream I/O versus record I/O, [U] **21 Inputting data**

string functions, expressions, and operators, [U] **12.4 Strings**, [U] **23 Dealing with strings**

string variables, [U] **12.4 Strings**, [U] **23 Dealing with strings**

inputting, [U] **21 Inputting data**

sort order, [U] **13.2.3 Relational operators**

subdirectories, [U] **11.6 File-naming conventions**

subscripts in expressions, [U] **13.7 Explicit subscripting**

subtraction operator, *see* arithmetic operators

support of Stata, [U] **3 Resources for learning and using Stata**

survey data, [U] **26.17 Survey data**

survival-time data, [U] **26.16 Survival-time (failure time) models**

Swagel, P., [U] **21 Inputting data**

Sybase, reading data from, [U] **21.4 Transfer programs**

syntax of Stata's language, [U] **11 Language syntax**

sysdir command, [U] **17.5 Where does Stata look for ado-files?**

Systat, reading data from, [U] **21.4 Transfer programs**

system variables, [U] **13.4 System variables** (**\_variables**)

## T

tab expansion of variable names, [U] **10.6 Tab expansion of variable names**

tables, printing, [U] **15 Printing and preserving output**

Tan, W. Y., [U] **20 Estimation and postestimation commands**

Tarone, R. E., [U] **1 Read this—it will help**

technical support, [U] **3.9 Technical support**

temporary

names, [U] **18.7.2 Temporary scalars and matrices**

variables, [U] **18.7.1 Temporary variables**

termcap(5), [U] **10 Keyboard use**

terminfo(4), [U] **10 Keyboard use**

test command, [U] **20.11 Performing hypothesis tests on the coefficients**

time-series

estimation, [U] **26.14 Models with time-series data**

operators, [U] **13.8 Time-series operators**

varlists, [U] **11.4.3 Time-series varlists**

transferring data

from Stata, [U] **21.4 Transfer programs**

into Stata, [U] **21 Inputting data**, [U] **21.4 Transfer programs**

Tukey, P. A., [U] **1 Read this—it will help**

tutorials, [U] **1.2.1 Sample datasets**

## U

underlining in syntax diagram, [U] **11 Language syntax**

underscore variables, [U] **13.4 System variables** (**\_variables**)

Unix,

keyboard use, [U] **10 Keyboard use**

specifying filenames, [U] **11.6 File-naming conventions**

UPDATES directory, [U] **17.5 Where does Stata look for ado-files?**

updates to Stata, [U] **3.5 The Stata Journal and the Stata Technical Bulletin**, [U] **3.6 Updating and adding features from the web**, [U] **17.6 How do I install an addition?**

Upton, G., [U] **1 Read this—it will help**

## V

value labels, [U] **12.6.3 Value labels**, [U] **13.9 Label values**

variable

labels, [U] **11.4 varlists**, [U] **12.6.2 Variable labels**

lists, *see varlist*

types, [U] **11.4 varlists**, [U] **12.2.2 Numeric storage types**, [U] **12.4.4 String storage types**

**\_variables**, [U] **11.3 Naming conventions**, [U] **13.4 System variables** (**\_variables**)

variables,

characteristics of, [U] **12.8 Characteristics**

dummy, *see* indicator variables

in dataset, maximum number of, [U] **6 Setting the size of memory**

naming, [U] **11.2 Abbreviation rules**,

[U] **11.3 Naming conventions**

storage types, *see* storage types

string, *see* string variables

system, *see* system variables

tab expansion of, [U] **10.6 Tab expansion of variable names**

variance–covariance matrix, obtaining,

[U] **20.8 Obtaining the variance–covariance matrix**

*varlist*, [U] **11 Language syntax**, [U] **11.4 varlists**  
existing, [U] **11.4.1 Lists of existing variables**  
new, [U] **11.4.2 Lists of new variables**  
time series, [U] **11.4.3 Time-series varlists**  
version command, [U] **16.1.1 Version**,  
[U] **18.11.1 Version**  
version control, see version command  
virtual memory, [U] **6.5 Virtual memory and speed considerations**

## W

Wald tests, [U] **20.11 Performing hypothesis tests on the coefficients**, [U] **20.11.4 Nonlinear Wald tests**  
web site,  
stata.com, [U] **3.2 The <http://www.stata.com> web site**  
stata-press.com, [U] **3.3 The <http://www.stata-press.com> web site**  
Weesie, J., [U] **20 Estimation and postestimation commands**  
Wei, L. J., [U] **20 Estimation and postestimation commands**  
[weight=*exp*] modifier, [U] **11.1.6 weight**, [U] **20.17 Weighted estimation**  
weighted data, [U] **11.1.6 weight**, [U] **20.17 Weighted estimation**, also see survey data  
weights, sampling, see probability weights  
Welsch, R. E., [U] **18 Programming Stata**  
which command, [U] **17.3 How can I tell if a command is built in or an ado-file?**  
White, H., [U] **20 Estimation and postestimation commands**  
Windows,  
filenames, [U] **18.3.11 Constructing Windows filenames by using macros**  
keyboard use, [U] **10 Keyboard use**  
specifying filenames, [U] **11.6 File-naming conventions**  
www.stata.com web site, [U] **3.2 The <http://www.stata.com> web site**  
www.stata-press.com web site, [U] **3.3 The <http://www.stata-press.com> web site**

## Y

year() function, [U] **24.5 Extracting components of dates and times**