

# Subject and author index

This is the subject and author index for the *Stata Programming Reference Manual*. Readers interested in topics other than programming should see the combined subject index (and the combined author index) in the *Stata Quick Reference and Index*. The combined index indexes the *Getting Started* manuals, the *User's Guide*, and all the Reference manuals except the *Mata Reference Manual*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

\* comment indicator, [P] **comments**  
 .. class, [P] **class**  
 /\* \*/ comment delimiter, [P] **comments**  
 // comment indicator, [P] **comments**  
 /// comment indicator, [P] **comments**  
 ; delimiter, [P] **#delimit**

## A

abbreviations,  
   unabbreviating command names, [P] **unabcmd**  
   unabbreviating variable list, [P] **unab**; [P] **syntax**  
 accum, **matrix** subcommand, [P] **matrix accum**  
 add, **return** subcommand, [P] **return**  
 ado-files, [P] **sysdir**, [P] **version**  
   adding comments to, [P] **comments**  
   debugging, [P] **trace**  
   long lines, [P] **#delimit**  
 adopath command, [P] **sysdir**  
 adosize set command, [P] **sysdir**  
 adosubdir macro extended function, [P] **macro**  
 algebraic expressions, functions, and operators,  
   [P] **matrix define**  
 all macro extended function, [P] **macro**  
 alphanumeric variables, see string variables  
 Anderson, E., [P] **matrix eigenvalues**  
 appending rows and columns to matrix, [P] **matrix define**  
 args command, [P] **syntax**  
 arithmetic operators, [P] **matrix define**  
 arrays, class, [P] **class**  
 .Arrdropall built-in class modifier, [P] **class**  
 .Arrdropel built-in class modifier, [P] **class**  
 .Arrindexof built-in class function, [P] **class**  
 .Arrnel built-in class function, [P] **class**  
 .Arrpop built-in class modifier, [P] **class**  
 .Arrpush built-in class modifier, [P] **class**  
 as error, display directive, [P] **display**  
 as input, display directive, [P] **display**  
 as result, display directive, [P] **display**  
 as text, display directive, [P] **display**  
 as txt, display directive, [P] **display**  
 ASCII text files, reading and writing, [P] **file**  
 \_asis, display directive, [P] **display**

assignment, class, [P] **class**  
 Automation, [P] **automation**

## B

Bai, Z., [P] **matrix eigenvalues**  
 BASE directory, [P] **sysdir**  
 basis, orthonormal, [P] **matrix svd**  
 Baum, C. F., [P] **levelsof**  
 Beckett, S., [P] **pause**  
 binary files, reading and writing, [P] **file**  
 Binder, D. A., [P] **\_robust**  
 Bischof, C., [P] **matrix eigenvalues**  
 Blackford, S., [P] **matrix eigenvalues**  
 bootstrap sampling and estimation, [P] **postfile**  
 Boyle, J. M., [P] **matrix syeigen**  
 break command, [P] **break**  
 Break key, interception, [P] **break**, [P] **capture**  
 built-in, class, [P] **class**  
 \_by() function, [P] **byable**  
 by varlist: prefix, [P] **byable**  
 byable, [P] **byable**  
 by-groups, [P] **byable**  
 \_byindex() function, [P] **byable**  
 \_bylastcall() function, [P] **byable**  
 \_byn1() function, [P] **byable**  
 \_byn2() function, [P] **byable**

## C

c(adopath) c-class value, [P] **creturn**, [P] **sysdir**  
 c(adosize) c-class value, [P] **creturn**, [P] **sysdir**  
 c(ALPHA) c-class value, [P] **creturn**  
 c(alpha) c-class value, [P] **creturn**  
 c(autotabgraphs) c-class value, [P] **creturn**  
 c(born\_date) c-class value, [P] **creturn**  
 c(byteorder) c-class value, [P] **creturn**  
 c(changed) c-class value, [P] **creturn**  
 c(checksum) c-class value, [P] **creturn**  
 c(cmdlen) c-class value, [P] **creturn**  
 c(console) c-class value, [P] **creturn**  
 c(copycolor) c-class value, [P] **creturn**  
 c(current\_date) c-class value, [P] **creturn**  
 c(current\_time) c-class value, [P] **creturn**  
 c(dirsep) c-class value, [P] **creturn**  
 c(dockable) c-class value, [P] **creturn**  
 c(dockingguides) c-class value, [P] **creturn**  
 c(doublebuffer) c-class value, [P] **creturn**  
 c(dp) c-class value, [P] **creturn**  
 c(eolchar) c-class value, [P] **creturn**  
 c(epsdouble) c-class value, [P] **creturn**  
 c(epsfloat) c-class value, [P] **creturn**  
 c(fastscroll) c-class value, [P] **creturn**  
 c(filedate) c-class value, [P] **creturn**  
 c(filename) c-class value, [P] **creturn**  
 c(flavor) c-class value, [P] **creturn**  
 c(floatresults) c-class value, [P] **creturn**

c(floatwindows) c-class value, [P] **return**  
c(graphics) c-class value, [P] **return**  
c(httpproxy) c-class value, [P] **return**  
c(httpproxyauth) c-class value, [P] **return**  
c(httpproxyhost) c-class value, [P] **return**  
c(httpproxyport) c-class value, [P] **return**  
c(httpproxypw) c-class value, [P] **return**  
c(httpproxyuser) c-class value, [P] **return**  
c(icmp) c-class value, [P] **return**  
c(k) c-class value, [P] **return**  
c(level) c-class value, [P] **return**  
c(linegap) c-class value, [P] **return**  
c(linesize) c-class value, [P] **return**  
c(locksplitters) c-class value, [P] **return**  
c(logtype) c-class value, [P] **return**  
c(macgphengine) c-class value, [P] **return**  
c(machine\_type) c-class value, [P] **return**  
c(macrolen) c-class value, [P] **return**  
c(matocache) c-class value, [P] **return**  
c(matafavor) c-class value, [P] **return**  
c(matalibs) c-class value, [P] **return**  
c(matalnum) c-class value, [P] **return**  
c(matamofirst) c-class value, [P] **return**  
c(mataoptimize) c-class value, [P] **return**  
c(matastrict) c-class value, [P] **return**  
c(matsize) c-class value, [P] **return**  
c(maxbyte) c-class value, [P] **return**  
c(max\_cmdlen) c-class value, [P] **return**  
c(maxdb) c-class value, [P] **return**  
c(maxdouble) c-class value, [P] **return**  
c(maxfloat) c-class value, [P] **return**  
c(maxint) c-class value, [P] **return**  
c(maxiter) c-class value, [P] **return**  
c(max\_k\_current) c-class value, [P] **return**  
c(max\_k\_theory) c-class value, [P] **return**  
c(maxlong) c-class value, [P] **return**  
c(max\_macrolen) c-class value, [P] **return**  
c(max\_matsize) c-class value, [P] **return**  
c(max\_N\_current) c-class value, [P] **return**  
c(max\_N\_theory) c-class value, [P] **return**  
c(maxstrvarlen) c-class value, [P] **return**  
c(maxvar) c-class value, [P] **return**  
c(max\_width\_current) c-class value, [P] **return**  
c(max\_width\_theory) c-class value, [P] **return**  
c(memory) c-class value, [P] **return**  
c(minbyte) c-class value, [P] **return**  
c(mindouble) c-class value, [P] **return**  
c(minfloat) c-class value, [P] **return**  
c(minint) c-class value, [P] **return**  
c(minlong) c-class value, [P] **return**  
c(min\_matsize) c-class value, [P] **return**  
c(mode) c-class value, [P] **return**  
c(Mons) c-class value, [P] **return**  
c(Months) c-class value, [P] **return**  
c(more) c-class value, [P] **return**, [P] **more**  
c(MP) c-class value, [P] **return**  
c(N) c-class value, [P] **return**  
c(namelen) c-class value, [P] **return**  
c(odbcmgr) c-class value, [P] **return**  
c(os) c-class value, [P] **return**  
c(osdtl) c-class value, [P] **return**  
c(pagesize) c-class value, [P] **return**  
c(persistfv) c-class value, [P] **return**  
c(persistvtopic) c-class value, [P] **return**  
c(pi) c-class value, [P] **return**  
c(piccomments) c-class value, [P] **return**  
c(pinnable) c-class value, [P] **return**  
c(printcolor) c-class value, [P] **return**  
c(processors) c-class value, [P] **return**  
c(processors\_lic) c-class value, [P] **return**  
c(processors\_mach) c-class value, [P] **return**  
c(processors\_max) c-class value, [P] **return**  
c(pwd) c-class value, [P] **return**  
c(rc) c-class value, [P] **capture**, [P] **return**  
c(reventries) c-class value, [P] **return**  
c(revwindow) c-class value, [P] **return**  
c(rmsg) c-class value, [P] **return**, [P] **rmsg**  
c(rmsg\_time) c-class value, [P] **return**  
c(scheme) c-class value, [P] **return**  
c(scrollbufsize) c-class value, [P] **return**  
c(SE) c-class value, [P] **return**  
c(searchdefault) c-class value, [P] **return**  
c(seed) c-class value, [P] **return**  
c(smoothfonts) c-class value, [P] **return**  
c(smoothsize) c-class value, [P] **return**  
c(stata\_version) c-class value, [P] **return**  
c(sysdir\_base) c-class value, [P] **return**, [P] **sysdir**  
c(sysdir\_oldplace) c-class value, [P] **return**,  
[P] **sysdir**  
c(sysdir\_personal) c-class value, [P] **return**,  
[P] **sysdir**  
c(sysdir\_plus) c-class value, [P] **return**, [P] **sysdir**  
c(sysdir\_site) c-class value, [P] **return**, [P] **sysdir**  
c(sysdir\_stata) c-class value, [P] **return**,  
[P] **sysdir**  
c(sysdir\_updates) c-class value, [P] **return**,  
[P] **sysdir**  
c(timeout1) c-class value, [P] **return**  
c(timeout2) c-class value, [P] **return**  
c(trace) c-class value, [P] **return**, [P] **trace**  
c(tracedepth) c-class value, [P] **return**, [P] **trace**  
c(traceexpand) c-class value, [P] **return**, [P] **trace**  
c(tracehilite) c-class value, [P] **return**, [P] **trace**  
c(traceindent) c-class value, [P] **return**, [P] **trace**  
c(tracenumber) c-class value, [P] **return**, [P] **trace**  
c(tracesep) c-class value, [P] **return**, [P] **trace**  
c(type) c-class value, [P] **return**  
c(update\_interval) c-class value, [P] **return**  
c(update\_prompt) c-class value, [P] **return**  
c(update\_query) c-class value, [P] **return**  
c(use\_atsui\_graph) c-class value, [P] **return**  
c(use\_qd\_text) c-class value, [P] **return**  
c(varabbrev) c-class value, [P] **return**  
c(varlabelpos) c-class value, [P] **return**

- c(varwindow)** c-class value, [P] **creturn**  
**c(version)** c-class value, [P] **creturn**, [P] **version**  
**c(virtual)** c-class value, [P] **creturn**  
**c(wdays)** c-class value, [P] **creturn**  
**c(weekdays)** c-class value, [P] **creturn**  
**c(width)** c-class value, [P] **creturn**  
c-class command, [P] **creturn**  
capture command, [P] **capture**  
casewise deletion, [P] **mark**  
**cdir**, **classutil** subcommand, [P] **classutil**  
certifying data, [P] **\_datasignature**,  
[P] **signestimationsample**  
**\_char(#)**, display directive, [P] **display**  
**char**  
define command, [P] **char**  
list command, [P] **char**  
rename command, [P] **char**  
**char** macro extended function, [P] **macro**  
characteristics, [P] **char**  
**charset**, **set** subcommand, [P] **smcl**  
**checkestimationsample** command,  
[P] **signestimationsample**  
checksums of data, [P] **\_datasignature**  
Cholesky decomposition, [P] **matrix define**  
**cholesky()** matrix function, [P] **matrix define**  
**class**  
definition, [P] **class**  
programming, [P] **class**  
programming utilities, [P] **classutil**  
**class exit** command, [P] **class exit**  
**.classmv** built-in class function, [P] **class**  
**.classname** built-in class function, [P] **class**  
**classutil**  
**cdir** command, [P] **classutil**  
**describe** command, [P] **classutil**  
**dir** command, [P] **classutil**  
**drop** command, [P] **classutil**  
**which** command, [P] **classutil**  
classwide variable, [P] **class**  
**clear**,  
**ereturn** subcommand, [P] **ereturn**; [P] **return**  
**\_estimates** subcommand, [P] **\_estimates**  
**postutil** subcommand, [P] **postfile**  
**return** subcommand, [P] **return**  
**rserset** subcommand, [P] **rserset**  
**sreturn** subcommand, [P] **return**; [P] **program**  
**timer** subcommand, [P] **timer**  
clearing estimation results, [P] **\_estimates**, [P] **ereturn**  
**close**, **file** subcommand, [P] **file**  
cluster estimator of variance, [P] **\_robust**  
cluster sampling, [P] **\_robust**  
Cochran, W. G., [P] **levelsof**  
code, timing, [P] **timer**  
coefficients (from estimation), accessing, [P] **ereturn**,  
[P] **matrix get**  
**coleq** macro extended function, [P] **macro**  
**coleq**, **matrix** subcommand, [P] **matrix rownames**  
**colfullnames** macro extended function, [P] **macro**  
collinear variables, removing, [P] **\_rmcoll**  
**colnames** macro extended function, [P] **macro**  
**colnames**, **matrix** subcommand, [P] **matrix**  
**rownames**  
**colnumb()** matrix function, [P] **matrix define**  
colors, specifying in programs, [P] **display**  
**colsof()** matrix function, [P] **matrix define**  
**\_column(#)**, display directive, [P] **display**  
columns of matrix,  
appending to, [P] **matrix define**  
names of, [P] **ereturn**, [P] **matrix define**, [P] **matrix**  
**rownames**  
operators on, [P] **matrix define**  
**command**  
arguments, [P] **gettoken**, [P] **syntax**, [P] **tokenize**  
parsing, [P] **gettoken**, [P] **syntax**, [P] **tokenize**  
**commands**,  
aborting, [P] **continue**  
repeating automatically, [P] **byable**, [P] **continue**,  
[P] **foreach**, [P] **forvalues**, [P] **while**  
unabbreviating names of, [P] **unabcmd**  
**comments**, adding to programs, [P] **comments**  
compatibility of Stata programs across releases,  
[P] **version**  
compound double quotes, [P] **macro**  
condition statement, [P] **if**  
**confirm**  
existence command, [P] **confirm**  
file command, [P] **confirm**  
format command, [P] **confirm**  
matrix command, [P] **confirm**  
names command, [P] **confirm**  
number command, [P] **confirm**  
scalar command, [P] **confirm**  
variable command, [P] **confirm**  
**console**,  
controlling scrolling of output, [P] **more**  
obtaining input from, [P] **display**  
constrained estimation, programming, [P] **makecns**  
constraint macro extended function, [P] **macro**  
constraint matrix, creating and displaying, [P] **makecns**  
**context**, **class**, [P] **class**  
**\_continue**, display directive, [P] **display**  
**continue** command, [P] **continue**  
Cook, R. D., [P] **\_predict**  
**.copy** built-in class function, [P] **class**  
**copy** macro extended function, [P] **macro**  
**corr()** matrix function, [P] **matrix define**  
correlation, matrices, [P] **matrix define**  
covariance matrix of estimators, [P] **ereturn**, [P] **matrix**  
**get**  
Cox, G. M., [P] **levelsof**  
Cox, N. J., [P] **levelsof**, [P] **matrix define**  
**create**, **rserset** subcommand, [P] **rserset**  
**create\_cspline**, **rserset** subcommand, [P] **rserset**  
**create\_xmedians**, **rserset** subcommand, [P] **rserset**

creturn list command, [P] **creturn**  
 cross-product matrices, [P] **matrix accum**  
 cutil, see **classutil**

## D

data label macro extended function, [P] **macro**  
 data signature, [P] **\_datasignature**,  
 [P] **signestimationsample**  
 data,  
   characteristics of, see **characteristics**  
   checksums of, [P] **signestimationsample**  
   current, [P] **creturn**  
   preserving, [P] **preserve**  
 \_datasignature command, [P] **\_datasignature**  
 date and time, [P] **creturn**  
 debugging, [P] **trace**; [P] **discard**, [P] **pause**  
 .Declare built-in class modifier, [P] **class**  
 declare, class, [P] **class**  
 define,  
   char subcommand, [P] **char**  
   matrix subcommand, [P] **matrix define**  
   program subcommand, [P] **program**, [P] **program**  
   **properties**  
 #delimit command, [P] **#delimit**  
 delimiter  
   for comments, [P] **comments**  
   for lines, [P] **#delimit**  
 Demmel, J., [P] **matrix eigenvalues**  
 describe, **classutil** subcommand, [P] **classutil**  
 destructors, class, [P] **class**  
 det() matrix function, [P] **matrix define**  
 determinant of matrix, [P] **matrix define**  
 diag() matrix function, [P] **matrix define**  
 diag0cnt() matrix function, [P] **matrix define**  
 diagonals of matrices, [P] **matrix define**  
 dialog  
   box, [P] **dialog programming**, [P] **window**  
   **programming**  
   programming, [P] **dialog programming**, [P] **window**  
   **programming**  
 dir,  
   **classutil** subcommand, [P] **classutil**  
   **\_estimates** subcommand, [P] **\_estimates**  
   macro subcommand, [P] **macro**  
   matrix subcommand, [P] **matrix utility**  
   postutil subcommand, [P] **postfile**  
   program subcommand, [P] **program**  
   \_return subcommand, [P] **\_return**  
   serset subcommand, [P] **serset**  
 dir macro extended function, [P] **macro**  
 directories and paths, [P] **creturn**  
 directory, class, [P] **classutil**  
 discard command, [P] **discard**  
 display command, [P] **display**; [P] **macro**  
 display, ereturn subcommand, [P] **ereturn**  
 display formats, [P] **macro**

display macro extended function, [P] **display**  
 displaying  
   macros, [P] **macro**  
   matrix, [P] **matrix utility**  
   output, [P] **display**, [P] **quietly**, [P] **smcl**,  
   [P] **tabdisp**  
   scalar expressions, [P] **display**, [P] **scalar**  
 dissimilarity  
   matrices, [P] **matrix dissimilarity**  
   measures, [P] **matrix dissimilarity**  
 dissimilarity, matrix subcommand, [P] **matrix**  
   **dissimilarity**  
 distance matrices, [P] **matrix dissimilarity**  
 DLL, [P] **plugin**  
 do-files, [P] **break**, [P] **include**, [P] **version**  
   adding comments to, [P] **comments**  
   long lines, [P] **#delimit**  
 Dongarra, J. J., [P] **matrix eigenvalues**, [P] **matrix**  
   **symeigen**  
 double quotes, [P] **macro**  
 drop,  
   **classutil** subcommand, [P] **classutil**  
   **\_estimates** subcommand, [P] **\_estimates**  
   macro subcommand, [P] **macro**  
   matrix subcommand, [P] **matrix utility**  
   program subcommand, [P] **program**  
   \_return subcommand, [P] **\_return**  
   serset subcommand, [P] **serset**  
 dropping programs, [P] **discard**  
 .dta file suffix, technical description, [P] **file formats**  
   **.dta**  
 Du Croz, J., [P] **matrix eigenvalues**  
 \_dup(#), display directive, [P] **display**  
 .dynamicmv built-in class function, [P] **class**

## E

e(functions) macro extended function, [P] **macro**  
 e(macros) macro extended function, [P] **macro**  
 e(matrices) macro extended function, [P] **macro**  
 e(scalars) macro extended function, [P] **macro**  
 e() scalars, macros, matrices, functions, [P] **\_estimates**,  
 [P] **ereturn**, [P] **return**  
 e(sample) function, [P] **return**  
 e-class command, [P] **program**, [P] **return**  
 eigenvalues, [P] **matrix eigenvalues**, [P] **matrix**  
   **symeigen**  
 eigenvalues and eigenvectors, [P] **matrix svd**,  
 [P] **matrix symeigen**  
 eigenvalues, matrix subcommand, [P] **matrix**  
   **eigenvalues**  
 e1() matrix function, [P] **matrix define**  
 else command, [P] **if**  
 ending a Stata session, [P] **exit**  
 environment macro extended function, [P] **macro**  
 environment variables (Unix), [P] **macro**  
 equation names of matrix, [P] **matrix rownames**;  
 [P] **ereturn**, [P] **matrix define**

**ereturn**  
 clear command, [P] **ereturn**; [P] **return**  
 display command, [P] **ereturn**  
 list command, [P] **ereturn**  
 local command, [P] **ereturn**; [P] **return**  
 matrix command, [P] **ereturn**; [P] **return**  
 post command, [P] **ereturn**, [P] **makeecns**;  
 [P] **return**  
 repost command, [P] **ereturn**; [P] **return**  
 scalar command, [P] **ereturn**; [P] **return**

**error**  
 handling, [P] **capture**, [P] **confirm**, [P] **error**  
 messages and return codes, [P] **error**, [P] **rmsg**, *also*  
 see error handling

**error** command, [P] **error**

**e(sample)** function, [P] **ereturn**

**estat**, [P] **estat programming**

**\_estimates**  
 clear command, [P] **\_estimates**  
 dir command, [P] **\_estimates**  
 drop command, [P] **\_estimates**  
 hold command, [P] **\_estimates**  
 unhold command, [P] **\_estimates**

**estimation**  
 commands, [P] **\_estimates**, [P] **ereturn**  
 accessing stored information from, [P] **matrix get**  
 allowing constraints in, [P] **makeecns**  
 eliminating stored information from, [P] **discard**  
 obtaining predictions after, [P] **\_predict**  
 obtaining robust estimates, [P] **\_robust**  
 saving results from, [P] **\_estimates**

results,  
 clearing, [P] **\_estimates**, [P] **ereturn**  
 listing, [P] **\_estimates**, [P] **ereturn**  
 saving, [P] **\_estimates**, [P] **ereturn**

estimators, covariance matrix of, [P] **ereturn**,  
 [P] **matrix get**

existence, confirm subcommand, [P] **confirm**

exit class program, [P] **class exit**

exit, class subcommand, [P] **class exit**

exit command, [P] **capture**, [P] **exit**

exiting Stata, see exit command

expressions, [P] **matrix define**

extended macro functions, [P] **char**, [P] **display**,  
 [P] **macro**, [P] **macro lists**, [P] **rserset**

## F

**file**  
 close command, [P] **file**  
 open command, [P] **file**  
 query command, [P] **file**  
 read command, [P] **file**  
 seek command, [P] **file**  
 sersersetread command, [P] **serset**  
 sersersetwrite command, [P] **serset**  
 set command, [P] **file**  
 write command, [P] **file**

file, confirm subcommand, [P] **confirm**

file, find in path, [P] **findfile**

file format, Stata, [P] **file formats .dta**

files,  
 opening, [P] **window programming**  
 reading ASCII text or binary, [P] **file**  
 saving, [P] **window programming**  
 temporary, [P] **macro**, [P] **preserve**, [P] **scalar**  
 writing ASCII text or binary, [P] **file**

**findfile** command, [P] **findfile**

finding file in path, [P] **findfile**

Fisher, R. A., [P] **levelsof**

Flannery, B. P., [P] **matrix symeigen**

**fopen**, window subcommand, [P] **window programming**

**foreach** command, [P] **foreach**

format macro extended function, [P] **macro**

format, confirm subcommand, [P] **confirm**

formatting contents of macros, [P] **macro**

**forvalues** command, [P] **forvalues**

Frankel, M. R., [P] **\_robust**

**fsave**, window subcommand, [P] **window programming**

Fuller, W. A., [P] **\_robust**

functions  
 extended macro, [P] **char**, [P] **display**, [P] **macro**,  
 [P] **macro lists**, [P] **rserset**  
 matrix, [P] **matrix define**

## G

**g2** inverse of matrix, [P] **matrix define**, [P] **matrix svd**

Gail, M. H., [P] **\_robust**

Garbow, B. S., [P] **matrix symeigen**

generalized  
 inverse of matrix, [P] **matrix define**, [P] **matrix svd**  
 method of moments (GMM), [P] **matrix accum**

**get()** matrix function, [P] **matrix define**, [P] **matrix get**

**gettoken** command, [P] **gettoken**

Global, class prefix operator, [P] **class**

**global** command, [P] **macro**

**glsaccum**, matrix subcommand, [P] **matrix accum**

Gould, W. W., [P] **\_datasignature**, [P] **\_robust**,  
 [P] **matrix mkmat**, [P] **postfile**

graphical user interface, [P] **dialog programming**

Greenbaum, A., [P] **matrix eigenvalues**

Greene, W. H., [P] **matrix accum**

GUI programming, [P] **dialog programming**

## H

**hadamard()** matrix function, [P] **matrix define**

Hamilton, J. D., [P] **matrix eigenvalues**

Hammarling, S., [P] **matrix eigenvalues**

Heinecke, K., [P] **matrix mkmat**

heteroskedasticity, robust variances, see robust

hold,  
  **\_estimates** subcommand, [P] **\_estimates**  
  **\_return** subcommand, [P] **\_return**  
Huber, P. J., [P] **\_robust**  
Huber/White/sandwich estimator of variance, see **robust**,  
  Huber/White/sandwich estimator of variance

## I

I() matrix function, [P] **matrix define**  
identifier, class, [P] **class**  
identity matrix, [P] **matrix define**  
if *exp*, [P] **syntax**  
if programming command, [P] **if**  
Ikebe, Y., [P] **matrix symeigen**  
immediate commands, [P] **display**  
implied context, class, [P] **class**  
in *range* modifier, [P] **syntax**  
in **smcl**, **display** directive, [P] **display**  
**include** command, [P] **include**  
information matrix, [P] **matrix get**  
inheritance, [P] **class**  
initialization, class, [P] **class**  
**input**, **matrix** subcommand, [P] **matrix define**  
input, obtaining from console in programs, see **console**  
instance, class, [P] **class**  
instance-specific variable, [P] **class**  
**.instancemv** built-in class function, [P] **class**  
**inv()** matrix function, [P] **matrix define**  
inverse of matrix, [P] **matrix define**, [P] **matrix svd**  
**invsym()** matrix function, [P] **matrix define**  
**.isa** built-in class function, [P] **class**  
**.isofclass** built-in class function, [P] **class**  
**issymmetric()** matrix function, [P] **matrix define**

## J

J() matrix function, [P] **matrix define**

## K

Kennedy W., [P] **\_robust**  
Kent, J. T., [P] **\_robust**  
Kish, L., [P] **\_robust**  
Klema, V. C., [P] **matrix symeigen**  
Kolev, G. I., [P] **scalar**  
Kronecker product, [P] **matrix define**

## L

**label** macro extended function, [P] **macro**  
label values, [P] **macro**  
language syntax, [P] **syntax**  
**length** macro extended function, [P] **macro**  
**level** command and value, [P] **macro**  
**levelsof** command, [P] **levelsof**

limits,  
  numerical and string, [P] **creturn**  
  system, [P] **creturn**  
Lin, D. Y., [P] **\_robust**  
linear combinations, forming, [P] **matrix score**  
lines, long, in do-files and ado-files, [P] **#delimit**  
list,  
  **char** subcommand, [P] **char**  
  **creturn** subcommand, [P] **creturn**  
  **ereturn** subcommand, [P] **ereturn**  
  **macro** subcommand, [P] **macro**  
  **matrix** subcommand, [P] **matrix utility**  
  **program** subcommand, [P] **program**  
  **sysdir** subcommand, [P] **sysdir**  
  **timer** subcommand, [P] **timer**  
list macro extended function, [P] **macro lists**  
list manipulation, [P] **macro lists**  
listing  
  estimation results, [P] **\_estimates**, [P] **ereturn**  
  macro expanded functions, [P] **macro lists**  
  values of a variable, [P] **levelsof**  
**local**  
  ++ command, [P] **macro**  
  - command, [P] **macro**  
  command, [P] **macro**  
**local**,  
  **ereturn** subcommand, [P] **ereturn**  
  **return** subcommand, [P] **return**  
  **sreturn** subcommand, [P] **return**  
**Local**, class prefix operator, [P] **class**  
long lines in ado-files and do-files, [P] **#delimit**  
looping, [P] **continue**, [P] **foreach**, [P] **forvalues**,  
  [P] **while**  
*lvalue*, class, [P] **class**

## M

Macintosh, pause, [P] **sleep**  
MacKinnon, J. G., [P] **\_robust**  
**macro**  
  **dir** command, [P] **macro**  
  **drop** command, [P] **macro**  
  **list** command, [P] **macro**  
  **shift** command, [P] **macro**  
macro substitution, [P] **macro**  
  class, [P] **class**  
macros, [P] **macro**; [P] **creturn**, [P] **scalar**, [P] **syntax**,  
  also see **e()**  
**macval()** macro expansion function, [P] **macro**  
**makecns** command, [P] **makecns**  
**manage**, window subcommand, [P] **window**  
  **programming**  
**mark** command, [P] **mark**  
**markin** command, [P] **mark**  
marking observations, [P] **mark**  
**markout** command, [P] **mark**  
**marksample** command, [P] **mark**

- mat\_put\_rr** command, [P] **matrix get**  
**matproc** command, [P] **makecns**  
 mathematical functions and expressions, [P] **matrix define**  
**matlist** command, [P] **matlist**  
**matmissing()** matrix function, [P] **matrix define**  
**matname** command, [P] **matrix mkmat**  
 matrices, [P] **matrix**
  - accessing internal, [P] **matrix get**
  - accumulating, [P] **matrix accum**
  - appending rows and columns, [P] **matrix define**
  - Cholesky decomposition, [P] **matrix define**
  - coefficient matrices, [P] **ereturn**
  - column names, see matrices, row and column names
  - constrained estimation, [P] **makecns**
  - copying, [P] **matrix define**, [P] **matrix get**, [P] **matrix mkmat**
  - correlation, [P] **matrix define**
  - covariance matrix of estimators, [P] **ereturn**, [P] **matrix get**
  - cross-product, [P] **matrix accum**
  - determinant, [P] **matrix define**
  - diagonals, [P] **matrix define**
  - displaying, [P] **matlist**, [P] **matrix utility**
  - dissimilarity, [P] **matrix dissimilarity**
  - distances, [P] **matrix dissimilarity**
  - dropping, [P] **matrix utility**
  - eigenvalues, [P] **matrix eigenvalues**, [P] **matrix symeigen**
  - eigenvectors, [P] **matrix symeigen**
  - elements, [P] **matrix define**
  - equation names, see matrices, row and column names
  - estimation results, [P] **\_estimates**, [P] **ereturn**
  - functions, [P] **matrix define**
  - identity, [P] **matrix define**
  - input, [P] **matrix define**
  - inversion, [P] **matrix define**, [P] **matrix svd**
  - Kronecker product, [P] **matrix define**
  - labeling rows and columns, see matrices, row and column names
  - linear combinations with data, [P] **matrix score**
  - listing, [P] **matlist**, [P] **matrix utility**
  - namespace and conflicts, [P] **matrix**, [P] **matrix define**
  - number of rows and columns, [P] **matrix define**
  - operators such as addition, [P] **matrix define**
  - orthonormal basis, [P] **matrix svd**
  - partitioned, [P] **matrix define**
  - performing constrained estimation, [P] **makecns**
  - posting estimation results, [P] **ereturn**, [P] **\_estimates**
  - renaming, [P] **matrix utility**
  - row and column names, [P] **ereturn**, [P] **matrix define**, [P] **matrix mkmat**, [P] **matrix rownames**
  - rows and columns, [P] **matrix define**
  - saving matrix, [P] **matrix mkmat**
  - scoring, [P] **matrix score**
- matrices, *continued*
  - similarity, [P] **matrix dissimilarity**
  - store variables as matrix, [P] **matrix mkmat**
  - submatrix extraction, [P] **matrix define**
  - submatrix substitution, [P] **matrix define**
  - subscripting, [P] **matrix define**
  - sweep operator, [P] **matrix define**
  - temporary names, [P] **matrix**
  - trace, [P] **matrix define**
  - transposing, [P] **matrix define**
  - variables, make into matrix, [P] **matrix mkmat**
  - zero, [P] **matrix define**
- matrix**
  - accum** command, [P] **matrix accum**
  - coleq** command, [P] **matrix rownames**
  - colnames** command, [P] **matrix rownames**
  - commands, introduction, [P] **matrix define** command, [P] **matrix define**
  - dir** command, [P] **matrix utility**
  - dissimilarity command, [P] **matrix dissimilarity**
  - drop** command, [P] **matrix utility**
  - eigenvalues** command, [P] **matrix eigenvalues**
  - glaccum** command, [P] **matrix accum**
  - input** command, [P] **matrix define**
  - list** command, [P] **matrix utility**
  - opaccum** command, [P] **matrix accum**
  - rename** command, [P] **matrix utility**
  - roweq** command, [P] **matrix rownames**
  - rownames** command, [P] **matrix rownames**
  - score** command, [P] **matrix score**
  - svd** command, [P] **matrix svd**
  - symeigen** command, [P] **matrix symeigen**
  - vecaccum** command, [P] **matrix accum**
- matrix.**
  - confirm** subcommand, [P] **confirm**
  - ereturn** subcommand, [P] **ereturn**
  - return** subcommand, [P] **return**
- matrix()** pseudofunction, [P] **matrix define**  
**matsize**, [P] **ereturn**, [P] **macro**  
**matuniform()** matrix function, [P] **matrix define**  
 McKenney, A., [P] **matrix eigenvalues**
- member
  - programs, [P] **class**
  - variables, [P] **class**
- memory, reducing utilization, [P] **discard**  
 memory settings, [P] **ereturn**  
 menu, window subcommand, [P] **window programming**  
 menus, programming, [P] **dialog programming**, [P] **window programming**  
 messages and return codes, see error messages and return codes
- mkmat** command, [P] **matrix mkmat**  
 Moler, C. B., [P] **matrix symeigen**  
 Monte Carlo simulations, [P] **postfile**  
**more** command and parameter, [P] **macro**, [P] **more**  
**mreldif()** matrix function, [P] **matrix define**

## N

n-class command, [P] **program**, [P] **return**  
 names  
   conflicts, [P] **matrix**, [P] **matrix define**, [P] **scalar**  
   matrix row and columns, [P] **ereturn**, [P] **matrix**  
   **define**, [P] **matrix rownames**  
 names, confirm subcommand, [P] **confirm**  
 namespace and conflicts, matrices and scalars,  
   [P] **matrix**, [P] **matrix define**  
 .new built-in class function, [P] **class**  
 Newey–West standard errors, [P] **matrix accum**  
 \_newline(#), display directive, [P] **display**  
 nobreak command, [P] **break**  
 noisily prefix, [P] **quietly**  
 nullmat() matrix function, [P] **matrix define**  
 number, confirm subcommand, [P] **confirm**  
 numeric list, [P] **numlist**, [P] **syntax**  
 numlist command, [P] **numlist**

## O

object, [P] **class**  
 object-oriented programming, [P] **class**  
 .objkey built-in class function, [P] **class**  
 .objtype built-in class function, [P] **class**  
 observations, marking, [P] **mark**  
 off, timer subcommand, [P] **timer**  
 OLDPLACE directory, [P] **sysdir**  
 OLE Automation, [P] **automation**  
 on, timer subcommand, [P] **timer**  
 opaccum, matrix subcommand, [P] **matrix accum**  
 open, file subcommand, [P] **file**  
 operators, [P] **matrix define**  
 options, in a programming context, [P] **syntax**,  
   [P] **unab**  
 orthonormal basis, [P] **matrix svd**  
 output, set subcommand, [P] **quietly**  
 output settings, [P] **creturn**  
 output,  
   displaying, [P] **display**, [P] **smcl**  
   suppressing, [P] **quietly**  
 overloading, class program names, [P] **class**

## P

paging of screen output, controlling, [P] **more**  
 Park, H. J., [P] **\_robust**  
 parsing, [P] **syntax**; [P] **gettoken**, [P] **numlist**,  
   [P] **tokenize**  
 partitioned matrices, [P] **matrix define**  
 paths and directories, [P] **creturn**  
 pause command, [P] **pause**  
 pausing until key is pressed, [P] **more**  
 permname macro extended function, [P] **macro**  
 personal command, [P] **sysdir**  
 PERSONAL directory, [P] **sysdir**  
 Piantados, S., [P] **\_robust**

piece macro extended function, [P] **macro**  
 Pitblado, J. S., [P] **\_robust**  
 plugin, loading, [P] **plugin**  
 plugin option, [P] **plugin**, [P] **program**  
 PLUS directory, [P] **sysdir**  
 polymorphism, [P] **class**  
 post command, [P] **postfile**  
 post, ereturn subcommand, [P] **ereturn**, [P] **makecns**  
 postclose command, [P] **postfile**  
 postestimation command, [P] **estat programming**  
 postfile command, [P] **postfile**  
 postutil  
   clear command, [P] **postfile**  
   dir command, [P] **postfile**  
 \_predict command, [P] **\_predict**  
 predict command, [P] **\_estimates**, [P] **ereturn**  
 predictions, obtaining after estimation, [P] **\_predict**  
 preserve command, [P] **preserve**  
 preserving user's data, [P] **preserve**  
 Press, W. H., [P] **matrix symeigen**  
 program  
   define command, [P] **plugin**, [P] **program**,  
   [P] **program properties**  
   dir command, [P] **program**  
   drop command, [P] **program**  
   list command, [P] **program**  
 program properties, [P] **program properties**  
 programming, [P] **syntax**  
   dialog, [P] **dialog programming**  
   estat, [P] **estat programming**  
   Macintosh, [P] **window programming**  
   menus, [P] **window programming**  
   Windows, [P] **window programming**  
 programs,  
   adding comments to, [P] **comments**  
   debugging, [P] **trace**  
   dropping, [P] **discard**  
   looping, [P] **continue**  
 properties, [P] **program properties**  
 properties macro extended function, [P] **macro**  
 push, window subcommand, [P] **window programming**

## Q

query, file subcommand, [P] **file**  
 quietly prefix, [P] **quietly**  
 quitting Stata, see **exit** command  
 quotes to expand macros, [P] **macro**

## R

r(functions) macro extended function, [P] **macro**  
 r(macros) macro extended function, [P] **macro**  
 r(matrices) macro extended function, [P] **macro**  
 r(scalars) macro extended function, [P] **macro**  
 r() scalars, macros, matrices, functions, [P] **discard**,  
   [P] **return**

r-class command, [P] **program**, [P] **return**  
**\_rc** built-in variable, [P] **capture**  
rc (return codes), see error messages and return codes  
read, file subcommand, [P] **file**  
reading and writing ASCII text and binary files, [P] **file**  
reading console input in programs, see console  
**.ref** built-in class function, [P] **class**  
references, class, [P] **class**  
**.ref\_n** built-in class function, [P] **class**  
regression (in generic sense), see estimation commands  
  accessing coefficients and std. errors, [P] **matrix get**  
Reinsch, C., [P] **matrix symeigen**  
release marker, [P] **version**  
releases, compatibility of Stata programs across,  
  [P] **version**  
rename,  
  char subcommand, [P] **char**  
  matrix subcommand, [P] **matrix utility**  
repeating commands, [P] **continue**, [P] **foreach**,  
  [P] **forvalues**  
replay() function, [P] **\_estimates**, [P] **ereturn**  
repost, **ereturn** subcommand, [P] **return**  
**\_request(macname)**, display directive, [P] **display**  
reset\_id, **rserset** subcommand, [P] **rserset**  
restore command, [P] **preserve**  
restore, **\_return** subcommand, [P] **\_return**  
results,  
  clearing, [P] **ereturn**, [P] **\_estimates**, [P] **\_return**  
  listing, [P] **ereturn**, [P] **\_estimates**, [P] **\_return**  
  returning, [P] **\_return**, [P] **return**  
  saving, [P] **ereturn**, [P] **\_estimates**, [P] **postfile**,  
  [P] **\_return**, [P] **return**  
**\_return**  
  dir command, [P] **\_return**  
  drop command, [P] **\_return**  
  hold command, [P] **\_return**  
  restore command, [P] **\_return**  
return  
  add command, [P] **return**  
  clear command, [P] **return**  
  local command, [P] **return**  
  matrix command, [P] **return**  
  scalar command, [P] **return**  
return codes, [P] **rmsg**, see error messages and return  
  codes  
returning results, [P] **return**  
  class programs, [P] **class**  
**\_rmcoll** command, [P] **\_rmcoll**  
**\_rmdcoll** command, [P] **\_rmcoll**  
**rmsg**, [P] **creturn**, [P] **error**  
  **set** subcommand, [P] **rmsg**  
**\_robust** command, [P] **\_robust**  
robust, Huber/White/sandwich estimator of variance,  
  [P] **\_robust**  
Rogers, W. H., [P] **\_robust**  
roweq macro extended function, [P] **macro**  
roweq, matrix subcommand, [P] **matrix rownames**

rowfullnames macro extended function, [P] **macro**  
rownames macro extended function, [P] **macro**  
rownames, matrix subcommand, [P] **matrix**  
  **rownames**  
rownumb() matrix function, [P] **matrix define**  
rows of matrix  
  appending to, [P] **matrix define**  
  names, [P] **ereturn**, [P] **matrix define**, [P] **matrix**  
  **rownames**  
  operators, [P] **matrix define**  
rowsof() matrix function, [P] **matrix define**  
Royall, R. M., [P] **\_robust**  
rvalue, class, [P] **class**

## S

S\_ macros, [P] **creturn**, [P] **macro**  
s(macros) macro extended function, [P] **macro**  
s() saved results, [P] **return**  
s-class command, [P] **program**, [P] **return**  
sandwich/Huber/White estimator of variance, see robust,  
  Huber/White/sandwich estimator of variance  
save estimation results, [P] **\_estimates**, [P] **ereturn**  
saved results, [P] **\_return**, [P] **return**  
saving results, [P] **\_estimates**, [P] **\_return**, [P] **ereturn**,  
  [P] **postfile**, [P] **return**  
scalar,  
  confirm subcommand, [P] **confirm**  
  ereturn subcommand, [P] **ereturn**  
  return subcommand, [P] **return**  
scalar command and scalar() pseudofunction,  
  [P] **scalar**  
scalars, [P] **scalar**  
  namespace and conflicts, [P] **matrix**, [P] **matrix**  
  **define**  
Schnell, D., [P] **\_robust**  
scope, class, [P] **class**  
score, matrix subcommand, [P] **matrix score**  
scoring, [P] **matrix score**  
scrolling of output, controlling, [P] **more**  
seek, file subcommand, [P] **file**  
rserset  
  clear command, [P] **rserset**  
  create command, [P] **rserset**  
  create\_cspline command, [P] **rserset**  
  create\_xmedians command, [P] **rserset**  
  dir command, [P] **rserset**  
  drop command, [P] **rserset**  
  reset\_id command, [P] **rserset**  
  set command, [P] **rserset**  
  sort command, [P] **rserset**  
  summarize command, [P] **rserset**  
  use command, [P] **rserset**  
rsersetread, file subcommand, [P] **rserset**  
rsersetwrite, file subcommand, [P] **rserset**

set  
 adosize command, [P] **sysdir**  
 charset command, [P] **smcl**  
 more command, [P] **more**  
 output command, [P] **quietly**  
 rmsg command, [P] **rmsg**  
 trace command, [P] **trace**  
 tracedepth command, [P] **trace**  
 traceexpand command, [P] **trace**  
 tracehilite command, [P] **trace**  
 traceindent command, [P] **trace**  
 tracenummer command, [P] **trace**  
 tracesep command, [P] **trace**

set,  
 file subcommand, [P] **file**  
 serset subcommand, [P] **serset**  
 sysdir subcommand, [P] **sysdir**

settings,  
 efficiency, [P] **creturn**  
 graphics, [P] **creturn**  
 memory, [P] **creturn**  
 network, [P] **creturn**  
 output, [P] **creturn**  
 program debugging, [P] **creturn**  
 trace, [P] **creturn**

shared object, [P] **class**, [P] **plugin**

shift, macro subcommand, [P] **macro**

signature of data, [P] **\_\_datasignature**,  
 [P] **signestimationsample**

signestimationsample command,  
 [P] **signestimationsample**

similarity  
 matrices, [P] **matrix dissimilarity**  
 measures, [P] **matrix dissimilarity**

simulations, Monte Carlo, [P] **postfile**

singular value decomposition, [P] **matrix svd**

SITE directory, [P] **sysdir**

**\_\_skip(#)**, display directive, [P] **display**

Slaymaker, E., [P] **file**

sleep command, [P] **sleep**

SMCL, [P] **smcl**

Smith, B. T., [P] **matrix syeigen**

Sorensen, D., [P] **matrix eigenvalues**

sort order, [P] **byable**, [P] **macro**, [P] **sortpreserve**

sort, **serset** subcommand, [P] **serset**

sortedby macro extended function, [P] **macro**

sortpreserve option, [P] **sortpreserve**

source code, view, [P] **viewsource**

sreturn  
 clear command, [P] **return**  
 local command, [P] **return**

Sribney, W. M., [P] **\_\_robust**, [P] **matrix mkmat**

standard errors,  
 accessing, [P] **matrix get**  
 robust, see robust

Stata,  
 data file format, technical description, [P] **file formats .dta**  
 exiting, [P] **exit**, see **exit** command  
 pause, [P] **sleep**

STATA directory, [P] **sysdir**

Stata Markup and Control Language, [P] **smcl**

Stewart, G. W., [P] **matrix svd**

stopbox, window subcommand, [P] **window programming**

string variables, parsing, [P] **gettoken**, [P] **tokenize**

substr macro extended function, [P] **macro**

subscripting matrices, [P] **matrix define**

Sullivan, G., [P] **\_\_robust**

summarize, **serset** subcommand, [P] **serset**

Super, class prefix operator, [P] **class**

**.superclass** built-in class function, [P] **class**

suppressing terminal output, [P] **quietly**

svd, matrix subcommand, [P] **matrix svd**

svmat command, [P] **matrix mkmat**

svymarkout command, [P] **mark**

sweep() matrix function, [P] **matrix define**

syemeigen, matrix subcommand, [P] **matrix syeigen**

syntax command, [P] **syntax**

syntax of Stata's language, [P] **syntax**

sysdir  
 list command, [P] **sysdir**  
 macro extended function, [P] **macro**  
 set command, [P] **sysdir**

system  
 limits, [P] **creturn**  
 parameters, [P] **creturn**  
 values, [P] **creturn**

## T

tabdisp command, [P] **tabdisp**

tables  
 N-way, [P] **tabdisp**  
 of statistics, [P] **tabdisp**

Tan, W. Y., [P] **\_\_robust**

tempfile macro extended function, [P] **macro**

tempfile command, [P] **macro**

tempname macro extended function, [P] **macro**

tempname, class, [P] **class**

tempname command, [P] **macro**, [P] **matrix**, [P] **scalar**

temporary  
 files, [P] **macro**, [P] **preserve**, [P] **scalar**  
 names, [P] **macro**, [P] **matrix**, [P] **scalar**  
 variables, [P] **macro**

tempvar macro extended function, [P] **macro**

tempvar command, [P] **macro**

terminal  
 obtaining input from, [P] **display**  
 suppressing output, [P] **quietly**

Teukolsky, S. A., [P] **matrix syeigen**

time of day, [P] **creturn**

time-series  
 analysis, [P] **matrix accum**  
 unabbreviating varlists, [P] **unab**

timer  
 clear command, [P] **timer**  
 list command, [P] **timer**  
 off command, [P] **timer**  
 on command, [P] **timer**

timing code, [P] **timer**

TMPDIR Unix environment variable, [P] **macro**

tokenize command, [P] **tokenize**

trace() matrix function, [P] **matrix define**

trace of matrix, [P] **matrix define**

trace, set subcommand, [P] **creturn**, [P] **trace**

tracedepth, set subcommand, [P] **creturn**, [P] **trace**

traceexpand, set subcommand, [P] **creturn**, [P] **trace**

tracehilite, set subcommand, [P] **creturn**, [P] **trace**

traceindent, set subcommand, [P] **creturn**, [P] **trace**

tracenumber, set subcommand, [P] **creturn**, [P] **trace**

tracesep, set subcommand, [P] **creturn**, [P] **trace**

transposing matrices, [P] **matrix define**

tsnorm macro extended function, [P] **macro**

tsunab command, [P] **unab**

Tukey, J. W., [P] **if**

type macro extended function, [P] **macro**

## U

unab command, [P] **unab**

unabbreviate  
 command names, [P] **unabcmd**  
 variable list, [P] **syntax**, [P] **unab**

unabcmd command, [P] **unabcmd**

.uname built-in class function, [P] **class**

unhold, **\_estimates** subcommand, [P] **\_estimates**

Unix, pause, [P] **sleep**

UPDATES directory, [P] **sysdir**

use, **ser** set subcommand, [P] **ser** set

user interface, [P] **dialog programming**

using data, [P] **syntax**

## V

value label macro extended function, [P] **macro**

value labels, [P] **macro**

variable  
 labels, [P] **macro**  
 types, [P] **macro**  
 class, [P] **class**

variable, confirm subcommand, [P] **confirm**

variable label macro extended function, [P] **macro**

variables,  
 characteristics of, [P] **char**, [P] **macro**  
 list values of, [P] **levelsof**  
 temporary, [P] **macro**  
 unabbreviating, [P] **syntax**, [P] **unab**

variance  
 Huber/White/sandwich estimator, see robust  
 nonconstant, see robust

variance-covariance matrix of estimators, [P] **ereturn**,  
 [P] **matrix get**

varlist, [P] **syntax**

vec() matrix function, [P] **matrix define**

vecaccum, matrix subcommand, [P] **matrix accum**

vecdiag() matrix function, [P] **matrix define**

vectors, see matrices

version command, [P] **version**  
 class programming, [P] **class**

version control, [P] **version**, see version command

Vetterling, W. T., [P] **matrix symeigen**

view source code, [P] **viewsource**

viewsource command, [P] **viewsource**

## W

Weesie, J., [P] **matrix define**

Wei, L. J., [P] **\_robust**

weight, [P] **syntax**

which, class, [P] **classutil**

which, **classutil** subcommand, [P] **classutil**

while command, [P] **while**

White, H., [P] **\_robust**

White/Huber/sandwich estimator of variance, see robust

Wilkinson, J. H., [P] **matrix symeigen**

window  
 fopen command, [P] **window programming**  
 fsave command, [P] **window programming**  
 manage command, [P] **window programming**  
 menu command, [P] **window programming**  
 push command, [P] **window programming**  
 stopbox command, [P] **window programming**

Windows metafiles programming, [P] **automation**

Windows programming, [P] **automation**

Windows, pause, [P] **sleep**

Winter, N., [P] **levelsof**

word macro extended function, [P] **macro**

write, file subcommand, [P] **file**

writing and reading ASCII text and binary files, [P] **file**

## Y

Yates, F., [P] **levelsof**

## Z

zero matrix, [P] **matrix define**