

Subject and author index

This is the subject and author index for the *Survey Data Reference Manual*. Readers interested in topics other than survey data should see the combined subject index (and the combined author index) in the *Quick Reference and Index*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

100% sample, [SVY] **Glossary**

A

Archer, K. J., [SVY] **estat**
association tests, see tests, association

B

[SVY] **brr_options**, [SVY] **Glossary**, [SVY] **svy brr**,
[SVY] **variance estimation**
Berglund, P. A., [SVY] **subpopulation estimation**,
[SVY] **survey**
Binder, D. A., [SVY] **svy estimation**, [SVY] **variance estimation**
bivariate probit regression, [SVY] **svy estimation**
bootstrap estimation, [SVY] **bootstrap_options**,
[SVY] **Glossary**, [SVY] **svy bootstrap**,
[SVY] **variance estimation**
bootstrap_options, [SVY] **bootstrap_options**
BRR, see balanced repeated replication
brr_options, [SVY] **brr_options**

C

categorical data, [SVY] **svy estimation**,
[SVY] **svy: tabulate oneway**,
[SVY] **svy: tabulate twoway**
census, [SVY] **Glossary**
data, [SVY] **direct standardization**, [SVY] **survey**,
[SVY] **variance estimation**
certainty
strata, [SVY] **estat**
units, [SVY] **variance estimation**
chi-squared, test of independence, [SVY] **svy: tabulate twoway**
cluster, [SVY] **Glossary**, [SVY] **survey**, [SVY] **svy estimation**, [SVY] **svyset**, [SVY] **variance estimation**
Cochran, W. G., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svyset**, [SVY] **variance estimation**
coefficient of variation, [SVY] **estat**
Collins, E., [SVY] **survey**, [SVY] **svy estimation**
complementary log-log regression, [SVY] **svy estimation**

conditional (fixed-effects) logistic regression, [SVY] **svy estimation**
confidence intervals, [SVY] **variance estimation**
for tabulated proportions, [SVY] **svy: tabulate twoway**
linear combinations, [SVY] **svy postestimation**
constrained linear regression, [SVY] **svy estimation**
contingency tables, [SVY] **svy: tabulate twoway**
contrast command, [SVY] **svy postestimation**
correlated errors, [SVY] **variance estimation**
count-time data, [SVY] **svy estimation**
Cox, C. S., [SVY] **survey**, [SVY] **svy estimation**
Cox proportional hazards model, [SVY] **svy estimation**
cv, **estat** subcommand, [SVY] **estat**

D

data, survey, [SVY] **survey**, [SVY] **svydescribe**,
[SVY] **svyset**
DEFF, see design effects
DEFT, see design effects
delta method, [SVY] **Glossary**, [SVY] **variance estimation**
Demnati, A., [SVY] **direct standardization**,
[SVY] **poststratification**, [SVY] **variance estimation**
[SVY] **estat**, [SVY] **Glossary**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
Deville, J.-C., [SVY] **direct standardization**,
[SVY] **poststratification**, [SVY] **variance estimation**
[SVY] **direct standardization**, [SVY] **Glossary**

E

effects, **estat** subcommand, [SVY] **estat**
Eltinge, J. L., [SVY] **estat**, [SVY] **survey**, [SVY] **svy postestimation**, [SVY] **svydescribe**, [SVY] **variance estimation**
endogenous variables, [SVY] **svy estimation**
Engel, A., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**
estat
cv command, [SVY] **estat**
effects command, [SVY] **estat**
gof command, [SVY] **estat**
lceffects command, [SVY] **estat**
sd command, [SVY] **estat**
size command, [SVY] **estat**
strata command, [SVY] **estat**

estat, *continued*

svyset command, [SVY] estat

vce command, [SVY] estat

estimates command, [SVY] svy postestimation

exp_list, [SVY] svy bootstrap, [SVY] svy brr,

[SVY] svy jackknife, [SVY] svy sdr

F

failure-time models, [SVY] svy estimation

Fay, R. E., [SVY] survey, [SVY] svy sdr,

[SVY] variance estimation

Feldman, J. J., [SVY] survey, [SVY] svy estimation

finite population correction, [SVY] Glossary,

[SVY] survey, [SVY] svy estimation,

[SVY] svyset, [SVY] variance estimation

FPC, see finite population correction

Frankel, M. R., [SVY] variance estimation

Freeman, D. H., Jr., [SVY] svy: tabulate twoway

Freeman, J. L., [SVY] svy: tabulate twoway

frequencies, table of, [SVY] svy: tabulate oneway,

[SVY] svy: tabulate twoway

Fuller, W. A., [SVY] svy: tabulate twoway,

[SVY] variance estimation

G

generalized

linear models, [SVY] svy estimation

negative binomial regression, [SVY] svy estimation

Gerow, K. G., [SVY] survey

Godambe, V. P., [SVY] variance estimation

gof, estat subcommand, [SVY] estat

Golden, C. D., [SVY] survey, [SVY] svy estimation

Gonzalez, J. F., Jr., [SVY] estat, [SVY] subpopulation

estimation, [SVY] svy bootstrap, [SVY] svy estimation

goodness of fit, [SVY] estat

Gould, W. W., [SVY] ml for svy, [SVY] survey

Graubard, B. I., [SVY] direct standardization,

[SVY] estat, [SVY] survey, [SVY] svy,

[SVY] svy estimation, [SVY] svy

postestimation, [SVY] svy: tabulate twoway,

[SVY] variance estimation

H

Hadamard matrix, [SVY] Glossary, [SVY] svy brr

Heckman selection model, [SVY] svy estimation

Heeringa, S. G., [SVY] subpopulation estimation,

[SVY] survey

heteroskedastic probit model, [SVY] svy estimation

heteroskedasticity, robust variances, [SVY] variance

estimation

Holt, D., [SVY] estat, [SVY] survey

Hosmer-Lemeshow goodness of fit, [SVY] estat

Huber/White/sandwich estimator of variance, see robust,

Huber/White/sandwich estimator of variance

I

instrumental-variables regression, [SVY] svy estimation

interval regression, [SVY] svy estimation

J

jackknife estimation, [SVY] Glossary,

[SVY] jackknife_options, [SVY] svy jackknife,

[SVY] variance estimation

jackknife_options, [SVY] jackknife_options

Jang, D. S., [SVY] variance estimation

Jann, B., [SVY] svy: tabulate twoway

Johnson, W., [SVY] survey

Judkins, D. R., [SVY] svy brr, [SVY] svyset,

[SVY] variance estimation

K

Kennedy, W. J., Jr., [SVY] svy: tabulate twoway

Kish design effects, [SVY] estat

Kish, L., [SVY] estat, [SVY] survey, [SVY] variance estimation

Koch, G. G., [SVY] svy: tabulate twoway

Kolenikov, S., [SVY] svy bootstrap, [SVY] variance estimation

Korn, E. L., [SVY] direct standardization,

[SVY] estat, [SVY] survey, [SVY] svy,

[SVY] svy estimation, [SVY] svy

postestimation, [SVY] svy: tabulate twoway,

[SVY] variance estimation

Krauss, N., [SVY] estat, [SVY] subpopulation

estimation, [SVY] svy bootstrap, [SVY] svy estimation

Kreuter, F., [SVY] survey

L

Lane, M. A., [SVY] survey, [SVY] svy estimation

lceffects, estat subcommand, [SVY] estat

Lemeshow, S., [SVY] estat, [SVY] poststratification, [SVY] survey

Levy, P. S., [SVY] poststratification, [SVY] survey

Lin, D. Y., [SVY] svy estimation

lincom command, [SVY] svy postestimation

Lindelow, M., [SVY] svy estimation, [SVY] svyset

linear combinations, [SVY] estat, [SVY] svy

postestimation

linear regression, [SVY] svy estimation

linearization, see linearized variance estimator

[SVY] Glossary, [SVY] variance estimation

Liu, T.-P., [SVY] svy bootstrap, [SVY] variance estimation

logistic and logit regression, [SVY] svy estimation

log-linear model, [SVY] svy estimation

longitudinal survey data, [SVY] svy estimation

M

Madans, J. H., [SVY] **survey**, [SVY] **svy estimation**

Mantel, H., [SVY] **svy bootstrap**, [SVY] **variance estimation**

margins command, [SVY] **svy postestimation**

Massey, J. T., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**

Maurer, K., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**

maximum pseudolikelihood estimation, [SVY] **ml for svy**, [SVY] **variance estimation**

McCarthy, P. J., [SVY] **survey**, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **variance estimation**

McDowell, A., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**

means, survey data, [SVY] **svy estimation**

MEFF, see misspecification effects

MEFT, see misspecification effects

Mendenhall, W., III, [SVY] **survey**

Midthune, D., [SVY] **estat**, [SVY] **svy estimation**

Miller, H. W., [SVY] **survey**, [SVY] **svy estimation**

[SVY] **estat**, [SVY] **Glossary**

ml command, [SVY] **ml for svy**

multinomial

- logistic regression, [SVY] **svy estimation**
- probit regression, [SVY] **svy estimation**

multistage clustered sampling, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**

Murphy, R. S., [SVY] **survey**, [SVY] **svy estimation**

Mussolino, M. E., [SVY] **survey**, [SVY] **svy estimation**

N

negative binomial regression, [SVY] **svy estimation**

Neyman allocation, [SVY] **estat**

n1com command, [SVY] **svy postestimation**

nonconstant variance, [SVY] **variance estimation**

nonlinear combinations, predictions, and tests, [SVY] **svy postestimation**

nonlinear least squares, [SVY] **svy estimation**

O

O'Donnell, O., [SVY] **svy estimation**, [SVY] **svyset**

odds ratios, [SVY] **svy estimation**

- differences, [SVY] **svy postestimation**

ordered

- logistic regression, [SVY] **svy estimation**
- probit regression, [SVY] **svy estimation**

Ott, R. L., [SVY] **survey**

P

parametric survival models, [SVY] **svy estimation**

Park, H. J., [SVY] **svy: tabulate twoway**

Pitblado, J. S., [SVY] **ml for svy**, [SVY] **survey**

Poi, B. P., [SVY] **ml for svy**, [SVY] **survey**

point estimate, [SVY] **Glossary**

Poisson regression, [SVY] **svy estimation**

polytomous logistic regression, [SVY] **svy estimation**

population standard deviation, see subpopulation, standard deviations

postestimation, [SVY] **estat**, [SVY] **svy postestimation**

poststratification, [SVY] **Glossary**, [SVY] **poststratification**

predict command, [SVY] **svy postestimation**

predictions, [SVY] **svy postestimation**

predictive margins, [SVY] **Glossary**

predictnl command, [SVY] **svy postestimation**

[SVY] **Glossary**, [SVY] **svydescribe**, [SVY] **svyset**

probability weight, see sampling weight

probit regression, [SVY] **svy estimation**

- with endogenous regressors, [SVY] **svy estimation**
- with sample selection, [SVY] **svy estimation**

proportional hazards model, [SVY] **svy estimation**

proportions, survey data, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**

pseudolikelihood, [SVY] **Glossary**

PSU, see primary sampling unit

pwcompare command, [SVY] **svy postestimation**

pweight, see sampling weight

Q

quadratic terms, [SVY] **svy postestimation**

qualitative dependent variables, [SVY] **svy estimation**

R

Rao, J. N. K., [SVY] **direct standardization**, [SVY] **poststratification**, [SVY] **svy bootstrap**, [SVY] **svy: tabulate twoway**, [SVY] **variance estimation**

ratios, survey data, [SVY] **svy estimation**, [SVY] **svy: tabulate twoway**

replicate-weight variable, [SVY] **Glossary**, [SVY] **survey**, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy sdr**, [SVY] **svyset**

replication method, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy sdr**, [SVY] **svyset**, [SVY] **variance estimation**

resampling, [SVY] **Glossary**
Research Triangle Institute, [SVY] **svy: tabulate twoway**
robust, Huber/White/sandwich estimator of variance, [SVY] **variance estimation**
Rothwell, S. T., [SVY] **survey**, [SVY] **svy estimation**

S

sample, [SVY] **Glossary**
sampling, [SVY] **Glossary**, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**
stage, [SVY] **Glossary**
unit, [SVY] **Glossary**
weight, [SVY] **Glossary**, [SVY] **survey**
with and without replacement, [SVY] **Glossary**
sampling stage, [SVY] **estat**
sampling unit, [SVY] **survey**, *also see* primary sampling unit
sampling weight, [SVY] **poststratification**
sandwich/Huber/White estimator of variance, *see* robust, Huber/White/sandwich estimator of variance
Särndal, C.-E., [SVY] **variance estimation**
Satterthwaite, F. E., [SVY] **variance estimation**
Scheaffer, R. L., [SVY] **survey**
Schnell, D., [SVY] **svy: tabulate twoway**
Scott, A. J., [SVY] **estat**, [SVY] **svy: tabulate twoway**
Scott, C., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **svy bootstrap**, [SVY] **svy estimation**
sd, **estat** subcommand, [SVY] **estat**
SDR, *see* successive difference replication
sdr_options, [SVY] **sdr_options**
secondary sampling unit, [SVY] **Glossary**
selection models, [SVY] **svy estimation**
Shah, B. V., [SVY] **direct standardization**, [SVY] **poststratification**, [SVY] **variance estimation**
Shao, J., [SVY] **survey**, [SVY] **svy jackknife**, [SVY] **variance estimation**
simple random sample, [SVY] **Glossary**
singleton strata, [SVY] **estat**, [SVY] **variance estimation**
size, **estat** subcommand, [SVY] **estat**
skewed logistic regression, [SVY] **svy estimation**
Skinner, C. J., [SVY] **estat**, [SVY] **survey**, [SVY] **svy estimation**, [SVY] **variance estimation**
Smith, T. M. F., [SVY] **survey**
Snowden, C. B., [SVY] **svy bootstrap**, [SVY] **variance estimation**
Sribney, W. M., [SVY] **estat**, [SVY] **svy postestimation**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**
SRS, *see* simple random sample
SSU, *see* secondary sampling unit
standard
deviation, *see* subpopulation, standard deviations
errors, [SVY] **variance estimation**
strata, *see* direct standardization
weights, *see* direct standardization
standard errors, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy sdr**
stereotype logistic regression, [SVY] **svy estimation**
strata, **estat** subcommand, [SVY] **estat**
strata with one sampling unit, [SVY] **variance estimation**
stratification, *see* stratified sampling
stratified sampling, [SVY] **Glossary**, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**
stratum collapse, [SVY] **svydescribe**
structural equation modeling, [SVY] **svy estimation**
Stuart, A., [SVY] **survey**
subpopulation
differences, [SVY] **survey**, [SVY] **svy postestimation**
estimation, [SVY] **Glossary**, [SVY] **subpopulation estimation**, [SVY] **svy estimation**
means, [SVY] **svy estimation**
proportions, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
ratios, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
standard deviations of, [SVY] **estat**
totals, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
[SVY] **Glossary**, [SVY] **sdr_options**, [SVY] **svy sdr**, [SVY] **variance estimation**
suest command, [SVY] **svy postestimation**
Sullivan, G., [SVY] **svy: tabulate twoway**
summarizing data, [SVY] **svy: tabulate twoway**
survey
data, [SVY] **Glossary**
design, [SVY] **Glossary**
postestimation, [SVY] **svy postestimation**
prefix command, [SVY] **svy**
sampling, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**
survival models, [SVY] **svy estimation**
svy: biprobit command, [SVY] **svy estimation**
svy: clogit command, [SVY] **svy estimation**
svy: cloglog command, [SVY] **svy estimation**
svy: cnsreg command, [SVY] **svy estimation**
svy: glm command, [SVY] **svy estimation**
svy: gnbreg command, [SVY] **svy estimation**
svy: heckman command, [SVY] **svy estimation**
svy: heckprob command, [SVY] **svy estimation**
svy: hetprob command, [SVY] **svy estimation**

svy: **intreg** command, [SVY] **svy estimation**
 svy: **ivprobit** command, [SVY] **svy estimation**
 svy: **ivregress** command, [SVY] **svy estimation**
 svy: **ivtobit** command, [SVY] **svy estimation**
 svy: **logistic** command, [SVY] **svy estimation**,
 [SVY] **svy postestimation**
 svy: **logit** command, [SVY] **svy estimation**
 svy: **mean** command, [SVY] **estat**,
 [SVY] **poststratification**, [SVY] **subpopulation**
estimation, [SVY] **survey**, [SVY] **svy**,
 [SVY] **svy estimation**, [SVY] **svy**
postestimation, [SVY] **svydescribe**,
 [SVY] **svyset**
 svy: **mlogit** command, [SVY] **svy estimation**
 svy: **mprobit** command, [SVY] **svy estimation**
 svy: **nbreg** command, [SVY] **svy estimation**
 svy: **nl** command, [SVY] **svy estimation**
 svy: **ologit** command, [SVY] **svy estimation**,
 [SVY] **svy postestimation**
 svy: **oprobit** command, [SVY] **svy estimation**
 svy: **poisson** command, [SVY] **svy estimation**
 svy: **probit** command, [SVY] **svy estimation**
 svy: **proportion** command, [SVY] **svy estimation**
 svy: **ratio** command, [SVY] **direct standardization**,
 [SVY] **svy brr**, [SVY] **svy estimation**,
 [SVY] **svy: tabulate twoway**
 svy: **regress** command, [SVY] **survey**, [SVY] **svy**,
 [SVY] **svy estimation**, [SVY] **svy jackknife**,
 [SVY] **svy postestimation**
 svy: **scobit** command, [SVY] **svy estimation**
 svy: **sem** command, [SVY] **svy estimation**
 svy: **slogit** command, [SVY] **svy estimation**
 svy: **stcox** command, [SVY] **svy estimation**
 svy: **streg** command, [SVY] **svy estimation**
 svy: **tabulate** command, [SVY] **svy: tabulate**
oneway, [SVY] **svy: tabulate twoway**
 svy: **tnbreg** command, [SVY] **svy estimation**
 svy: **tobit** command, [SVY] **svy estimation**
 svy: **total** command, [SVY] **svy brr**, [SVY] **svy**
estimation
 svy: **tpoisson** command, [SVY] **svy estimation**
 svy: **treatreg** command, [SVY] **svy estimation**
 svy: **truncreg** command, [SVY] **svy estimation**
 svy: **zinb** command, [SVY] **svy estimation**
 svy: **zip** command, [SVY] **svy estimation**
 svy **bootstrap** prefix command, [SVY] **svy bootstrap**
 svy **brr** prefix command, [SVY] **svy brr**
 svydescribe command, [SVY] **survey**,
 [SVY] **svydescribe**
 svy **jackknife** prefix command, [SVY] **svy jackknife**
 svy**markout** command, [SVY] **svy**markout****
 svy prefix command, [SVY] **svy**
 svy **sdr** prefix command, [SVY] **svy sdr**
 svy**set** command, [SVY] **survey**, [SVY] **svyset**
 svy**set**, **estat** subcommand, [SVY] **estat**
 Swensson, B., [SVY] **variance estimation**

T

tables
 contingency, [SVY] **svy: tabulate twoway**
 frequency, [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**
 tabulate
 one-way, [SVY] **svy: tabulate oneway**
 two-way, [SVY] **svy: tabulate twoway**
 Taylor linearization, see linearized variance estimator
 test command, [SVY] **svy postestimation**;
 [SVY] **survey**
 testnl command, [SVY] **svy postestimation**
 testparm command, [SVY] **svy postestimation**
 tests,
 association, [SVY] **svy: tabulate twoway**
 differences of two means, [SVY] **svy postestimation**
 equality of coefficients, [SVY] **svy postestimation**
 equality of means, [SVY] **svy postestimation**
 goodness-of-fit, [SVY] **estat**
 independence, [SVY] **svy: tabulate twoway**
 model coefficients, [SVY] **svy postestimation**
 nonlinear, [SVY] **svy postestimation**
 Wald, [SVY] **svy postestimation**
 Thomas, D. R., [SVY] **svy: tabulate twoway**
 Thompson, S. K., [SVY] **survey**
 tobit regression, [SVY] **svy estimation**
 with endogenous regressors, [SVY] **svy estimation**
 totals, survey data, [SVY] **svy estimation**
 Train, G. F., [SVY] **survey**, [SVY] **svy sdr**,
 [SVY] **variance estimation**
 treatment-effects regression, [SVY] **svy estimation**
 truncated
 negative binomial regression, [SVY] **svy estimation**
 Poisson regression, [SVY] **svy estimation**
 regression, [SVY] **svy estimation**
 Tu, D., [SVY] **survey**, [SVY] **svy jackknife**,
 [SVY] **variance estimation**
 Tukey, J. W., [SVY] **svy jackknife**
 two-stage least squares, [SVY] **svy estimation**

V

Valliant, R., [SVY] **survey**
 van Doorslaer, E., [SVY] **svy estimation**, [SVY] **svyset**
 variance estimation, [SVY] **Glossary**, [SVY] **variance**
estimation
 variance,
 Huber/White/sandwich estimator, see robust,
 Huber/White/sandwich estimator of variance
 linearized, [SVY] **variance estimation**
 nonconstant, [SVY] **variance estimation**
 vce, **estat** subcommand, [SVY] **estat**

W

Wagstaff, A., [SVY] **svy estimation**, [SVY] **svyset**
 Wald tests, [SVY] **svy postestimation**

Wei, L. J., [SVY] **svy estimation**
weights,
 probability, [SVY] **survey**, [SVY] **svydescribe**,
 [SVY] **svyset**
 sampling, [SVY] **survey**, [SVY] **svydescribe**,
 [SVY] **svyset**
West, B. T., [SVY] **subpopulation estimation**,
 [SVY] **survey**
White/Huber/sandwich estimator of variance, see robust,
 Huber/White/sandwich estimator of variance
Williams, B., [SVY] **survey**
Winter, N. J. G., [SVY] **survey**
Wolter, K. M., [SVY] **survey**, [SVY] **svy brr**,
 [SVY] **variance estimation**
Wretman, J., [SVY] **variance estimation**
Wu, C. F. J., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation

Y

Yeo, D., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation
Yue, K., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation
Yung, W., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation

Z

zero-inflated negative binomial regression, [SVY] **svy**
 estimation
zero-inflated Poisson regression, [SVY] **svy estimation**