

Subject index

Symbols

β weights	248
η^2	208
ϕ	126
* comment	79
/* and */ comment	79

A

acquiring datasets	376–377
add, label define option	2
agreement, intraclass correlation	237
alpha reliability	325
ameans command	91
analysis of covariance	see ANCOVA
analysis of variance	see ANOVA
ANCOVA	215–226
ANOVA,	
degrees of freedom	207
equal-variance test	207
one-way	201–202
repeated-measures	231
two-way	226–231
ANOVA assumptions	202
ATS at UCLA	188

B

bar chart	101, 304
bar graph of means	210
Bartlett test of equal variances	207
beta weights	195, 248
limitation	281
binary variables	267–268
block regression	266–274
Bonferroni multiple-comparison test	192, 205
bookstore, Stata	373
bootstrap regression	254

Boston College Stata site	372
box plot	111, 214

C

casewise deletion	189
categorical covariates	217, 221–222
categorical predictors, regression	268
cause and effect	184
center command	279
chi-squared	
table	123
test	121, 306
chitable command	123–124
clear command	29
codebook command	41–42, 51–52, 131
codebook example	25–28
coding system	24–28
coefficient of variation	110
Cohen's <i>d</i>	168
collinearity	262
command structure	72
Command window	8, 9
confidence interval	
regression line	195
slope	195
constant	195
continuous covariates	217–219
conventions used in the book	1
copying, HTML format	18, 83
copying results to word processor	18, 82
correlate command	189–190
correlation,	
interpreting	187
limitation	281
multiple comparison	192

correlation ratio 208, 224
 count outcome variables 297
 Cramér's V , measure of association ...
 126
 creating value labels.....53–55
 criterion-related validity 332
 cross-tabulation 118

D

data,

 long format 153, 203
 wide format 152, 202

Data Editor 29–32, 38–39

dataset contents 40

dataset,

 acquisition 376–377
 c10interaction 276, 287
 c11barchart 304
 cancer 10, 11
 census 287
 chapter6_aspirin 129
 chapter13_missing 355
 chores 164
 create 21–23
 descriptive_gss 94, 113, 114
 divorce 291
 download xxiii, 376–377
 environ 294
 firstsurvey 41
 firstsurvey_chapter4 75, 80,
 86
 gss2002 and 2006_chapter12 ...
 348
 gss2002_chapter6 141
 gss2002_chapter7 .. 149, 155, 157,
 165, 178
 gss2002_chapter8 199
 gss2002_chapter9 240
 gss2002_chapter10 286, 287
 gss2002_chapter11 315
 gss2006_chapter6 .. 118, 130, 141
 gss2006_chapter6_10percent....
 138
 gss2006_chapter8 .. 180, 198, 199
 gss2006_chapter8_selected.. 192

dataset, *continued*

 gss2006_chapter9 209, 216
 gss2006_chapter9_2way 226
 gss2006_chapter12 318, 325
 gss2006_chapter12_selected....
 339
 intraclass 238
 kappa1 329
 kuder-richardson 327
 long 153
 nlsy97_chapter7 174, 177
 nlsy97_chapter11 297, 306
 nlsy97_selected_variables.....
 240, 266

 ops2004 244
 partyid 204, 212, 241
 positive 70
 regsmpl 355
 relate xxiii, 48, 70
 relate_small xxiii
 retest 323
 severity 315
 spearman 197, 199
 states3 19
 wide 151
 wide9 232

degrees of freedom, 123

 ANOVA 207
 one-sample t test 157

dependent t test 164

dependent variable 120

describe command 10, 43–44, 49

dfbeta command 261

dialog box,

 describe 43
 egen 65–67
 generate 60, 63
 graph bar 137
 graph pie 98
 histogram 13–15, 101
 logistic 299
 margins 222–223
 open 61
 prtest 149–155
 recode 56–58

dialog box, *continued*

regress	193, 245
scatter	181
Submit vs. OK.....	17
summarize	11
tab1	94
tabi	133–134
table	135
tabstat	110
tabulate	63–64, 118–122, 131
ttest	156, 159–161
dictionary file.....	48
difference of means test.....	157
difference of proportions test.....	151
do-file,	
continuation line.....	159
introduction.....	6
Do-file Editor.....	77–81
download datasets.....	376–377
drop command.....	68
dummy variables.....	267–268

E

effect size,.....	208, 225, 249
η^2	208, 224
egen command.....	60, 65–67, 319
egen count command.....	319
egen rowmean command.....	67, 319
egen rowmiss command.....	66
egenmore command.....	66
entering data.....	29–32
equal variance, Bartlett test.....	207
ereturn list command.....	212
estat vif postestimation command..	
.....	262–263
estimates store command.....	306
exit Stata.....	18, 41
exponentiation.....	302
external validity.....	189

F

<i>F</i> ratio.....	207
<i>F</i> test of unequal variances.....	163
factor analysis,.....	334
commonality.....	337

factor analysis, <i>continued</i>	334
eigenvalue.....	337, 342
exploratory factor analysis....	335
extraction.....	337
factor score.....	337, 346
loading.....	337
oblique rotation.....	337, 344
orthogonal rotation.....	337, 343
PCF.....	336
PF.....	335
postestimation.....	338
principal component analysis..	336
principal-component factor analy-	
sis.....	336
promax.....	344
rotation.....	337
scree plot.....	337, 342
simple structure.....	337
varimax.....	343
factor variables.....	209
findit command.....	123, 372
fonts, fixed.....	82
format,	
numeric.....	31
string.....	31
fre command.....	96, 98
frequency distributions.....	95
ftable command.....	207

G

gamma, measure of association....	131
generate command.....	60–65
geometric mean.....	91
Goodman and Kruskal's gamma, mea-	
sure of association.....	131
GradPlan.....	373
graph,	
bar chart.....	101, 137, 304
box plot.....	111
collinearity.....	262
hanging rootogram.....	251
heteroskedasticity.....	255
histogram.....	104, 251
medians.....	215

- graph, *continued*
 overlay two-way showing
 interaction effects.....277
 pie chart.....98
 residual versus fitted.....255
 scattergram.....180–186
graph bar command....136–137, 210,
 304
graph box command.....214
 graphics book.....374
 GUI interface, Edit ▷ Preferences.....8
- H**
 harmonic mean.....91
 help.....6
 video.....19
 web-based.....19
help, listcoef option.....302–303
help label command.....41
 heteroskedasticity.....255
 hierarchical regression.....266–274,
 309–310
 histogram.....104
histogram command.....13–17, 251
 HTML format.....83
- I**
 imputation....see multiple imputation
 increment in R^2249
 independent variable.....120
 indicator variables.....267–268
 interaction, regression.....276
 interaction term.....276
 interactive table.....133
 intercept.....195
 interquartile range.....110
 interval-level variables.....90
 intraclass correlation.....237, 238
- J**
 jitter(), **scatter** option.....183
- K**
 kappa.....328
 kappa, weighted.....330
 kappa with three raters.....330
keep command.....68
 Kendall's tau, measure of association..
 131
 Kruskal–Wallis test, ANOVA alternative
 212
 Kuder–Richardson coefficient of
 reliability.....327
 kurtosis.....93, 106, 253–254
- L**
label variable command.....55
 labeling values.....32–33
 labeling variables.....23
 likelihood-ratio chi-squared test...306–
 307
 limitations of Stata.....377
list, ereturn saved estimates....212
list, return saved statistics.....212
list command.....75–76, 204
list option, **no label**.....204
listcoef command.....302–304
 listwise deletion.....189
 log, **.smcl** extension.....84
 log files.....83
 log files and graphs.....84
logistic command.....298–301
 logistic regression.....289–315
 bar chart.....304
 exponentiation.....302
 hypothesis tests.....306
 interpreting odds ratio.....301
 likelihood-ratio chi-squared test...
 306
 logits.....296
 McFadden pseudo- R^2300
 nested.....309–310
 nonlinear.....292
 odds ratio.....294
 percentage change.....301
 pseudo- R^2300
 S-curve.....292
 vs. OLS regression.....293
 Wald chi-squared test.....306
logit command.....292, 298–301

- logits 296
- long format 153, 160, 203, 233–234
- lrdrop1 command 306–307
- lrtest command 306
- M**
- MAR 351–353
- margins command 220, 222–224
- maximum number of variables 377
- MCAR 351–352
- McFadden pseudo- R^2 300
- mean squares 207
- measure of association,
 - η^2 208, 224
 - ϕ 126
 - odds ratio 128
 - V 126
- median command 175
- median, graph box plot 215
- menu, open 61
- mi estimate command 362–363
- mi ice command 355
- mi impute command 360–362
- mi register command 360
- mi set command 360–362
- mibeta command 364–365
- misschk command 355–359
- missing, count 319
- missing values 27, 52, 63, 73, 349–370
 - types 51, 52
- misstable command 355–357
- more command 4, 41
- multicollinearity 262
- multiple comparison,
 - Bonferroni 205
 - Scheffé 205
 - Šidák 205
- multiple comparison and correlation 192
- multiple correlation 246
- multiple imputation 349–370
- multiple regression command 245–249
- multiple regression diagnostics 258
- multiple regression with interaction
 - term 276
- multiple regression,
 - block 266–274
 - categorical predictors 268
 - dummy variables 268
 - hierarchical 266–274
 - indicator variables 268
 - influential case 258
 - nested 266–274
 - outlier 258
 - residual 255
 - weighted data 264
- mvdecode command 52, 63, 159
- N**
- naming variables 25
- nested regression 266–274, 309–310
- nestreg command 272–274, 309–310
- NetCourses 376
- nolabel, list option 204
- nominal-level variables 90
- nonlinear 292
- nonparametric ANOVA alternatives 212
- nonparametric tests 173
 - Mann–Whitney 174
 - median 175
 - rank sum 174
- normally distributed residuals 254
- numlabel command 76, 98
- O**
- odds ratio 128, 294
 - interpretation 301
 - percentage change 301
- OLS regression vs. logistic regression 293
- omega2 command 225
- one-sample t test 155
- one-way ANOVA 201–202
- oneway option
 - bonferroni 205
 - scheffe 205
 - sidak 205

- open
 - existing dataset 9–11
 - Stata-installed dataset 9
- optifact command 372
- option,
 - add, label define 2
 - help, listcoef 302–303
 - jitter(), scatter 183
 - percent, listcoef 303
- ordinal-level variables 90
- outlier 258

- P**
- paired *t* test 164
- part correlation 249
- pasting, 83
 - reformatting 82
- pasting results to word processor, ... 82
 - formatting 82
- pcorr command 249, 270
- Pearson's chi-squared 131
- percent, listcoef option 303
- pie chart 98
- plot a confidence interval 196
- Poisson regression 297
- postestimation command,
 - estat vif 262–263
 - predict 258–260, 277, 280
 - test 271–272
- power analysis 166
- powerreg command 282–285
- predict postestimation command
 - 258–260, 277, 280
- predict postregression 258–260
- predictive validity 332
- probability tables 123
- product term 276
- project outline 48
- prophecy formula 324
- proportions,
 - one-sample test 149
 - two-sample test 151
- prtest command 149–155
- pseudo- R^2 300

- pwcorr command 190–192
- pweights 265

- Q**
- qualifier,
 - if with missing values 73
 - in 74

- R**
- R^2 246
 - change 249
- random sample 181
 - how to draw 147
- random sampling 145
- randomization 145
 - alternative to 216
 - how to perform 147
- ranksum command 174
- recode command 56–59, 266
- recoding 159
 - ranges 57
- regress command . 193–196, 245–246,
 - 268–271, 276–278
- regression,
 - block 266–274
 - bootstrap 254
 - categorical predictors 268
 - dummy variables 268
 - hierarchical 266–274
 - indicator variables 268
 - influential case 258
 - nested 266–274
 - outlier 258
 - residual 255
 - robust 254
 - weighted data 264
- regression diagnostics 258
- regression line, plotting 185
- regression with interaction term ... 276
- reliability,
 - alpha 325
 - equivalent forms 324
 - kappa 328
 - kappa with three raters 330

- reliability, *continued*
 - Kuder–Richardson coefficient of reliability 327
 - prophecy formula 324
 - split-half 324
 - test–retest 323
 - weighted kappa 330
- rename command 233
- rename variable 233
- repeated-measures ANOVA 231
- repeated-measures *t* test 164
- replace command 60, 159
- reshape command 233–234
- reshape wide to long format 233–234
- residual 254, 255
- response variables 209
- Results window 8
 - more 4
 - scroll size 4
- return list command 212
- reverse coding 319
- reverse-code variables 56
- Review window 8
- robust regression 254
- root mean squared error 195

- S**
- sample, draw 181
- sample command 138, 181
- sampsi command 170–173
- save command 39–40
- saved estimates 212
- saved statistics 212
- scale construction 318
 - reverse coding 319
- scale creation 65
- scatter command 181–186
- scattergram 180–186
- scattergram with confidence interval 196
- scattergram with jitter() option 183
- Scheffé, multiple comparison 205
- schemes 15
- scientific notation 248
- scree plot 341–342

- S*-curve 292
- sdtest command 163–164
- seed for starting a random sample 181
- semipartial correlation 249, 270
- set more off command 4
- set seed command 138, 146, 180
- Šidák, multiple comparison 205
- significance,
 - statistical 188
 - substantive 188
- skewness 93, 106, 253–254
- sktest command 253–254
- slope 195
- SMCL 84
- spearman command 197
- Spearman’s rho 197
- split-half reliability 324
- ssc command 372
- standardized beta coefficient 195
- standardized beta weights 248
- standardized regression coefficients 248
- Stat/Transfer 377
- Stata, limitations 377
- Stata bookstore 373
- Stata code for textbook examples 372
- Stata/IC limitations 377
- Stata Journal 373
- Stata listserver 373
- Stata Markup and Control Language see SMCL
- Stata NetCourses 376
- Stata Portal, UCLA 188, 372, 374
- Stata screen 7
- Stata tutorial 372, 376
- Statalist 373
- statistical significance versus substantive significance 188
- subcommand, list 212
- sum of squares 207
- summarize command 11–13, 106, 193, 252–253
- summarize(), tabulate option 227–231
- summary of data 27

- sunflower command 183
 sysuse command 9–10
- T**
- t* test,
 one-sample 155
 two-sample 157
- tab command 138
- tab1 command 95, 189
- tab2 command 267
- tabdisp command 234
- tabi command 133–134
- table 118
 probability 123
 summary statistics 213
- table command 135–136
- tabstat command 110, 213
- tabulate command 59, 63–
 65, 95, 118–122, 129, 131–133,
 226–231
- tau, measure of association 131
- test of significance,
 kurtosis 106
 skewness 106
- test postestimation command . . . 271–
 272
- test–retest reliability 323
- tests,
 Bonferroni 192
 chi-squared 121
 dependent *t* test 164
 likelihood-ratio chi-squared . . . 306–
 307
 likelihood-ratio chi-squared with
 logistic regression 306
 logistic regression 306
 long format for portions 153
 Mann–Whitney 174
 median 175
 multiple comparison with correla-
 tions 192
 nonparametric 173
 one-sample *t* test 155
 paired *t* test 164
 proportions 149, 151
- tests, *continued*
 rank sum 174
 repeated-measures *t* test 164
 skewness and kurtosis 253–254
 two-sample *t* test 157
 unequal variances 163
 Wald chi-squared test 306
 wide format for proportions . . . 152
 z test for proportions 155
 z test with logistic regression . . 306
- textbook examples using Stata
 commands 372
- tolerance 262–263
- toolbar, Stata 9
- ttest command 155–161, 165
- tutorial 376
 UNC, Population Center 372
- two-by-two table 118
- two-way ANOVA 226–231
- twoway command 185–186, 277, 280
- twoway connected command 231
- U**
- UCLA Stata Portal 19, 188, 372
 reshaping data wide to long . . . 233
- user-written commands 372
- V**
- validity,
 criterion related 332
 external 189
 predictive 332
- value labels 23, 32–38, 53–55, 76
- variable labels 23
- variable name 22, 25
- Variables Manager 33–38, 68
- Variables window 8
- variance inflation factor 262–263
- W**
- Wald chi-squared test 306
- web search 372
- weighted data 264–266
- weighted kappa 330
- weights, pweights 265

wide format 152, 161, 202, 233–234
working directory 9

X

`xtreg` command 238

Z

z test,
 one-sample proportion 149
 two-sample proportion 151
zero-inflated models 297