Subject index

A

`ac` command 225
added-variable plot 174–176
additive seasonal 248
adjusted R-squared . . . . . *see* $\overline{R}^2$
`ado update` command 4
ado-file 413, 414
`adopath` command 414
Akaike information criterion (AIC) . . 127
analysis of covariance 239–248
analysis of variance
    one-way 232
analytical weight 218
ANOVA . . . . . *see* analysis of variance
    F statistic 124
    table 123
`append` command 43, 71
AR(1) process 225
ARCH . . . . *see* autoregressive conditional heteroskedasticity
`areg` command 322
`arima` command 151
ASCII files 401–410
`assert` command 45, 405
attenuation 315
attenuation bias 384, 386–388
audit trail 42
`autocode()` function 39
autocorrelation . . . *see* serial correlation
autoregressive conditional heteroskedasticity 213
auxiliary regression 215, 226
`avplot` command 174–176

B

`_b[]` vector 133
balanced panel 75, 79, 80
bandwidth 278
Bartlett kernel 209
Baxter–King filter 252
Bayesian information criterion (BIC) 127
`bcal` command 69
benchmarking 249
between estimator 326–327
binary variable . . *see* indicator variables
binomial logit 364–367
binomial probit 358–364
    with selection 397
`biprobit` command 397
bivariate probit model 396–400
`bom()` function 19
`bomd()` function 20
Boolean condition 20
Boolean variable . . . . . *see* indicator variables
Box–Pierce Q test 226
brackets 38
Breusch–Godfrey test 226
Breusch–Pagan test
    for heteroskedasticity 215
    for random effects 329
    for seemingly unrelated regression 348
business-daily data 68
Butterworth filter 252
`by` prefix 26, 67
byable 19, 417
`bysort` command 26
`byte` data type 10
bytecode 59

C

`c.` operator 26
C statistic 282
canonical correlations 293
cardinal measurements 231
casewise deletion 35, 134
censoring 386–391
`center` community-contributed command 31
Chow predictive test 260
Chow test 258
Christiano–Fitzgerald filter 252
`cloglog` command 357
cluster estimator of the VCE . . . 205–209
`cnsreg` command 144–145
Cobb–Douglas production function 128
Cochrane–Orcutt estimator 229
`codebook` command 44, 405
codebooks 405
`coldiag2` community-contributed command 132
`collapse` command 31, 70, 80–81
`collect` command 101
`collect export` command 107
collinearity 130
  diagnostics 132
comma-delimited files 403
command syntax 15–17
competing models . . . . . *see* nonnested hypothesis
complex arithmetic 59
`compress` command 24–25, 410
condition number 132
conditional homoskedasticity . . 112, 180
consistency 114
`constraint` command 144–145, 347
contemporaneous correlation 346
continuity . . . . *see* piecewise continuous functions
corner solution 386
`corr()` community-contributed function 20
`correlate` command 35
correlated random effects 332–334
`corrgram` command 225
`count()` function 19
Cox–Pesaran–Deaton test 149
`creturn` command 56
`cross` command 76
cross-sectional data 67–68
`.csv` files 403

D

`D.` operator 69
data
  dictionary 407
  mining 177
  validation 42
date formats 68
`date()` function 39, 79
Davidson–MacKinnon *J* test 149
`.dct` file 408
`decode` command 37
delimiters 402
demand system 351
`describe` command 10
`destring` command 35
detrending 250
`dfbeta` command 187
DFBETA statistic 187–189
DFITS statistic 184–187
difference operator . . . . . *see* `D.` operator
difference-in-Sargan statistic 282
differentiability 255
do-file 413
Do-file Editor 2
`dofm()` function 248
`dofq()` function 248
`double` data type 10
double-log model 128
DPD . . . *see* dynamic panel-data models
`drop` command 24
`dtable` command 101
dummy variable . . . . . *see* indicator variables
`duplicates` command 48, 73
Durbin's *h* test 227
Durbin–Watson test 226

Durbin–Wu–Hausman tests for endogeneity 297–301
dynamic panel-data models . . . 338–345

E

`e(b)` matrix 133, 134
`e(sample)` vector 134
`e(V)` matrix 133
e-class 133–135
efficiency 115
`egen` command 18–21, 35, 420
`egen group()` function 27
`egenmore` community-contributed package 19, 86
eigenvalue 132
elasticity 128
embedded spaces 403
`encode` command 36–37
endogeneity 194–195, 263
`eom()` function 19
`eomd()` function 20
`epsfloat()` function 42
equality of variances . . . . . *see* `robvar` command
`ereturn list` command 133
errors-in-variables 315–316
`estadd` community-contributed command 138
`estat`
  `bgodfrey` command 226–228
  `durbinalt` command 227
  `dwstat` command 227
  `hettest` command 215–217
  `ic` command 127
  `imtest` command 216
  `ovtest` command 178–179
  `summarize` command 134
  `vce` command 135
  `vif` command 131
`estimates` command 135–138, 298, 330
`estout` community-contributed command 138
`ewma()` community-contributed function 20
exact identification 269
exponential mean 378
`export delimited` command 25
`export excel` command 25
extended macro functions 55

F

`F.` operator 69
factor variables 25
factorial interaction operator 26
feasible efficient two-step generalized method of moments 275
feasible generalized least squares 211–213, 217–219, 221–224, 347
FEGMM . . . . . *see* feasible efficient two-step generalized method of moments
FGLS . . . . . *see* feasible generalized least squares
`fillin` command 75
`filter()` community-contributed function 20
`filter()` function 251
financial ratios 219
first-order Markov process . . . *see* AR(1) process
fixed effect 320
fixed format 402–410
`float` data type 10
`foreach` command 3, 52–54
forecast confidence interval . . . . . *see* standard error of prediction
`forvalues` command 3, 52–54
`fracreg logit` command 372
`fracreg probit` command 372
fractional response models 372
`fralias` command 100
`frame create` command 93
frames 92
`frames dir` command 93
`frames save` command 94
free format 402–404
`frget` command 94
`frlink` command 94

`frval()` function 100
full column rank 115
functional form misspecification 178

G

Gamma distribution 380
gaps in time series 68, 83
general-to-specific approach 177
generalized
  autoregressive conditional heteroskedasticity 213
  least-squares estimator . . . 211–212, 346
    with random effects 328
  linear regression model 200
  method of moments 273–301
`generate` command 13, 17–18
`glm` command 366
`global` command 56
`gmean()` community-contributed function 20
GMM . . . . . *see* generalized method of moments
Goldfeld–Quandt test for heteroskedasticity 216
goodness of fit 125, 371
`graph matrix` command 173
graphics 38
grid search 229
group syntax of the `rename` command 91
grouped data 222–224
grouped logit 364–367
groupwise heteroskedasticity . . 219–222, 247
`gsort` command 13–15, 184

H

HAC standard errors . . . . *see* heteroskedasticity- and autocorrelation-consistent
Hansen J statistic 277
hat matrix 183
`hausman` command 298, 330
Hausman test 297
  for random effects 330
`hc2` adjustment of the cluster–robust VCE 206
`hc2` estimator of the VCE 205
`hc3` adjustment of the cluster–robust VCE 206
`hc3` estimator of the VCE 205
Heckit model 391, 394
`heckman` command 394–396
Heckman two-step model 394
`heckprobit` command 398–400
heteroskedasticity in grouped data 222–224
heteroskedasticity- and autocorrelation-consistent 210
high-dimensional fixed effects 335
Hildreth–Lu estimator 229
History window 2
`hmean()` community-contributed function 20
Hodrick–Prescott filter 252
homogeneous relationship 129
HTML 138

I

I(1) process . . . *see* nonstationary series
`i.` operator 25
identification problem 264
`if` qualifier 12–14
implied decimal 409
`import`
  `dbase` command 410
  `delimited` command 404–405
  `excel` command 405
  `fred` command 410
  `haver` command 410
  `haverdirect` command 410
  `sas` command 410
  `sasxport5` command 410
  `sasxport8` command 410
  `spss` command 410
IMR . . . . . *see* inverse Mills ratio
`in` qualifier 12–14
incidental truncation 392–396

independently distributed disturbances 224
indicator variables 231–261
`infile` command 402–404, 408
`infix` command 407
influential data 182
`inlist()` function 41, 46
`inrange()` function 41
instrument redundancy 293
instrumental-variables estimator . . . 266
`int` data type 10
`int()` function 41
integer division 41
integer variables 36
interaction
  effects 238
  operator 26
  terms 26, 182
`intreg` command 392
inverse Mills ratio 384
`invttail()` function 154
`iqr()` function 19
`ivreg2` community-contributed command 210, 273–301
`ivregress` command 267–268
`ivreset` community-contributed command 178

J

Java Database Connectivity 410
JDBC . . *see* Java Database Connectivity
`jdbc` command 410
`joinby` command 73
joint test 145
Julia programming language 64

K

`keep` command 24
kernel estimator 278
knot points 255
Kronecker product 328, 346
`kurt()` function 19

L

`L.` operator 69
`label` command 21–22
lag operator . . . . . *see* `L.` operator
Lagrange multiplier test 227
  for groupwise heteroskedasticity 323
latent variable 195, 356–358
LaTeX output 138
lead operator . . . . . *see* `F.` operator
least-squares dummy variable model 321
left-censoring . . . . . *see* censoring
leverage 183
likelihood-ratio test 371
Likert scale 231
limited dependent variables . . . 355–400
`lincom` command 141–144, 370
linear
  combination of coefficients 143
  filter . . . . . *see* `filter()` function
  probability model 355
  restrictions 143
  splines 255
`list` command 8
Ljung–Box Q test 226
`local` command 49–51
logical operators 18
`logit` command 358
log-linear model 127
`long` data type 10
long model 172
long-format data 71
longitudinal data . . . . . *see* panel data
LSDV . . . . . *see* least-squares dummy variable model
`lvr2plot` community-contributed command 183

M

`ma()` community-contributed function 20
macro 49–51
  evaluation 50
  list functions 55

`macro` command 3
`mad()` function 19
`makespline` command 255
many-to-one merge 72
marginal effects 156–167
`margins` command 26, 156–160, 358
`marksample` command 416
Mata 57, 58, 420–426
`mata` command 422
Mata functions 58
`mata mosave` command 424
`matlist` command 134–135
matrix programming 58
`max()` function 19
`maxbyte()` function 41
`maxdouble()` function 41
`maxfloat()` function 41
maximum likelihood estimation 371
maximum-likelihood random-effects estimator 329
`maxint()` function 41
`maxlong()` function 41
`mdev()` function 19
`mdy()` function 39–40, 79
`mean` command 232
`mean()` function 19
measurement error . . . 194–195, 314–316
`median()` function 19
merge 72
`merge` command 72–73
`_merge` variable 72
`min()` function 19
`missing()` function 34
missing values 34
`mod()` function 41
`mode()` function 19
moment conditions 273
`month()` function 248
moving autocorrelations 87
moving-window
  correlation 87
  regressions 351–354
  statistics 87
multiplicative seasonal 248
multiway clustering 209
Mundlak specification test 332
`mvcorr` community-contributed command 87
`mvdecode` command 37
`mvencode` command 37
`mvsumm` community-contributed command 87

N

`nbreg` command 380
negative binomial distribution 380
negative binomial regression 380
nested loops 54
NetCourse 413, 420
`newey` command 209–210
Newey–West estimates 278
Newey–West estimator 209–210
Nickell bias 338
`nlcom` command 147–148, 370
`nnest` community-contributed command 149–150
nonnested hypothesis 149
nonstationary series 225
not seasonally adjusted 248
`notes` command 22–23
null model 125
numeric variables 35–37
numlist 11

O

ODBC . . . . . *see* Open DataBase Connectivity
`odbc` command 410
odds ratio 365
`ologit` command 375
omitted-variables bias 314
one-liner 58
one-way random effects 327–330
one-way ANOVA 232
Open DataBase Connectivity 410
`oprobit` command 375
options 415
`order` command 11
order condition 269

ordered
logit model 374
measurements 231
probit model 374
ordinal measurements 231
ordinal variables 374
orthogonality conditions 274
outer join 73
outlier 183
overdispersion 380
overfitting 176
overidentification 269
overlapping subsamples 33, 87

P

`pac` command 226
Pagan–Hall test for heteroskedasticity 287
panel data 78
partial
autocorrelation function 226
observability 397
R^2 131
R^2 test 292
regression 187
`pc()` function 19
`pctile()` function 19
per capita regressions 219
perfect prediction 371
p-hacking 177
Phillips curve 279
piecewise
continuous functions 255
functions 253
linear . . . . *see* piecewise continuous functions
`poisson` command 378
Poisson distribution 378
Poisson regression 378
pooled
cross-section time series 70
data 71
ordinary least squares 319
portfolio shares 351
`prais` command 229–230
Prais–Winsten estimator 229
`predict` command . . 151–156, 249, 359
predicted values 150–156
prefix commands 26
`preserve` command 81
`probit` command 358
`program` command 415
proportionality . . . . . *see* homogeneous relationship
proxy variable 314
pseudo-R^2 371
pseudo-maximum likelihood 379
`psmatch2` community-contributed command 420
p-value 124
`pwcorr` command 35
`pwd` command 7–9

Q

Q test 226
qualitative factors 231
`quarter()` function 248
quasidemeaning transformation 328
quasidifferencing 229

R

`rall()` community-contributed function 20
random effect 320
rank condition 269
`rank()` function 19
`rany()` community-contributed function 20
`rc0` option 28
`rcount()` community-contributed function 20
`real()` function 35
`recode` command 38
`recode()` function 38
`record()` function 20, 86
record value to date . . . . . *see* `record()` function
regime dummies 258
regressand 111
regressors 111

`rename` command 24, 71, 91
rename group 24
`renvars` community-contributed command 91
`replace` command 17–18
RESET 178–179
`reshape` command 71, 88–92
residuals 150–156
`return` command 415
return values 15–17
right-censoring . . . . . *see* censoring
`rndint()` community-contributed function 20
robust estimator of the VCE . . . 202–205
`robust` option 203
robust standard errors 202–205
`robvar` command 220–221
`rolling` prefix 33, 351
rolling-window estimation 33
root MSE 113
`rowmax()` function 19
`rowmean()` function 19
`rowmin()` function 19
`rowmiss()` function 19
`rownonmiss()` function 19
`rowsd()` function 19
`rowtotal()` function 19
rowwise functions 19, 20
R^2 125
$\overline{R}^2$ 126–127
`rvfplot` command 179–180
`rvpplot` command 179–180

S

`S.` operator 69
`sample` command 393
sandwich estimator . . . . . *see* robust standard errors
Sargan test 269
`save` command 24–25
`saveold` command 24–25
scale heteroskedasticity 214
Schwarz information criterion . . . . . *see* Bayesian information criterion (BIC)
`sd()` function 19
`sdtest` command 220
`_se[]` vector 133
seasonal
  adjustment 248–252
  difference operator . . . . . *see* `S.` operator
  dummies 248
seasonally adjusted 248
  at an annual rate 248
seemingly unrelated regression 320, 346–351
selection model 392–396
`semean()` community-contributed function 20
semielasticity 127, 163, 240
`separate` command 77
serial correlation 224–230
short model 172
`skew()` function 19
`sort` command 11, 12, 14–15
space-delimited files 402
specification
  analysis 111
  error 171–189
  search 177
spells 83
spline functions 255
spreadsheet data 405
SQL databases 410
SSC Archive 4
`ssc` command 4, 19
`st_addvar()` function 423
`st_data()` function 422
`st_store()` function 423
`st_view()` function 422
`stack` command 76
standard error
  of forecast 156
  of prediction 153
  of regression . . . . . *see* root MSE
standardized values . . . . . *see* `std()` function
Statalist 413
statistical discrimination 243

statistical independence 237
`statsby` prefix 32, 351
`std()` function 19
storage optimization 410
`string()` function 37
string variables 35–37
`strL` data type 10
structural
    breakpoints 252
    breaks 261
    change 258–261
    stability 252
stub 90
studentized residual 184
`sum()` function 42
SUR . . . . . *see* seemingly unrelated regression
`sureg` command 347
survivorship bias 79
`syntax` command 415
`sysuse` command 7–9

T

tab-delimited files 403–405
`table` command 101
`tabulate` command 36, 47
tabulating results 135
temporary variable 416
tempvar 416
`test` command 141–147, 370
test of overidentifying restrictions . . 269
`testnl` command 147–148, 370
`testparm` command 141–142
text editors 402
text files 401–410
`texteditors` community contributed package 402
time-series
    calendar 68
    data 68–69
    operators 2, 69–70, 417
`tin()` function 69
`tnbreg` command 383
`tobit` command 387
tobit model 387
top coding . . . . . *see* upper truncation
`tostring` command 37
`total()` function 19
`tpoisson` command 383
trend 250
truncated regression 384
truncation 384–386
`truncreg` command 385
`tsfill` command 75, 79, 82
`tsmktim` community-contributed command 80, 425
`tsset` command 20, 36, 68, 79
`tssmooth ma` command 85
`tssmooth shwinters` command . . . 251
`tsspell` community-contributed command 83–85
`ttest` command 141
two-limit tobit . . . . . *see* tobit model
two-stage least squares (2SLS) . . 266–267
two-way fixed effects 324–325

U

unbalanced panel 75, 79, 82
underfitting 176
underidentified 269
`unicode` commands 10
unit-root test 225
unobserved heterogeneity 380
`update query` 3
upper truncation 385
`use` command 7–9

V

`var()` community-contributed function 20
variance decomposition matrix 132
variance inflation factor 131
varlist 11
`version` command 415
`veryshortlabel` option 78
view matrices 58
VIF . . . . . *see* variance inflation factor
virtual matrix 58
volatility clustering 213

W
Wald test 139
weak instruments 269, 296
`webuse` command 7–9
weighted least squares 218
weighting matrix 274
`which` command 413, 415
white noise 226
White standard errors . . . . . *see* robust standard errors
White's test for heteroskedasticity . . 215
`whitetst` community-contributed command 215–217
wide-format data 70, 347
wildcards 19
Windmeijer correction for dynamic panel-data models 342
within estimator 322
`wntestq` command 226–228
word processors 402

X
`xt` commands 82
`xtabond2` community-contributed command 342, 420
`xtcsd` community-contributed command 323
`xtdescribe` command 82–85
`xtdpd` command 342
`xtdpdgmm` community-contributed command 345
`xtdpdml` community-contributed command 345
`xtdpdsys` command 341
`xthtaylor` command 337
`xtivreg` command 337
`xtreg`,
  `be` command 326
  `cre` command 332
  `fe` command 322–324
  `re` command 329
`xtset` command 79
`xttest3` community-contributed command 323

Z
zero conditional mean 112, 263
zero-inflated negative binomial regression 382
zero-inflated Poisson regression 382
`zinb` command 382
`zip` command 382