

Subject index

Symbols

- 2SLS 204–206
 - assumptions for instruments... 204
 - balance test..... 207
 - exogeneity test..... 206
 - F* test 206
 - GMM estimation..... 216
 - overidentifying restriction test 207
 - specification test of instrument strength 206
 - specification tests..... 206–207
 - standard errors compared with OLS 206
- 2SRI
- control functions 207, 209
 - functional form 216
 - linear models 207–209
 - linear models versus nonlinear models 209, 216
 - nonlinear models 210–216

A

- actual outcomes
 - comparison between two-part and generalized tobit models.. 126, 128
 - generalized tobit models 122
 - two-part models 106, 116, 122, 128
- Agency for Healthcare Research and Quality..... see AHRQ
- AHRQ 23, 30, 32
- AIC 19–20, 66–69, 85–87, 91, 181
 - comparison of NB1 and NB2 ... 148
 - count models 160–161

AIC, *continued*

- does not suffer from multiple testing 69
 - example where differs from BIC.. 69
 - FMM 175
 - MLE formula 19, 160
 - OLS formula 20
 - robustness 20
 - Akaike information criterion ... see AIC
 - at((mean) _all)* option 141
 - ATE 9–17, 21
 - estimation 10–13
 - laboratory experiment..... 11
 - margins* and *teffects* commands 43, 45
 - OLS 41, 42
 - ATET 10–16, 41, 42, 45
 - count models..... 140
 - OLS 42
 - average treatment effect on the treated see ATET
 - average treatment effects see ATE
 - aweights* 223, 226
- B**
- balance tests, 2SLS 207
 - Bayesian information criterion..... see BIC
 - bcskew0* command..... 102
 - bfit* command 70
 - BIC 19–20, 66–69, 85–87, 91, 181
 - comparison of NB1 and NB2 ... 148
 - count models 160–161
 - does not suffer from multiple testing 69
 - example where differs from AIC.. 69
 - FMM 175

- BIC, *continued*
 MLE formula 19, 160
 OLS formula 20
 robustness 20
- bootstrap
 adjustment for clustering 227
 intuition 227
 nonparametric regression 194
 standard errors 227
- bootstrap command 91, 227
- boxcox command 87, 91, 102, 132
- Box–Cox models 87, 93, 101–102
 example 101–102
 formula 101
 skewness 101
 square root model 101
 two-part model, second part in ...
 112
- C**
 CDE 3, 166, 198–200
 estimate with one logit model .. 199
 fit with series of logit models .. 199
 flexibility for different distributions
 199
 for count models 199
 heterogeneity across bins 199
 homogeneity within bins 199
 intuition 198
 relation to two-part models ... 199
 two key assumptions 199
- censoring
 causes 159
 comparison with truncation ... 129
 count models 158–159
 definition 129
 formulas 159
 right-censoring 130
- centaur 128
- centile command 71
- cfunction option 219
- chain rule 119
- clusters 223–224
 affect standard errors 225
 bootstrap 227
- clusters, *continued*
 in natural experiments 225
 jackknife 227
 PSU 223
 standard-error formula 224
- cnreg command 132
- codebook command 228
- complex survey design see design effects
- conditional density estimators see CDE
- conditional independence assumption..
 see ignorability
- confounders 201
- consistency
 GLM 75
 negative binomial models 145
 Poisson models 136, 138, 139
- contrast() option ... 41, 42, 45, 70, 84
- contrast postestimation command .. 91
- control functions 201
 2SRI 207, 209
 functional form 209
 functions of residuals 216
 nonlinear functions 209
- count data 2
- count models 3, 5, 133–163
 AIC 160–161
 AIC and BIC 148, 160
 BIC 160–161
 censoring 159
 cross-validation 161–163
 discreteness 133
 event counts 134
 event counts for NB1 and NB2 .. 148
 FMM 186
 hurdle count models 149–155
 model comparisons 159
 model selection .. 148, 158, 160–163
 model selection examples 160
 negative binomial models 144–
 149
 Poisson models 137–138
 skewness 133

- count models, *continued*
 truncation 158–159
 zero-inflated models 155–158
- counterfactual outcome 9–11
- cross-validation 8, 20
 comparison with repeated random
 subsampling 161
 count models 161–163
- Current Population Survey 228
- D**
- data-generating process
 generalized tobit 112
 hurdle or two-part model 150
 negative binomial 145
 Poisson distribution 133, 142
 potential outcomes 9, 10
 two-part model 112
- delta-method standard errors .. 41, 227
- dental expenditures
 generalized tobit model examples..
 123
 two-part model example 123
- d**escribe command 32
- design effects 3, 5, 7, 24, 221–235
 clusters 223–224
 examples 228–234
 inference 225–227
 point estimation 225–226
 standard errors 221, 226–227
 stratification 223–224
 survey design setup 228–229
 weighted Poisson count model
 233–234
 weighted sample means ... 229–231
 weights 223
 WLS 231–233
- detail option 32
- difference-in-differences
 standard errors 222, 225
 with clusters 225
- difficult option 186
- discreteness, count models 133
- dispersion(constant) option 147
- dispersion(mean) option 146
- Duan's smearing factor 97, 98, 101
 Abrevaya's method, relation to ...
 101
- formula 97
- dummy variable interpretation
 Kennedy transformation 95, 96
 log models 95
- E**
- economic theory 1
- EEE 91
- eintreg command 216
- endogeneity 3, 5, 21, 33, 201–219
 2SLS 204–206
 example with artificial data ... 202
 examples 201
 linear models 202–210
 nonlinear models 210–216
 OLS is inconsistent 202–204
 omitted variables 201
- eoprobit command 216
- eprobit command 216, 219
- eregress command 209, 210, 213,
 216, 219
 probit option 210, 213
- ERM 209–210
 normality assumption 209
- error retransformation factor 96–98
- estat
 lcprob command 178, 181
 firststage command 206
 commands 219
 endogenous command 207
 gof postestimation command... 60
 ic command 163, 181
 ovtest postestimation command..
 63, 70
- estimates estat command 91
- estimates stats command ... 70, 163
- etregress command 219
- exogeneity test, 2SLS specification test
 206
- expression() option 152, 153, 172
- extended estimating equations.....see
 EEE

- extended regression models ... see ERM
extensive margin, two-part models
..... 105, 119, 128
- F**
F test, 2SLS specification test 206
FIML 209
comparison with LIML 111
convergence failure 123
formula for generalized tobit model
..... 110
generalized tobit models .. 110–111
Heckman selection models.... 110–
111
finite mixture models..... see FMM
first option 205
FMM..... 3, 166, 173–192
AIC and BIC..... 175
density formula 174
distribution choice 174
example of count models 186
example of healthcare expenditures
..... 176–186
example of healthcare use 186–
192
formula for posterior probability ..
..... 175
identification..... 175
incremental effects 183, 191
interpretation of parameters... 175
marginal effects 183, 191
motivation 173
predictions of means 182
predictions of posterior probabili-
ties..... 184
theory 175
two-component example..... 176
fmm9 package 200
fmm command..... 176, 178, 192, 200
fmm prefix 176
Fuchs Award, Victor R..... v
full-information maximum likelihood ..
..... see FIML
fweights..... 223
- G**
Gauss–Markov theorem..... 33
generalized linear models see GLM
generalized method of moments see
GMM
generalized tobit models 109–111
actual outcomes..... 122
censoring assumption 109
censoring formulas 109
comparison of FIML and LIML.. 111
comparison with two-part models..
..... 111–116
correlation of errors 109, 110
example comparing with two-part
model..... 122–128
examples showing similar marginal
effects to two-part models....
..... 112–116
exclusion restrictions 110, 112
FIML and LIML 110–111
formula for FIML 110
formula for LIML 110
formulas..... 109–110
identification ... 110, 111, 114, 132
latent outcomes..... 106, 109, 112,
114, 122, 127, 128
marginal effects examples 122–
128
marginal effects formulas..... 122
motivation is for missing values...
..... 112
normality assumption 110
not generalization of two-part mod-
els..... 111
three interpretations 122
generate command..... 32, 102
GLM..... 1, 2, 4, 71–91
assumptions 73–74
compared with log models.. 78, 91,
93, 99–100
consistency 75
count data 73
dichotomous outcomes 73
distribution family .. 73–75, 85, 89,
91

- GLM, *continued*
framework 73–75
generalization of OLS 72
healthcare expenditure example ..
..... 75–77
heteroskedasticity 72, 73, 91
identity link problems 87
incremental effects 75, 81–85
index function 73
interaction term example ... 78–81
inverse of link function 73
iteratively reweighted least squares
..... 75
link function 72–75, 85, 91
link function test 87–89
log link 100
marginal effects 75, 81–85
parameter estimation 75
Park test, modified 89–90
Poisson models 138
prediction example 77–78
quasi–maximum likelihood 75
square root link 77, 86, 87
tests for link function and distribution family 85–90
two-part model, second part in ...
... 107, 108, 112, 116, 119
glm command 77, 82, 91, 132
GMM 1, 216–218
endogeneity 216–218
example of 2SLS 216
Hansen's *J* test 218
multiple equations 218
multiple instruments 217
overidentification test 218
standard errors different for 2SLS..
..... 216
gmm command 219
gmm option 216, 219
graphical checks see visual checks
graphical tests 2
grc1leg command 69
- H**
Hansen's *J* test 218
health econometric myths 4–5
healthcare expenditure example, GLM..
..... 75–77
healthcare expenditures .. 1, 2, 4, 7, 16,
23, 26, 72
..... 72, 173
skewed 72, 173
zero, mass at 105
heckman command 113, 132
Heckman selection models 109–111
censoring assumption 109
censoring formulas 109
comparison of FIML and LIML .. 111
comparison with two-part models ..
..... 111–116
example comparing with two-part model 122–128
examples showing similar marginal effects to two-part models
..... 112–116
FIML and LIML 110–111
formula for FIML 110
formula for LIML 110
formulas 109–110
marginal effects examples 122–
128
marginal effects formulas 122
motivation is for missing values ...
..... 112
not generalization of two-part models 111
three interpretations 122
heckprob command 132
heterogeneous treatment effects
..... see treatment effects, heterogeneous
heteroskedasticity 2
GLM 72, 73, 91, 93
log models and retransformation ..
..... 93, 99, 100
histogram command 32
Hosmer–Lemeshow test ... see modified Hosmer–Lemeshow test

- hurdle count models 149–155
 compared with two-part models 149
 compared with zero-inflated models 156
 example of office visits 150
 first and second parts 150
 marginal effects 152–154
 motivation 149
- I**
 ignorability 10–12, 201
 incremental effects 2, 16–18
 design effects 221
 example for Poisson model 141
 FMM 183, 191
 GLM 81–85
 graphical representation 38–40
 inconsistency in Poisson models 143
 linear regression model 17
 log models 99
 nonlinear regression model 17
 OLS 33, 36–38
 Poisson models 140
 two-part model formulas 119
 two-part models 108–109
 zero-inflated models 157
 zeros, if mass at 105
 inpatient expenditures 26
 instrumental variables 201
 assumptions 204
 specification tests 206–207
 weak instruments 204
 intensive margin, two-part models.... 105, 119, 128
 interaction term, GLM example .. 78–81
 intreg command 132
 inverse Mills ratio 110, 111, 123
 ivpoisson command 216, 219
 ivprobit command 219
 ivregress command 205, 208, 209, 216, 219
 ivregress postestimation commands.. 206, 219
- ivtobit command 216, 219
 iweights 223
- J**
 J test see Hansen's *J* test
 jackknife
 adjustment for clustering 227
 intuition 227
 standard errors 227
 jackknife command 227
 Jensen's inequality 96
- K**
 K-fold cross-validation see cross-validation
 Kennedy transformation 95, 96
 kurtosis, MEPS 26
- L**
 latent outcomes
 generalized tobit models 106, 109, 112, 114, 122, 127, 128
 tobit models 129
 LEF 136
 negative binomial models are not LEF 145
 negative binomial models with fixed α 145
 Poisson models 136, 138
 limited-information maximum likelihood see LIML
 LIML
 comparison with FIML 111
 formula for generalized tobit model 110
 generalized tobit models .. 110–111
 Heckman selection models 110–111
 linear
 exponential family see LEF
 regression models see OLS
 regression models mathematical formulation 34–35
 link function test for GLM 87–89
 linktest command 63, 70

- lnskew0** command 103
local linear regression see
 nonparametric regression
log models 2, 5, 73, 91, 93–103
 compared with Box–Cox models..
 101
 compared with GLM 78, 91,
 99–100
 dummy variable interpretation.. 95
 error retransformation factors.. 96–
 99
 estimation and interpretation.. 94–
 95
 formula 94
 healthcare expenditure example ..
 94–95
 marginal and incremental effects..
 93, 99
 marginal effects affected by
 heteroskedasticity 99
 retransformation to raw scale.. 96–
 99
 two-part model, second part in ...
 107
- logit** command 132, 163
logit models
 first part of
 hurdle count model 150
 two-part model... 107, 108, 112,
 119
 zero-inflated model 156
 weighted formula..... 226
 weights 226
- M**
marginal effects 2, 16–18
 design effects..... 221
 example for Poisson model.... 141
FMM 183, 191
generalized tobit models 122
GLM 81–85
graphical representation 38–40
Heckman selection models.... 122
hurdle count models 152–154
- marginal effects, *continued*
inconsistency in Poisson models ..
 143
log models..... 93, 99
log models affected by
 heteroskedasticity 99
nonlinear regression model 17
OLS 33, 36–38
Poisson models..... 140
two-part models 108–109
 formulas for 118–120
 similar to generalized tobit mod-
 els 112–116
zero-inflated models..... 157
zeros, if mass at 105
- margins** command..... 36–38, 41–45,
 70, 77–80, 82, 83, 91, 102, 117,
 120, 125, 141, 146, 152, 153,
 172, 178, 182, 189, 195, 197,
 198, 233
- margins** postestimation command .. 91
- marginsplot** command 38, 70, 80,
 91, 197
- maximum likelihood estimation see
 MLE
- mean** command 229
- median regression see quantile
 regression
- Medical Expenditure Panel Survey..see
 MEPS
- MEPS 2, 4, 23–32
 demographics 30
 expenditure and use variables.. 26–
 30
 explanatory variables 30–32
 health insurance..... 31
 health measures 31
Household Component 23
Household Survey 224
oversampling and undersampling..
 223
- overview 24–26
- PSU 228
- PSUs based on counties..... 224
- sample dataset 32

- MEPS, *continued*
- sample size 24
 - sampling weights 228
 - stratified multistage sample design 224
 - study design 221, 223, 228
 - survey design setup 228
 - website 23
- mermaid 128
- misspecification
- OLS 34, 47–52
 - exponential example 50–52
 - quadratic example 47–49
- MLE 1
- Box–Cox models 102
 - count models 136
 - FMM 174
 - Poisson models 137–138
 - quasi–maximum likelihood for GLM 75
 - weighted logit model 226
- model selection 8, 18–20
- AIC 19–20, 66–69
 - BIC 19–20, 66–69
 - count models 148, 160–163
 - cross-validation 20
 - graphical tests 18
 - statistical tests 19
- model specification 33, 34
- modified Hosmer–Lemeshow test 19, 58–60, 131
- mgamma** package 173
- myths, health econometric .. see health econometric myths
- N**
- National Health Interview Survey .. 23, 224
- natural experiments
- cluster 225
 - weights 225
- NB1**
- definition 145
 - example 146
 - linear mean 145
- NB2**
- definition 145
 - example 146
 - quadratic mean 145
 - nbreg** command 146, 163
 - negative binomial models ... 5, 144–149
 - compared with Poisson models 145
 - conditional mean same as Poisson 145
 - consistency 145
 - examples 146–149
 - formula for density 144
 - formulas for first two moments 144
 - motivated by unobserved heterogeneity causing overdispersion 144
 - NB1 and NB2 145
 - robustness 145
 - second part of hurdle count model 150
 - truncated example 154
 - variance exceeds mean 145
 - zeros 145
- negative binomial-1 see NB1
- negative binomial-2 see NB2
- nlcom** command 181, 189
- nonparametric regression 192–198
- bootstrap 194
 - compared with parametric models 192
 - computation time 198
 - examples 193–198
 - local linear regression 193
- normality
- FIML sensitivity to assumption.... 123
 - generalized tobit assumption .. 110
 - OLS, not assumed by 108
 - tobit model assumption 129
- npregress** command 192–194, 200

O

- OLS 1, 2, 4, 33–70, 72
 AIC and BIC 66–69
 assumptions 33
 ATE and ATET 41, 42
 best linear unbiased estimator .. 33
 can be inconsistent for count outcomes 133
 compared with median quantile regression 167
 endogeneity causes inconsistency.. 202–204
 examples of statistical tests.. 60–66
 graphical representation of marginal and incremental effects 38–40
 incremental effects 36–38
 log models see log models
 marginal effects 36–38
 marginal effects compared with quantile regression 169
 mathematical formulation... 34–35
 misspecification
 consequences 34, 47–52
 exponential example..... 50–52
 quadratic example..... 47–49
 negative predictions 71
 regression with log-transformed dependent variable see log models
 sample-to-sample variation.. 71, 72
 statistical tests 58–69
 treatment effects..... 41–46
 unbiased property 33
 visual checks..... 52–57
 omitted variables 202, 207
 endogeneity, source of 201
 ordinary least squares see OLS
 outliers 4
 overdispersion
 problem for Poisson models ... 142
 unobserved heterogeneity in negative binomial models 144
 overidentification test, GMM 218

Poveridentifying restriction test, 2SLS

- specification test 207
 oversampling 31
- P**
 Park test, modified for GLM 89–91
parmest package 169
poisson command..... 163
 Poisson models 5, 137–144, 231
 canonical count model 136
 compared with negative binomial models 145
 consistent if conditional mean correct..... 136, 139
 events underpredicted in tails.. 143
 example of office-based visits.. 139
 exponential mean specification.... 139
 formula 137
 for covariance matrix 138
 for semielasticity..... 139
 GLM objective function..... 138
 GMM..... 218
 incremental effects 140
 can be inconsistent 143
 example 141
 instrumental variables, by GMM 218
 interpretation 139–142
 interpretation as semielasticity.... 139
 LEF 138
 log-likelihood function..... 138
 marginal effects 140
 can be inconsistent 143
 example 141
 mean equals variance..... 137
 MLE..... 137–138
 motivation from exponential time between events 137
 overdispersion..... 142
 restrictiveness 142–144
 robust standard errors 142
 robustness 138–139, 159

- Poisson models, *continued*
 second part of hurdle count model 150
 variance equals mean 137
 weighted example 233–234
 zeros underpredicted 143
 population mean 226
 potential outcomes 2, 7–13, 18, 35
 causal inference 9
predict command 102, 184
 prediction, GLM 77–78
 Pregibon's link test 19, 58–60, 131
 example 60, 61, 65
 relation to RESET test 59
 Stata command 63
 primary sampling unit see PSU
probit command 132, 163
 probit models
 comparison with tobit 130
 first part of
 hurdle count model 150
 zero-inflated model 156
 tobit model 128
 two-part model, first part in 107–109, 111, 116, 119
 PSU 223
 bootstrap or jackknife 227
 MEPS 224
pweights 223, 226
- Q**
qcount package 173
qreg command 169, 170, 200
 quantile regression 3, 166–173
 appealing properties 167
 applied to count data 173
 applied to nonlinear data-generating process 173
 compared with OLS 167
 effects of covariates vary across
 conditional quantiles of the
 outcome 167
 equivariant to monotone transformations 167
 examples 167–173

- quantile regression, *continued*
 extensions 173
 formula 167
 marginal effects compared with
 OLS 169
 median regression 166
 robust to outliers 167
- R**
 Ramsey's regression equation specification error test see RESET test
 RAND Health Insurance Experiment ..v, 107
 randomized trial 11, 12
regress command 69, 102, 132, 208, 231
regress postestimation commands 53, 69
replace command 32
 RESET test 19, 58–59, 131
 example 60–62, 65
 generalization of Pregibon's link test 59
 Stata command 63
 retransformation 73, 93, 99
 general theory of Box–Cox under homoskedasticity 101
 robustness, negative binomial models 145
rvfplot command 53, 69
rvpplot command 53, 69
- S**
 sampling weights see weights
scatter command 32
 selection
 attrition 221, 225
 models 2, 5
 on unobservables 13, 21
 self-selection 12
 single-index models that accommodate
 zeros 106, 128–131
 GLM 131
 nonlinear least squares 131

single-index models that accommodate zeros, <i>continued</i>	
one-part models	131
tobit models	128–130
skewed data	72
skewness	2–4, 71
Box–Cox targets skewness	101
count models	133
GLM	91
MEPS	26–28
OLS errors	72
skewness transformation, zero	102
specification tests	18
2SLS	206–207
balance test	207
exogeneity test	206
F test	206
instrument strength test	206
overidentifying restriction test	207
sqreg command	169, 171, 200
square root model	101
square root transformation	
GLM	77, 87
square root transformation GLM	86, 87
ssc install	
fmm9 command	200
parmest command	169
twopm command	132
standard errors	
2SLS versus GMM	216
2SLS versus OLS	206
bootstrap	227
delta method	41, 227
design effects	221, 226–227
difference-in-differences	222
formula with clustering	224
GMM correct standard errors for	
2SRI	217
jackknife	227
margins and teffects command	
45	
Poisson models	142
Stata	
<i>Base Reference Manual</i>	227
command for weights	223
<i>Data-Management Reference Manual</i>	32
<i>Getting Started With Stata manual</i>	32
<i>Graphics Reference Manual</i>	32
introduction to the language	5
option for clustering	224
<i>Survey Data Reference Manual</i>	235
<i>Treatment-Effects Reference Manual</i>	42
<i>User's Guide</i>	32, 226
Stata resources	
2SLS	219
2SRI	219
AIC and BIC	91, 163
Box–Cox	102
CDE	200
clusters	235
count models	163
data cleaning	32
design effects	235
endogeneity	219
FMM	200
generalized tobit models	132
getting started	32
GLM	91
GMM	219
graphing	32, 69, 70
Heckman selection models	132
hurdle count models	163
incremental effects	91
instrumental variables	219
linear regression	69, 102
marginal and incremental effects..	
70	
marginal effects	91
negative binomial models	163
Poisson models	163
quantile regression	200
skewness transformation, zero	102

Stata resources, *continued*

- statistical tests 70
- stratification 235
- study design 235
- summary statistics 32
- survey design 235
- treatment effects 70
- two-part models 132
- weights 235
- zero-inflated models 163
- statistical tests 2
- OLS 58–69
- OLS examples 60–66
- stratification 223–224
 - affects standard errors 225
 - purpose 224
- study design see design effects
- suest** command 152
- summarize** command 32, 229
- survey design see design effects
- svy prefix** command .. 91, 228–231, 235
- svy bootstrap** command 227
- svy jackknife** command 227
- svyset** command 227, 228, 235

T

- tabstat** command 32
- Taylor series, linearization for standard errors 227, 228
- teffects** command 41–45, 70
- test** command 70
- testparm** command 70
- tnbreg** command 163
- tobit** command 132
- tobit models 128–130
 - censoring 129
 - censoring assumption 129, 130
 - comparison with probit 130
 - formulas 129
 - homoskedasticity assumption 130
 - latent outcomes 129
 - MLE formula 129

tobit models, *continued*

- normality assumption 129, 130
- restrictive assumptions 130
- right-censored example 130
- truncation of positive values at zero 130
- why used sparingly 130
- tobit**, generalized see generalized tobit models
- tpoisson** command 151, 163
- treatment effects 2, 8–10, 12, 17
 - clustering 225
 - covariate adjustment 12–13
 - difference-in-differences 225
 - endogeneity 201
 - heterogeneous 3–5, 165–200
 - linear regression 13–15
 - nonlinear regression 15–16
 - OLS 33, 41–46
 - on not-treated 140
 - randomization 11–12
 - regression estimates 13–16
 - zeros, if mass at 105
- treatreg** command 132
- truncation
 - comparison with censoring 129
 - count models 158–159
 - definition 129
 - formulas 159
 - left-truncation 158
 - right-truncation 158
 - zero-truncation 158
- two-part models v, 2, 5, 106–109
 - actual outcomes 106, 116, 122, 128
 - choices for first-and second-parts.. 107
- compared with hurdle count models 149
- comparison with generalized tobit models 111–116
- comparison with Heckman selection models 111–116

- two-part models, *continued*
- example
 - comparing with generalized tobit model 122–128
 - comparing with Heckman selection model 122–128
 - with MEPS 116–118
 - examples showing similar marginal effects to generalized tobit models 112–116
 - expected value of y 108–109
 - formula,
 - general 106
 - logit and GLM with log link 108
 - probit and homoskedastic nonnormal log model 109
 - probit and homoskedastic normal log model 109
 - probit and linear 108
 - probit and normal 108
 - probit and GLM with log link 108
 - formulas for incremental effects 119
 - history 107
 - marginal and incremental effects... 108–109
 - marginal effect example 120–121
 - marginal effect formulas .. 118–120
 - mixture density motivation.... 112
 - motivation is for actual zeros.. 112
 - not nested in generalized tobit models 111
 - relation to CDE 199
 - statistical decomposition 106
 - statistical tests..... 131
 - two-stage least squares..... see 2SLS
 - two-stage residual inclusion ... see 2SRI
 - twopm** command 113, 116, 117, 120, 132, 152
 - twostep** option 219
- V**
- vce(cluster)** option.... 223, 224, 227, 235
 - vce(robust)** option 142
 - visual checks
 - artificial-data example 52–55
 - MEPS example 55–57
 - OLS 52–57
 - Vuong's test 148, 160
- W**
- weak instruments see instrumental variables
 - weighted least squares see WLS
 - weighted sample means, example.. 229– 231
 - weights 223
 - affect point estimates and standard errors 225
 - analytic weights, **aweights** 223
 - definitions 223
 - effect on point estimates 226
 - effect on regression coefficients.... 221
 - frequency weights, **fweights** .. 223
 - importance weights, **iweights** 223
 - in natural experiments 225
 - logistic regression 226
 - population mean 226
 - population weights 223
 - postsampling weights..... 223, 225
 - sampling weights..... 223
 - pweights** 223
 - with bootstrap or jackknife.. 227
 - WLS** 226
 - WLS** 226
 - example 231–233
 - formula 226
- Z**
- zero-inflated models 149, 155–158
 - compared with hurdle count models..... 156
 - example for office-based visits.. 156