

Subject index

A

adjacent mean contrasts.....182–187
adjusted means
 average marginal effect ... 281–282
 computing.....26–29
 graphing.....29–30
 marginal effect at the mean.. 281–282
analysis of variance 169–175
anova command 169–175
anova versus **regress** command.. 205–208, 241–244
as-balanced versus as-observed contrasts198–200
as-observed versus as-balanced contrasts198–200
average marginal effect versus marginal effect at the mean....281–282
average marginal value versus marginal value at the mean 28–29

B

Bonferroni adjustments .. 516, 537–539, 541–542
broken line regression see piecewise models
broken stick regression ... see piecewise models

C

categorical by categorical by categorical interactions 249–272
 interaction contrasts.....264–267
 partial interactions.....260–262, 264–267
 simple comparisons 271
 simple contrasts.....260

categorical by categorical by categorical interactions, *continued*
 simple effects.....255, 271
 simple interactions .. 252–255, 258, 268–271
 simple partial interactions...258–260
 three by three by three design262–271
 two by two by three design...255–262
 two by two by two design..250–255
categorical by categorical by continuous interactions
 linear..see linear by categorical by categorical interactions
categorical by categorical interactions..209–247
 interaction contrast234–236
 logistic regression.....481–487
 partial interactions.....221–223, 226–227, 233–234
 simple contrasts 225–226, 231–232
 simple effects ... 215–217, 220–221, 225, 230–231
 three by three design 228–236
 two by three design.....218–228
 two by two design 211–218
categorical by continuous by continuous interactions....see continuous by continuous by categorical interactions
categorical by continuous interactions
 cubic see cubic by categorical interactions

- categorical by continuous interactions, *continued*
 - linear see linear by categorical interactions
 - quadratic see quadratic by categorical interactions
- categorical by linear by linear interactions see linear by linear by categorical interactions
- categorical by linear by quadratic interactions see linear by quadratic by categorical interactions
- categorical by piecewise interactions
 - linear see piecewise by categorical interactions
- categorical predictor
 - beyond two levels 169–175
 - two levels 168–169
- categorical predictors 167–208
 - using **regress** command . . 205–208
- comparisons see contrasts
- complex survey data 499–503
- concave curve 45–46
- confidence intervals, interpreting . . 202–204, 244–246
- continuous by categorical by categorical interactions
 - linear . . see linear by categorical by categorical interactions
- continuous by categorical by continuous interactions see continuous by continuous by categorical interactions
- continuous by categorical interactions
 - cubic see cubic by categorical interactions
 - linear see linear by categorical interactions
 - logistic regression 487–492
 - quadratic see quadratic by categorical interactions
- continuous by continuous by categorical interactions 365–382
- continuous by continuous by continuous interactions 149–164
- continuous by continuous interactions 127–148
 - linear by linear 127–140
 - linear by quadratic 140–147
- continuous by piecewise interactions
 - linear see piecewise by categorical interactions
- contrast** command . . 172–174, 535–538
 - contrast operators see contrast operators
 - effects option 537
 - level() option 538
 - mcompare() option 537–538
 - noeffects option 536
 - nowald option 536–538
 - pveffects option 537
- contrast operators
 - a 182–187
 - ar 185–187
 - custom 195–198
 - g 179–182
 - gw 198–200
 - h 187–192
 - hw 198–200
 - j 191–192
 - jwt 198–200
 - p 193–195
 - pw 198–200
 - q 194–195
 - qw 198–200
 - r 176–179
 - table of 175–176
 - weighted 198–200
- contrast** versus **margins** output . . 175
- contrasts
 - adjacent mean 182–187
 - custom 195–198
 - grand mean 179–182
 - Helmert 187–192
 - polynomial 193–195
 - reference group 176–179
 - reverse adjacent mean . . . 185–187
 - reverse Helmert 191–192

- contrasts, *continued*
- selecting 177–179, 181–182, 186–187, 192
 - selecting reference group . . 178–179
 - to mean of previous levels . . . 191–192
 - to mean of subsequent levels . . 187–192
 - weighted 198–200
- convex curve 45–46
- cross-level interaction
- categorical by categorical . . . 404–408
 - continuous by categorical . . . 397–404
 - continuous by continuous . . . 394–397
- cubic by categorical interactions . . 318–323
- cubic predictor 55–62
- graphing 59–62
 - interpretation of 55–56, 59–62
- custom contrasts 195–198
- D**
- datasets
- downloading 4
 - GSS 4–12
 - optimism 12
 - pain 12
 - school 13
 - sleep 13
- downloading datasets 4
- Duncan adjustments 539, 542–544
- Dunnett adjustments 539, 542–544
- E**
- `estimates stats` command . . 452–454
- `estimates store` command . . 452–454
- F**
- factor variables 167–208
- used with `margins` command 513–519
- `fracpoly` prefix 62–75
- fractional polynomial regression . . 62–75
- graphing 70–75
 - interpreting 70–75
 - versus quadratic model 67–69
- G**
- grand mean contrasts 179–182
- graphing adjusted means 29–30
- H**
- hierarchical linear model see multilevel model
- hockey stick models see piecewise models
- I**
- interaction contrast
- three by three design 234–236
- interaction contrasts
- three by three by three design 264–267
- interactions
- categorical by categorical see categorical by categorical interactions
 - categorical by categorical by categorical see categorical by categorical by categorical interactions
 - categorical by continuous by continuous interactions see continuous by continuous by categorical interactions
 - continuous by categorical by continuous interactions see continuous by continuous by categorical interactions
 - continuous by continuous see continuous by continuous interactions
 - continuous by continuous by continuous see continuous by continuous by continuous interactions

interactions, *continued*

- cubic by categorical .. see cubic by categorical interactions
 - linear by categorical .. see linear by categorical interactions
 - linear by categorical by categorical interactions
... see linear by categorical by categorical interactions
 - linear by linear by categorical interactions see linear by linear by categorical interactions
 - linear by quadratic by categorical interactions
... see linear by quadratic by categorical interactions
 - piecewise by categorical
.. see piecewise by categorical interactions
 - quadratic by categorical
.. see quadratic by categorical interactions
- interpreting confidence intervals .. 202–204, 244–246
- inverted U-shape 45–46

L

- linear by categorical by categorical interactions 383–390
- linear by categorical interactions .. 275–300
- linear by linear by categorical interactions 366–375
- linear by linear by linear interactions ..
..... see continuous by continuous interactions
- linear by linear interactions see continuous by continuous interactions
- linear by quadratic by categorical interactions 376–382

- linear by quadratic interactions see continuous by continuous interactions
- linear regression, multiple 25–30
- linear regression, simple 17–25
- linearity
 - assessing analytically 37–43
 - assessing graphically 30–37
 - assessing using **contrast** command 41–43
 - assessing via factor variables .. 39–43
 - assessing via graphing means .. 34–37
 - assessing via lowess 33–34
 - assessing via polynomials ... 38–39
 - assessing via residuals 31–32
 - assessing via scatterplots 31
- logistic regression 456–470
 - categorical by categorical interactions 481–487
 - continuous by categorical interactions 487–492
 - contrast** command 457–458
 - margins** command 459–462, 464–465
 - margins, default metric 462
 - margins**, **pwcompare** command ..
..... 462–463
 - marginsplot** command .. 459–462, 464–465
 - one categorical predictor .. 456–463
 - one continuous predictor .. 463–465
 - piecewise models 492–498
 - predictive margins 460
 - pwcompare** command 458–459
 - with covariates 465–470
- logit** command 456–470
- longitudinal models see time, modeled continuously

M

- main effects
 - interpreting with categorical interactions 241–244

- main effects, *continued*
 - interpreting with polynomial models 75–77
 - marginal effect at the mean versus average marginal effect ... 281–282
 - marginal value at the mean versus average marginal value 28–29
 - margins** command 20–22, 507–522
 - asbalanced** option 240–241
 - asobserved** option 239–240
 - at()** option 20–22, 510–513, 517–519
 - contrast()** option 515–516
 - dydx()** option 519, 521–522
 - dyex()** option 520
 - expression()** option 508–510
 - eydx()** option 521
 - eyex()** option 519–520
 - mcompare()** option 516
 - noatlegend** option 512
 - predict()** option 507–508
 - with factor variables 513–519
 - margins** versus **contrast** output .. 175
 - marginsplot** command 22–25, 523–534
 - adding scatterplot to 526
 - addplot()** option 526
 - bydimension()** option 532
 - byopts()** option 533
 - ciopts()** option 525
 - customizing by-graphs 533
 - customizing the legend 530
 - display of confidence interval .. 525
 - display of fit line 525
 - labeling the by-dimension 532
 - labeling the plot dimension .. 528–530
 - labeling the x dimension 531
 - legend()** option 530
 - line thickness 525
 - marker size 525
 - marker symbol 525
 - nocl** option 526
 - omitting confidence interval ... 526
 - marginsplot** command, *continued*
 - plotdimension()** option 528–530
 - plotopts()** option 525
 - recast()** option 525
 - recastci()** option 525
 - scheme()** option 526
 - selecting a scheme 526
 - selecting dimension for *x* axis .. 527
 - selecting the by-dimension 532
 - selecting the plot dimension ... 528
 - subtitle()** option 524
 - title()** option 524
 - xdimension()** option 527
 - xlabel()** option 524, 531
 - xscale()** option 524
 - xtitle()** option 524
 - ylabel()** option 524
 - yscale()** option 524
 - caption()** option 524
 - note()** option 524
 - ytitle()** option 524
 - mixed model see multilevel model
 - mkspline** command 84–88
 - marginal** option 88–90
 - mlogit** command 470–475
 - multilevel model 393–409
 - cross-level interactions see cross-level interactions
 - longitudinal see time, modeled continuously
 - multinomial logistic regression 470–475
 - contrast** command 471–472
 - margins** command 473–475
 - marginsplot** command ... 473–475
 - pwcompare** command 473
 - multiple comparison adjustments .. 516, 537–544
 - multiple regression 25–30
- N**
- nested model see multilevel model

- nonlinear models 455–498
 - categorical by categorical interactions 481–487
 - continuous by categorical interactions 487–492
 - piecewise models 492–498
- nonlinear relationships
 - cubic predictor 55–62
 - fractional polynomial 62–75
 - piecewise models 79–126
 - polynomial predictor 45–77
 - quadratic predictor 45–55
- O**
- ologit command 475–478
- ordinal logistic regression 475–478
 - contrast command 476–477
 - margins command 477–478
 - marginsplot command 477–478
 - pwcompare command 477
- P**
- pairwise comparisons 200–202
- partial interactions
 - three by three by three design 264–267
 - three by three design 233–234
 - two by three design 221–223, 226–227
 - two by two by three design 260–262
- piecewise by categorical interactions 325–364
 - comparing coding schemes 356–363
 - one knot and one jump 328–341
 - overview of 325–328
 - two knots and two jumps 341–356
- piecewise models 79–126
 - automating graphs 123–126
 - change in slope coding 88–90
 - individual slope coding 84–88
 - logistic regression 492–498
 - multiple unknown knots 113–120
 - one knot 82–90
- piecewise models, *continued*
 - one knot and one jump 96–101
 - one unknown knot 109–113
 - piecewise by categorical
 - interactions . . . see piecewise by categorical interactions
 - two knots 91–96
 - two knots and two jumps 102–109
- poisson command 478–481
- Poisson regression 478–481
 - contrast command 479
 - margins command 480–481
 - marginsplot command 480–481
 - pwcompare command 479–480
- polynomial contrasts 193–195
- polynomial models
 - interpreting main effects 75–77
- polynomial predictor 45–77
- predicted means, computing 22–25
- predictive margins 460
- previous levels, contrast to 191–192
- pwcompare command 200–202, 539–544
 - cimargins option 540–541
 - effects option 540–544
 - groups option 541–544
 - mcompare() option 539, 542–544
 - Šidák adjustment 201–202
 - sort option 542–544
- pwmean command 202
- Q**
- quadratic by categorical interactions 301–318
- quadratic by linear by categorical interactions see linear by quadratic by categorical interactions
- quadratic by linear interactions see continuous by continuous interactions
- quadratic predictor 45–55
 - graphing 51–55
 - interpretation of 46–47, 52–55

quadratic term
 interpretation of 46–47, 52–55

R

random-coefficient model see
 multilevel model
 reference group contrasts 176–179
 regress versus anova command . . 205–
 208, 241–244
 repeated-measures models see time,
 modeled categorically
 residual covariance structures, compar-
 ing 452–454

S

Scheffé adjustments 516, 537–539,
 541–542
 selecting contrasts . . . 177–179, 181–182,
 186–187, 192
 selecting reference group 178–179
 Šidák adjustments 516, 537–539,
 541–542
 simple comparisons
 three by three by three design . . 271
 simple contrasts
 three by three design 231–232
 two by three design 225–226
 two by two by three design . . . 260
 simple effects
 three by three by three design . . 271
 three by three design 230–231
 two by three design . . 220–221, 225
 two by two by two design 255
 two by two design 215–217
 simple interactions
 three by three by three design . . .
 268–271
 two by two by three design . . . 258
 two by two by two design . . 252–255
 simple linear regression 17–25
 simple partial interactions
 two by two by three design . . 258–
 260
 spline regression see piecewise models
 split plot design 443–452

squared term

interpretation of 46–47, 52–55
 Student–Newman–Keuls adjustments . .
 539, 542–544

subsequent levels, contrast to . . 187–192
 survey data see complex survey data
 svy prefix 499–503
 svyset command 499

T

t test 168–169
 three by three by three design . . 262–271
 interaction contrasts 264–267
 partial interactions 264–267
 simple comparisons 271
 simple effects 271
 simple interactions 268–271
 three by three design 228–236
 interaction contrast 234–236
 partial interactions 233–234
 simple contrasts 231–232
 simple effects 230–231
 three by two by two design see two by
 two by three design
 three by two design see two by three
 design
 three-way interactions
 categorical by categorical by cate-
 gorical see categori-
 cal by categorical by categori-
 cal interactions
 continuous by continuous by cate-
 gorical interactions see con-
 tinuous by continuous by cat-
 egorical interactions
 continuous by continuous by con-
 tinuous see contin-
 uous by continuous by contin-
 uous interactions
 linear by categorical by categorical
 interactions
 see linear by categorical by
 categorical interactions

- three-way interactions, *continued*
 - linear by linear by categorical interactions see linear by linear by categorical interactions
 - linear by quadratic by categorical interactions see linear by quadratic by categorical interactions
 - time, modeled categorically . . . 437–454
 - split plot design 443–452
 - time by categorical interaction 443–452
 - time modeled alone 438–443
 - time, modeled continuously . . . 411–435
 - categorical by time piecewise interaction 426–434
 - linear effect of time 412–416
 - time by categorical interaction 416–421
 - time piecewise 421–426
 - Tukey adjustments 539, 542–544
 - two by three design 218–228
 - partial interactions 221–223, 226–227
 - simple contrasts 225–226
 - simple effects 220–221, 225
 - two by two by three design . . . 255–262
 - partial interactions 260–262
 - simple contrasts 260
 - simple interactions 258–260
 - two by two by two design 250–255
 - simple effects 255
 - simple interactions 252–255
 - two by two design 211–218
 - simple effects 215–217
 - two-level categorical predictor . . . 168–169
 - two-way interactions
 - categorical by categorical see categorical by categorical interactions
 - continuous by continuous see continuous by continuous interactions
 - cubic by categorical see cubic by categorical interactions
 - linear by categorical see linear by categorical interactions
 - piecewise by categorical see piecewise by categorical interactions
 - quadratic by categorical see quadratic by categorical interactions
 - two-way interactions, *continued*
 - continuous by continuous see continuous by continuous interactions
 - cubic by categorical see cubic by categorical interactions
 - linear by categorical see linear by categorical interactions
 - piecewise by categorical see piecewise by categorical interactions
 - quadratic by categorical see quadratic by categorical interactions
- U**
- U-shape 45–46
 - unadjusted means 282
 - unbalanced designs 236–241
- W**
- weighted contrasts 198–200
 - within subjects models see time, modeled categorically
- X**
- `xtmixed` command
 - `residuals()` option 439–440, 452–454