

Subject index

A

adjacent mean contrasts.....188–194
adjusted means
 average marginal effect ... 289–290
 computing 28–31
 graphing.....31–32
 marginal effect at the mean.....
 289–290
analysis of variance 175–181
anova command 175–181
anova versus **regress** command
 212–215, 250–253
as-balanced versus as-observed
 contrasts.....206–208
as-observed versus as-balanced
 contrasts.....206–208
average marginal effect versus marginal
 effect at the mean... 289–290
average marginal value versus marginal
 value at the mean 30–31

B

Bonferroni adjustments .. 556–557, 588,
 591, 593–594
broken line regression *see* piecewise
 models
broken stick regression ... *see* piecewise
 models

C

categorical by categorical by categorical
 interactions 257–280
 interaction contrasts.....272–275
 partial interactions.....268–270,
 272–275
 simple comparisons 279
 simple contrasts.....268

categorical by categorical by categorical
 interactions, *continued*
 simple effects..... 263, 279
 simple interactions .. 260–263, 266,
 276–279
 simple partial interactions
 266–268
 three by three by three design
 270–279
 two by two by three design
 263–270
 two by two by two design.. 258–263
categorical by categorical by continuous
 interactions
 linear.. *see* linear by categorical by
 categorical interactions
categorical by categorical interactions..
 217–256
 interaction contrast.....243–245
 logistic regression..... 503–509
 partial interactions.....230–232,
 235–236, 242–243
 simple contrasts 234–235,
 240–241
 simple effects ... 224–226, 229–230,
 234, 240
 three by three design 237–245
 two by three design..... 227–237
 two by two design 219–227
categorical by continuous by continuous
 interactions.....
 see continuous by continuous
 by categorical interactions
categorical by continuous interactions
 cubic *see* cubic by categorical
 interactions

- categorical by continuous interactions, *continued*
 - linear *see* linear by categorical interactions
 - quadratic *see* quadratic by categorical interactions
- categorical by linear by linear interactions . . . *see* linear by linear by categorical interactions
- categorical by linear by quadratic interactions *see* linear by quadratic by categorical interactions
- categorical by piecewise interactions
 - linear *see* piecewise by categorical interactions
- categorical predictor
 - beyond two levels 175–181
 - two levels 174–175
- categorical predictors 173–215
 - using **regress** command 212–215
- comparisons *see* contrasts
- complex survey data 523–527
- concave curve 49–50
- confidence intervals, interpreting
 - 210–211, 253–255
- continuous by categorical by categorical interactions
 - linear . . *see* linear by categorical by categorical interactions
- continuous by categorical by continuous interactions
 - see* continuous by continuous by categorical interactions
- continuous by categorical interactions
 - cubic *see* cubic by categorical interactions
 - linear *see* linear by categorical interactions
 - logistic regression 510–516
 - quadratic *see* quadratic by categorical interactions
- continuous by continuous by categorical interactions 375–392
- continuous by continuous by continuous interactions 153–169
- continuous by continuous interactions
 - 131–152
 - linear by linear 131–144
 - linear by quadratic 144–151
- continuous by piecewise interactions
 - linear *see* piecewise by categorical interactions
- contrast** command . . 178–181, 583–590
- contrast operators . . . *see* contrast operators
 - effects** option 585–588
 - level()** option 588–590
 - mcompare()** option 588
 - noeffects** option 584–585
 - nowald** option 585–590
 - pveffects** option 585–586
- contrast operators
 - a** 188–194
 - ar** 192–194
 - custom** 202–206
 - g** 185–188
 - gw** 206–208
 - h** 194–199
 - hw** 206–208
 - j** 198–199
 - jw** 206–208
 - p** 200–202
 - pw** 206–208
 - q** 201–202
 - qw** 206–208
 - r** 182–185
 - table of 181–182
 - weighted 206–208
- contrasts
 - adjacent mean 188–194
 - custom 202–206
 - grand mean 185–188
 - Helmert 194–199
 - polynomial 200–202
 - reference group 182–185
 - reverse adjacent mean 192–194
 - reverse Helmert 198–199

- contrasts, *continued*
 selecting.....183–185, 187–188,
 193–194, 199
 selecting reference group..184–185
 to mean of previous levels.....
198–199
 to mean of subsequent levels.....
194–199
 weighted.....206–208
convex curve.....49–50
cross-level interaction
 categorical by categorical..417–421
 continuous by categorical.....
409–417
 continuous by continuous.....
406–409
cubic by categorical interactions.....
329–334
cubic predictor.....59–66
 graphing.....63–66
 interpretation of.....60, 63–66
custom contrasts.....202–206
- D**
datasets
 downloading.....1
 GSS.....4–12
 optimism.....13
 pain.....12
 school.....13
 sleep.....13
downloading datasets.....1
Duncan adjustments.....591, 594–596
Dunnett adjustments.....591, 594–596
- E**
estimates stats command..464–466
estimates store command..464–466
- F**
factor variables.....173–215
 used with **margins** command.....
551–559
fp prefix.....66–79
- fractional polynomial regression..66–79
 graphing.....74–79
 interpreting.....74–79
 versus quadratic model.....71–73
- G**
grand mean contrasts.....185–188
graphing adjusted means.....31–32
- H**
hierarchical linear model.....*see*
 multilevel model
hockey stick models.....*see* piecewise
 models
- I**
interaction contrast
 three by three design.....243–245
interaction contrasts
 three by three by three design....
272–275
interactions
 categorical by categorical.....
 . *see* categorical by categorical
 interactions
 categorical by categorical by cate-
 gorical.....
 . *see* categorical by categorical
 by categorical interactions
 categorical by continuous by con-
 tinuous interactions.. *see* con-
 tinuous by continuous by cate-
 gorical interactions
 continuous by categorical by con-
 tinuous interactions.. *see* con-
 tinuous by continuous by cate-
 gorical interactions
 continuous by continuous.....
 . *see* continuous by continuous
 interactions
 continuous by continuous by con-
 tinuous..... *see* continu-
 ous by continuous by continu-
 ous interactions

- interactions, *continued*
- cubic by categorical .. *see* cubic by categorical interactions
 - linear by categorical .. *see* linear by categorical interactions
 - linear by categorical by categorical interactions
... *see* linear by categorical by categorical interactions
 - linear by linear by categorical interactions *see*
linear by linear by categorical interactions
 - linear by quadratic by categorical interactions
... *see* linear by quadratic by categorical interactions
 - piecewise by categorical
.. *see* piecewise by categorical interactions
 - quadratic by categorical
.. *see* quadratic by categorical interactions
- interpreting confidence intervals
..... 210–211, 253–255
- inverted U-shape 49–50
- L**
- linear by categorical by categorical interactions 393–401
 - linear by categorical interactions
..... 283–309
 - linear by linear by categorical interactions 376–385
 - linear by linear by linear interactions ..
see continuous by continuous by continuous interactions
 - linear by linear interactions
see continuous by continuous interactions
 - linear by quadratic by categorical interactions 386–392
 - linear by quadratic interactions
see continuous by continuous interactions
- linear regression, multiple 27–32
- linear regression, simple 19–27
- linearity
- assessing analytically 39–46
 - assessing graphically 32–39
 - assessing using **contrast** command
..... 44–46
 - assessing via factor variables
..... 42–46
 - assessing via graphing means
..... 36–39
 - assessing via lowess 35–36
 - assessing via polynomials ... 40–42
 - assessing via residuals 33–34
 - assessing via scatterplots 33
- logistic regression 476–491
- categorical by categorical interactions 503–509
 - continuous by categorical interactions 510–516
 - contrast** command 477–478
 - margins** command 479–482,
484–486
 - margins, default metric 482
 - margins**, **pwcompare** command ..
..... 482–484
 - marginsplot** command .. 479–482,
484–486
 - one categorical predictor .. 476–484
 - one continuous predictor .. 484–486
 - piecewise models 516–522
 - predictive margins 480
 - pwcompare** command 478–479
with covariates 486–491
- logit** command 476–491
- longitudinal models *see* time,
modeled continuously
- M**
- main effects
- interpreting with categorical interactions 250–253
 - interpreting with polynomial models 79–81

- marginal effect at the mean versus average marginal effect... 289–290
- marginal value at the mean versus average marginal value 30–31
- margins** command 22–24, 545–566
 - asbalanced** option 249–250
 - asobserved** option 248–249
 - at()** option 22–24, 548–551, 557–559
 - contrast()** option 554–557
 - dydx()** option... 559–560, 562–566
 - dyex()** option 561
 - expression()** option 546–548
 - eydx()** option 562
 - eyex()** option 560–561
 - mcompare()** option 556–557
 - noatlegend** option 550
 - predict()** option 545–546
 - with factor variables 551–559
- marginsplot** command 24–27, 567–581
 - adding scatterplot to 572
 - addplot()** option 572
 - bydimension()** option 578
 - byopts()** option 579, 581
 - ciopts()** option 569–571
 - customizing by-graphs... 579, 581
 - customizing the legend 576
 - display of confidence interval 569–571
 - display of fit line 569–571
 - fcolor()** option 570–571
 - labeling the by-dimension 578
 - labeling the plot dimension 574–576
 - labeling the x dimension 577
 - lcolor()** option 571
 - legend()** option 576
 - line thickness 569
 - marker size 569
 - marker symbol 569
 - nocl** option 572
 - omitting confidence interval... 572
 - plotdimension()** option 574–576
- marginsplot** command, *continued*
 - plotopts()** option 569, 571
 - recast()** option 569–571
 - recast(line)** option 580
 - recastci()** option 569–571
 - recastci()** option 580
 - scheme()** option 572
 - scheme()** option 580
 - selecting a scheme 572
 - selecting dimension for *x* axis.. 573
 - selecting the by-dimension 578
 - selecting the plot dimension... 574
 - subtitle()** option 568
 - title()** option 568
 - xdimension()** option 573
 - xlabel()** option 568, 577
 - xscale()** option 568
 - xtitle()** option 568
 - ylabel()** option 568
 - yscale()** option 568
 - caption()** option 568
 - note()** option 568
 - ytile()** option 568
- mixed** command
 - residuals()** option 451–452, 464–466
- mixed model *see* multilevel model
- mkspline** command 88–92
 - marginal** option 92–94
- mlogit** command 491–497
- multilevel model 405–422
 - cross-level interactions *see* cross-level interactions
 - longitudinal *see* time, modeled continuously
- multinomial logistic regression 491–497
 - contrast** command 492–494
 - margins** command 494–497
 - marginsplot** command... 494–497
 - pwcompare** command 494
- multiple comparison adjustments 556–557, 588, 591–596
- multiple regression 27–32

N

nested model *see* multilevel model
 nonlinear models 475–522
 categorical by categorical interactions 503–509
 continuous by categorical interactions 510–516
 piecewise models 516–522
 nonlinear relationships
 cubic predictor 59–66
 fractional polynomial 66–79
 piecewise models 83–130
 polynomial predictor 49–81
 quadratic predictor 49–59

O

ologit command 497–500
 ordinal logistic regression 497–500
 contrast command 498–499
 margins command 499–500
 marginsplot command 499–500

P

pairwise comparisons 208–210
 partial interactions
 three by three by three design 272–275
 three by three design 242–243
 two by three design 230–232, 235–236
 two by two by three design 268–270
 piecewise by categorical interactions 335–374
 comparing coding schemes 366–373
 one knot and one jump 338–351
 overview of 335–338
 two knots and two jumps 351–366
 piecewise models 83–130
 automating graphs 127–130
 change in slope coding 92–94
 individual slope coding 88–92
 logistic regression 516–522
 multiple unknown knots 117–124

piecewise models, *continued*

 one knot 86–94
 one knot and one jump 100–105
 one unknown knot 113–117
 piecewise by categorical
 interactions *see* piecewise by categorical interactions
 two knots 95–100
 two knots and two jumps 106–112
poisson command 500–503
 Poisson regression 500–503
 contrast command 501
 margins command 502–503
 marginsplot command 502–503
 pwcompare command 501–502
 polynomial contrasts 200–202
 polynomial models
 interpreting main effects 79–81
 polynomial predictor 49–81
 predicted means, computing 24–27
 predictive margins 480
 previous levels, contrast to 198–199
pwcompare command 208–210, 591–596
 cimargins option 592–593
 groups option 593–596
 mcompare() option 591, 594–596
 pveffects option 592–596
 Šidák adjustment 209–210
 sort option 594–596

Q

quadratic by categorical interactions 311–329
 quadratic by linear by categorical interactions *see* linear by quadratic by categorical interactions
 quadratic by linear interactions *see* continuously by continuous interactions
 quadratic predictor 49–59
 graphing 55–59
 interpretation of 50–51, 56–59

- quadratic term
 interpretation of 50–51, 56–59
- R**
- random-coefficient model *see*
 multilevel model
- reference group contrasts 182–185
- regress** versus **anova** command
 212–215, 250–253
- repeated-measures models *see* time,
 modeled categorically
- residual covariance structures, compar-
 ing 464–466
- S**
- Scheffé adjustments 556–557, 588,
 591, 593–594
- selecting contrasts 183–185, 187–188,
 193–194, 199
- selecting reference group 184–185
- Šidák adjustments 556–557, 588, 591,
 593–594
- simple comparisons
 three by three by three design 279
- simple contrasts
 three by three design 240–241
 two by three design 234–235
 two by two by three design 268
- simple effects
 three by three by three design 279
 three by three design 240
 two by three design 229–230, 234
 two by two by two design 263
 two by two design 224–226
- simple interactions
 three by three by three design
 276–279
 two by two by three design 266
 two by two by two design 260–263
- simple linear regression 19–27
- simple partial interactions
 two by two by three design
 266–268
- spline regression *see* piecewise models
- split plot design 455–464
- squared term
 interpretation of 50–51, 56–59
- Student–Newman–Keuls adjustments
 591, 594–596
- subsequent levels, contrast to 194–199
- survey data *see* complex survey data
- svyset** command 523
- svy** prefix 523–527
- T**
- t* test 174–175
- three by three by three design 270–279
 interaction contrasts 272–275
 partial interactions 272–275
 simple comparisons 279
 simple effects 279
 simple interactions 276–279
- three by three design 237–245
 interaction contrast 243–245
 partial interactions 242–243
 simple contrasts 240–241
 simple effects 240
- three by two by two design *see* two by
 two by three design
- three by two design *see* two by three
 design
- three-way interactions
 categorical by categorical by cate-
 gorical *see* categori-
 cal by categorical by categori-
 cal interactions
 continuous by continuous by cate-
 gorical interactions *see* con-
 tinuous by continuous by cat-
 egorical interactions
 continuous by continuous by con-
 tinuous *see* continu-
 ous by continuous by continu-
 ous interactions
 linear by categorical by categorical
 interactions
 *see* linear by categorical by
 categorical interactions

- three-way interactions, *continued*
 linear by linear by categorical interactions *see*
 linear by linear by categorical interactions
 linear by quadratic by categorical interactions
 ... *see* linear by quadratic by categorical interactions
- time, modeled categorically ... 449–474
 split plot design 455–464
 time by categorical interaction
 455–464
 time modeled alone 450–455
time, modeled continuously ... 423–448
 categorical by time piecewise interaction 438–447
 linear effect of time 424–428
 time by categorical interaction
 428–433
 time piecewise 433–438
Tukey adjustments 591, 594–596
two by three design 227–237
 partial interactions 230–232,
 235–236
 simple contrasts 234–235
 simple effects 229–230, 234
two by two by three design ... 263–270
 partial interactions 268–270
 simple contrasts 268
 simple interactions 266
 simple partial interactions
 266–268
two by two by two design ... 258–263
 simple effects 263
 simple interactions 260–263
two by two design 219–227
 simple effects 224–226
two-level categorical predictor
 174–175
two-way interactions
 categorical by categorical
 . *see* categorical by categorical interactions
- two-way interactions, *continued*
 continuous by continuous
 . *see* continuous by continuous interactions
 cubic by categorical .. *see* cubic by categorical interactions
 linear by categorical .. *see* linear by categorical interactions
 piecewise by categorical
 .. *see* piecewise by categorical interactions
 quadratic by categorical
 .. *see* quadratic by categorical interactions
- U**
U-shape 49–50
unadjusted means 290–291
unbalanced designs 245–250
- W**
weighted contrasts 206–208
within subjects models *see* time, modeled categorically