Subject index

A

accelerated longitudinal design 263
adjusted means 37
adjusted R square 149
age-period-cohort 262
agreement 85
AIC . . . *see* Akaike information criterion
Akaike information criterion 364
analysis of covariance 35
analysis of variance 17–19
ANCOVA . . . . . *see* analysis of covariance
Anderson–Hsiao estimator 314
ANOVA . . . . . *see* analysis of variance
antedependence model 312
applications
  adolescent-alcohol-use data . . . 378, 426
  airline-cost data 514
  anorexia data 64
  antisocial-behavior data . . 324, 376
  army data 241
  children's-growth data 387, 422
  cigarette-consumption data . . . 379, 521
  class-attendance data 66
  cognitive-style data 330
  crime data 299
  crop data 197
  dairy-cow data 475
  dialyzer data 242
  diffusion-of-innovations data . . . 423
  essay-grading data 129
  exam-and-coursework data 476
  faculty-salary data 11
  family-birthweight data 243
  fat-accretion data 425
  Fife-school data 493, 513
applications, *continued*
  general-health-questionnaire data 127
  Georgian-birthweight data 130, 194, 199
  grade-point-average data 193
  growth-in-math data 421
  Grunfeld-investment data 484
  head-size data 129
  high-school-and-beyond data . . . 63, 196, 239
  homework data 240
  hours-worked data 328
  inner-London-schools data 201, 239
  instructional-improvement data 469
  jaw-growth data 193, 422
  Kenyan-nutrition data 447
  math-achievement data 468
  minimum-wage data 284
  multicenter-hypertension-trial data 471
  neighborhood-effects data 128, 192, 516
  nitrogen data 518
  olympic-skating data 519
  peak-expiratory-flow data 76, 126, 432, 479, 481
  postnatal data 376
  rat-pups data 194
  returns-to-schooling data 331
  school-effects data 472
  sex-education data 196
  smoking-and-birthweight data . . 64, 133, 520
  STAR data 473, 474, 521

applications, *continued*
tax-preparer data 323
teacher-expectancy meta-analysis data 130
twin-neuroticism data 127, 478
unemployment-claims data . . . 325, 327, 426
U.S.-production data 470, 514
video-ratings data 515
wage-panel data 195, 251, 271, 339
wheat-and-moisture data 241
Arellano–Bond estimator 316
atomistic fallacy 1, 166
attrition 318
autocorrelations 267
autoregressive-response model 308–312
autoregressive structure 348–351

B

balanced data 255–256
banded structure 353–356
Bayesian information criterion 364
best linear unbiased predictor 119, 491
between estimator 159–160
BIC . . . . . *see* Bayesian information criterion
bivariate linear regression model . . . 382
bivariate normal distribution . . 210, 211
BLUP . . . . . *see* best linear unbiased predictor
boundary estimates 109
Breusch–Pagan test 96

C

caterpillar plot 230
causal effect 60
clinical trial 5
clustered data 75, 431
cluster-randomized trials . . . 4, 190, 196
coefficient of determination 23, 148–151
cohort-sequential design 263

commands
`anova` 19
`dropemptycells` option 289
`repeated()` option 289
`by` 525
`_coef_table` 66
`contrast` 47
`correlate` 206, 266
`covariance` option 206
`egen` 494, 502, 525
`count()` function 137, 205
`group()` function 502
`mean()` function 173, 260
`rank()` function 259
`sd()` function 475
`tag()` function 137, 494
`total()` function 494
`encode` 433
`estat abond` 317
`estat df` 93, 153
`estat icc` 91, 441
`estat recovariance` 217
`estat sargan` 318
`estat sd`
`coeflegend` option 121
`estat wcorrelation` 148, 341, 441
`at()` option . . 148, 341, 360, 441
`covariance` option 426
`estimates stats` 364
`estimates table` 366
`foreach` 173
`generate` 77
`gllapred` 232
`gmm` 316
`graph combine` 228
`gsort` 230
`hausman` 169, 280
`equation(1:1)` option 169
`histogram` 13, 179
`normal` option 58, 228
`ivregress` 315
`keep` 253
`lfit` 203

commands, *continued*
`lincom` 40, 43, 47, 172
`small` option 156
`lrtest` 95, 156, 406, 506
`force` option 130, 219, 291, 406
`manova` 290
`margins` 19, 36, 43, 156, 157
`marginsplot` 43, 158
`noci` option 43
`plot1opts(lpatt(dash))` option 43
`recast(line)` option 43
`merge` 526
`meta summarize`
`common` option 131
`misstable` 412
`mixed` 89, 216, 290, 339, 347, 357, 439–443, 487
`coeflegend` option 120
`covariance()` option 339
`covariance(exchangeable)` option 480
`covariance(identity)` option 481
`covariance(unstructured)` option 216, 347, 459, 481
`dfmethod(kroger)` option . . . 92, 152, 155
`emiterate()` option . . . 184, 237
`emonly` option 184, 237
`estmetric` option 120
`matlog` option 220
`matsqrt` option 219
`mle` option 85, 89, 147, 214, 290, 339
`noconstant` option 89, 339, 349, 357, 407, 481
`nofetable` option 339
`nogroup` option 339
`reml` option 85, 90, 111, 124, 185, 218
`residuals()` option . . . 339, 418
`residuals(ar 1, t() by())` option 362
commands, `mixed`, *continued*
`residuals(ar 1, t())` option 349, 357
`residuals(banded 1, t())` option 354
`residuals(exchangeable)` option 344
`residuals(exponential, t())` option 351
`residuals(independent, by())` option . . . 358, 360, 405, 418
`residuals(ma 1, t())` option 352
`residuals(toeplitz 2, t())` option 355
`residuals(unstructured, t())` option 339
`stddeviations` option . . . 89, 90, 217, 341, 440
`technique()` option 184
`variance` option 217
`vce(robust)` option 90, 93, 147, 214, 290, 367, 368
`mkspline` 400
`power` 189
`cluster` option 189
`predict` 26, 224, 226, 442
`fitted` option 226, 396, 464
`reffects` option . . 122, 179, 224, 442, 462, 491
`reses()` option . . . 123, 124, 179, 425
`rstandard` option . . 58, 179, 229
`xb` option 26, 114, 202, 466
`qnorm` 508
`rcap` 231
`recode` 433
`regress` 23, 87, 181, 202
`beta` option 26
`coeflegend` option 43
`noconstant` option 115
`nofvlabel` option 43, 52
`vce()` option 195

commands, `regress`, *continued*
`vce(cluster` *clustvar*`)` option 181
`vce(robust)` option 29, 59
`reshape` 86, 252, 266, 417, 433, 526
`i()` option 86, 253, 433
`j()` option 86, 253
`string` option 330, 433
`sem` 411
`means()` option 414
`method(mlmv)` option 414
`noconstant` option 414
`set seed` 319
`ssc` 511
`statsby` 205, 223, 526
`summarize` 206
`supclust` 511
`svyset` 102
`tabstat` 12, 266
`tabulate` 44, 496
`generate()` option 44
`testparm` 48, 49, 155, 175
`small` option 155
`ttest` 15
`unequal` option 16, 29
`twoway`
`by()` option 193
`connect(ascending)` option 193, 207, 261
`ysize()` option 231
`twoway function` 40, 221
`twoway histogram`
`horizontal` option 228
`use` 77
`clear` option 12, 77
`xtabond` 316
`xtdescribe` 256, 417, 448, 526
`xtdidregress` 287
`xtgee` 368
`corr(ar 1)` option 368
`vce(robust)` option 368
`xtgls` 371, 381
`igls` option 371
commands, *continued*
`xthtaylor` 297
`amacurdy` option 297, 332
`endog()` option 297
`xtivreg` 303, 305
`ec2sls` option 305
`fe` option 303
`re` option 305
`xtmixed` 76
`xtpcse` 372, 380
`correlation(ar1)` option . . 373, 380
`correlation(independent)` option 380
`independent` option 380
`nmk` option 380
`xtreg` 87, 144, 160, 272–278
`be` option 160
`fe` option 99, 111, 163, 275, 301, 329
`mle` option 85, 87
`pa` option 369
`re` option . . . 85, 88, 96, 164, 183, 195
`sa` option 183
`vce(robust)` option 88, 93, 369
`xtset` 87, 135, 255, 327
`xtsum` 135, 450, 526
`xttab` 137, 258
`xttest0` 97
comparative standard error 123
complex level-1 variation 405
compositional effect 167, 191
compound symmetric structure 344
compound symmetry 344
conditional
independence 81
confidence interval 16, 91–100, 156–158
confounder 30
consistent estimator 107
contextual effect 167, 191
contrast 156

covariance structure 107, 333–363, 487
covariate 35
cross-classification 483, 493
cross-level interaction 234, 404
cross-over trial 6
cross-sectional time-series data 249
crossed random effects 483–523

D
datasets ..... *see* applications
de-meaning 275–278
design effect 186
diagnostic standard error 123
diagnostics 178–181, 507–509
difference estimator 274, 282
difference-in-differences ... 284–290, 326
directed acyclic graph 80, 81
double differencing 293
dropout 318
dummy variable 27–30, 44–50
dynamic model 250–251, 308–312

E
EB ..... *see* empirical Bayes
ecological fallacy 1, 166
effect modifier ..... *see* interaction
efficiency 107
elasticity 307, 329, 381
EM algorithm 183
empirical Bayes 116–122, 177–179, 224–227, 396, 416, 442–443, 462, 491, 507
  borrowing strength 119
  standard errors 122–125
endogeneity 139, 165–175, 269–299
equally spaced occasions 256
error components 82
estimated best linear unbiased predictor 119
examples ..... *see* applications
exchangeable 103
exchangeable structure 344
exogeneity 60, 139
exponential structure 348–351

F
factor 35, 102
factor variables .. 36, 41, 46, 52, 54, 56, 106, 115, 234
family study 5
feasible generalized least squares .. 164, 182
FGLS ..... *see* feasible generalized least squares
first-differencing 282–284
fixed effects 102–104, 176–178
fixed-effects estimator 162–164, 274–282
fixed-effects model 162, 250
fixed-occasion data 335
fixed occasions 256
functions
  `rnormal()` 319
  `runiform()` 320

G
generalizability
  coefficient 516
  theory 516
generalized
  least squares 181
GLS ..... *see* generalized least squares
growth-curve model 387–428

H
Hausman–Taylor estimator 294–299
Hausman test .. 168, 279–282, 306–308, 332
Hessian 183
heteroskedasticity 21, 211, 358–362, 405–408
hierarchical data 431
hierarchical model 101
higher-level model 431–482
higher-order polynomials 57
homoskedasticity 21
How many clusters? 94
hypothesis test 12–17, 91–100, 152–156, 158–159, 219, 363, 444, 505–507

I
identification 237–238
independence structure 337
independent-samples t test 12–17
indicator variable . . *see* dummy variable
indicators 41
information matrix 183
initial-conditions problem 313
instrumental variable 178, 295, 296
interaction 38–44, 50–54
intercept 21
intervening variable 50
intraclass correlation 83, 141, 212, 438–439, 486, 501
iterative generalized least squares . . 183

K
Kenward–Roger method 92
Kish factor 186

L
lagged-response model 308–312
latent trajectory model . . . . . *see* growth-curve model
latent variable 409
Lexis diagram 262
likelihood-ratio test 95–96, 155
linear mixed (effects) model 138
linear projection 60
linear random-intercept model with covariates 138
linear regression . . . . . *see* simple linear regression
long form 86, 252–254
long panel 369–374
longitudinal correlations 267
longitudinal data 249, 269–332, 387–428
longitudinal model 1–7
longitudinal study 5–6
Lord's paradox 288

M
MANOVA . . . *see* multivariate analysis of variance
MAR . . . . . *see* missing at random
marginal
  likelihood 109
  model 251, 333–385
maximum likelihood 108, 183
mean squared error of prediction . . . 123
mean structure 333
measurement error 80
measurement model 80
measurement study . . 6, 76–77, 432–433
mediator . . . . . *see* intervening variable
meta-analysis 4–5
missing
  at random 318
  data 256–257, 318–322
mixed model 138
mixed-effects model 89
ML . . . . . *see* maximum likelihood
model-based estimator 29
model sum of squares 17
moderator . . . . . *see* interaction
moving-average structure 351–353
multilevel model 1–7
multiple linear regression 30–38
multiple membership model . . . 513, 523
multisite trials 190
multistage survey 3–4
multivariate
  analysis of variance 290
  multilevel model 476
  regression model 343
  response 409
Mundlak approach 280–282

N
nested random effects 431–482
Newton–Raphson algorithm 183
Nickell bias 314
NMAR . . . . . *see* not missing at random
normality assumption 14, 108, 140, 210, 338
not missing at random 319

O
OLS . . . . . *see* ordinary least squares

one-way ANOVA 17–19
ordinary least squares 17, 185
overparameterized 20

P

panel data . . . . . *see* longitudinal data
partial pooling 119
path diagram 80, 81, 296, 348, 351, 411, 437, 480
piecewise linear model 398–403
polynomial 54–57, 389–390
pooled OLS 181, 264–265
posterior
  distribution 116
  variance 122
power 186–190
prediction . . . . . *see* empirical Bayes
predictive margin 37
prior distribution 116

R

random
  effects 102–104, 176–181
  interaction 505
  intercept 80
random-coefficient
  model 208–214
random-effects model 250
random-intercept
  model 138–144
reduced form 233, 404
reference group 28
regression coefficient 21
regression sum of squares . . . . *see* model sum of squares
regression to the mean 288
reliability 82
REML . . . . . *see* restricted maximum likelihood
repeated measures . . . . . *see* longitudinal data, 249
repeated-measures analysis of variance 288–290
residual sum of squares . . . . . *see* sum of squared errors
residuals 58–59, 178–181, 227–229, 462–466, 507–509
restricted maximum likelihood 184
robust standard error 29, 59, 93, 108, 112, 147, 186, 214, 265, 267, 368
R-squared . . . . . *see* coefficient of determination

S

sample-size determination 186–190
sandwich estimator . . . 29, 93, 112, 265, 368
scalars 395
scatterplot 202
score test 96
seemingly unrelated regression 343, 382
SEM . . . . . *see* structural equation model
serial correlations 267
set seed 259
short panel 369–374
shrinkage 119, 224
shrinkage factor 119
simple linear regression 19–27
simulation 319–322
slope 21
small-area estimation 198
spaghetti plot 207
sphericity 289
spline 398
split-plot design 290
spurious state dependence 310
SSC 511
standardized regression coefficient . . . 26
state dependence 312
string variable 433
structural equation model 409–411
subject-specific effect 269–332
sum of squared errors 17

T

three-level model 431, 435–466
three-stage formulation 454–455
three-way interaction 44

time scales 262–264
time-series operators 315
time-series–cross-sectional data . . . 369–374
time-varying covariates 257–258
Toeplitz structure 353–356
total sum of squares 17
trellis graph 203, 396
t test . . . *see* independent-samples t test
twin study 5
two-level model 80
two-stage formulation 232, 403
two-way error-components model . . 483, 485–493
two-way interactions 44

U
unconditional model 149
unstructured covariance matrix . . . 339–343

V
variance components 82–85

W
Wald test 155, 175
White information matrix test 367
wide form 86, 252–254
within estimator 162–164