Subject index

A
additive model 109, 131–132

B
base level 44–46, 141–143
binary variables 10

C
categorical and quantitative variables 75–78
categorical predictors 72–74
`center` community-contributed command 103
centering the predictor 102
cluster sampling 26–28
collinearity 145–146
  essential 102
  nonessential 102
`contrast` command 83, 139
`correlate` command 146
COVID-19 55–56
Cox–Snell R^2 49–50
cutpoint 65–66
`cutpt` community-contributed command 65

D
`describe` command 8
diminishing gap 121

E
edit dataset 13–14
end of a command 42
`estat vif` postestimation command 146–148
`estimates store` command 25–26
`estimates table` command 25–26
estimating the curve 103–105

F
false negatives 55
false positives 56
Firth logistic regression 152–153
`firthlogit` community-contributed command 151–153
`fitstat` community-contributed command 48–50
`fre` community-contributed command . . . 11–12, 27, 31, 61, 70, 135

G
Graph Editor 85–86

H
hierarchical modeling 134
hypothetical data 35–36

I
imperfect model 25–26
import from SAS 4
import from SPSS 4
information criteria 52
  Akaike 52
  Bayesian 52
interaction 115–132
  categorical variables 117–119, 124–127
  quantitative variables 117–119, 127–132
intercept-only model 49
interpreting coefficients 39–40

interpreting odds ratios 39–40
intersectionality 115

L
labeling values 10–12
linear model 38
linked variables 98
Liu method 65
`logistic` command 22
logistic regression 20–24
`logit` command 22
`lowess` command 95
lowess curve 95–97

M
`margins` command 69–78
`dydx()` option 74, 123
`marginsplot` command 79–91
McFadden's R^2 49–50
model fits poorly 53
multicollinearity 145–148
multiple predictors 41–42

N
nearest to $(0, 1)$ method 65
nested logistic regression 134–138
`nestreg` command 133–143

O
odds ratios 29–31, 71
one quantitative and one categorical predictor 89
one quantitative predictor 86–88
ordinary least-squares regression 15–20

P
pair of categorical predictors 90
pair of quantitative predictors 91
percentage difference 31–33
`power logistic` command 149–151
`predict` command 50–51, 72
pseudo-R^2 measures of fit 47–51

Q
quadratic models 93–114
quadratic with logistic regression 106–114
quantitative predictors . . . 42–44, 74–75

R
receiver operating curves 60–66
`recode` command 31, 80
reference group 44–46
`regress` command 15–20
`baselevels` option 16
`beta` option 16
relative risk 153–158
reporting results 2–4
robust and cluster estimation 24
`roccomp` command 66–67
`roctab` command 62–65
`detail` option 62
`graph` option 62
`summary` option 62
`text` option 64

S
sample size 148–151
save dataset 13–14
scatterplot 95
session length 101
small-sample bias 151–153
`spost13` community-contributed package 47

T
`tabulate` command 29
`test` postestimation command 139
`testparm` postestimation command 143
Tjur's D 51
true negative 55–56
true positive 55–56
`twoway` command 95
`scatter` subcommand 95

U
uncentered
    model 102
    predictor 97–102
    quantitative variables 116
    results 119

V
variance inflation factor 147
variance–covariance matrix 27

W
working directory 14

Y
Youden method 65

Z
z score 53
zone of transition 37